

36 Method of RowMapper interface in which, you have to construct the object that represents a row and return it as the method's return value.

- a. mapRow()
- b. query()
- c. update()
- d. none of the mentioned

37 RowMapper implementation which can automatically map a row to a new instance of the specified class.

- a. BeanPropertyRowMapper
- b. BeanPropertyRow
- c. All of the mentioned
- d. None of the mentioned

38 Method which provides list of maps.

- a. queryForList()
- b. update
- c. query()
- d. all of the mentioned

39 The org.springframework.jdbc.core.support.JdbcDaoSupport class has a setDataSource() method and a setJdbcTemplate() method.

- a. True
- b. False

40 Method to retrieve the JDBC template.

- a. setJdbcTemplate()
- b. getTemplate()
- c. getJdbc()
- d. getJdbcTemplate()

41 Which is the only method in ResultSetExtractor Interface?

- a. resultSet(Result Set rs)
- b. extractResultSet(ResultSet rs)
- c. extractData(ResultSet rs)
- d. none of the above

42 ResultSetExtractor is a -----?

- a. class
- b. interface
- c. Abstract class
- d. none of the above.

43 What we return using ResultSetExtractor

- a. row
- b. result set
- c. list
- d. none of above

44 Which Spring class use for result set parsing and merging rows into single object?

- a. RowMapper
- b. ResultSetExtractor

- c. ResultSetMapper
- d. RowCallbackHandler

45 Which method of JDBCTemplate class take the instance of ResultSetExtractor?

- a. query()
- b. execute()
- c. update()
- d. All of the above.

46 extractData() method of ResultSetExtrator throws which Exception?

- a. NullPointerException
- b. DataAccessException
- c. both a & b
- d. none of the above

47 ResultSetExtractor is available in which package?

- a. import org.springframework.jdbc.core.JdbcTemplate
- b. import org.springframework.jdbc.core.ResultSetExtractor
- c. import org.springframework.dao.ResultSetExtractor
- d. None of the above.

48 Spring framework offers a consistent data access exception-handling mechanism for its data access module.

- a. True
- b. false

49 The direct parent class of DataAccessException is:

- a. RuntimeException
- b. NestedRuntimeException
- c. Exception
- d. Throwable

50 Which concrete exception in the DataAccessException hierarchy should be thrown?

- a. errorCode
- b. SQL State properties of the caught SQLException
- c. All of the mentioned
- d. None of the mentioned

51 Method of RowMapper interface in which, you have to construct the object that represents a row and return it as the method's return value.

- a. mapRow()
- b. query()
- c. update()
- d. none of the mentioned

52 RowCallbackHandler purpose is to map a single row of the result set to a customized object.

- a. True
- b. False

53 RowMapper implementation which can automatically map a row to a new instance of the specified class.

- a. BeanPropertyRowMapper
- b. BeanPropertyRow
- c. All of the mentioned
- d. None of the mentioned

54 Which class is used to map a database row to a java object in spring?

- a. ResultSetExctrator
- b. ResultMapper
- c. RowMapper
- d. RowExctractor

55 Which of the following interface contains mapRow() method?

- a. ResultSetExctrator
- b. RowMapper
- c. ResultMapper
- d. RowExctractor

56 Which class does the query method belongs to ?

- a. RowMapper
- b. ResultSetExctrator
- c. ResultSetDataSource
- d. DataSourceManager

57 mapRow() belongs to which of the following

- a. ResultSetExctrator
- b. RowMapper
- c. ResultMapper
- d. RowExctractor

58 Which method belongs to NamedParameterJdbcTemplate class?

- a. query()
- b. execute()
- c. showAll()
- d. display()

59 Which of the following queries is update() not capable of handling ?

- a. select
- b. insert
- c. update
- d. delete

60 What is the function of RowMapper in spring JDBC?

- a. mapping each row to Result object
- b. processing whole rows at the same time
- c. mapping each columns
- d. proccesing whole columns at the same time

61 _____method executes a query and returns a result object.

- a. query()
- b. queryForObject()
- c. Both a and b

d. None of the above

62 Class which declares a number of overloaded update() template methods to control the overall update process.

- a. org.springframework.jdbc.core.JdbcTemplate
- b. org.springframework.jdbc.core.*
- c. org.springframework.jdbc.*
- d. none of the mentioned

63 The return type of the queryForObject() method will be determined by the class argument.

- a. True
- b. False

64 Update() method is used for _____ operations.

- a. insert
- b. delete
- c. update
- d. All of the above

65 Select the correct one from below:

- a. String query = SELECT * FROM EMPLOYEES WHERE EMP_ID=? ;
- b. String query = "SELECT * FROM EMPLOYEES WHERE EMP_ID=?"
- c. String query = "SELECT * FROM EMPLOYEES WHERE EMP_ID=?" ;
- d. String query = "SELECT * FROM EMPLOYEES WHERE EMP_ID=3";

66 Which method is used for getting the details from database and in returning in result object

- a. jdbcTemplate.queryForObject(query,new RowMapperData(),bookId);
- b. jdbcTemplate.queryForObject(query,new BookResultSetExtractor(),bookId);
- c. either a or b
- d. both

67 Select one query for inserting the values()

- a. String query = "UPDATE INTO BOOK VALUES (? ,?,?,?)";
- b. String query = "INSERT INTO BOOK VALUES (? ,?,?,?)";
- c. only b
- d. only a

68 What should be passed in update method in order to define the parameterized query

- a. query
- b. parameter values
- c. parameter
- d. None of the above

69 _____method is used for insert, update and delete operations.

- a. insert()
- b. update()
- c. delete()
- d. All of the above

70 To get the count of any variable or table which one is used

a. count

b. *

c. count(*)

d. count