Q 1 - Which of the following is correct about Bootstrap?

A - Bootst rap is a sleek, intuitive, and powerful, mobile first front-end framework for faster and easier web development.

B - It uses HTML, CSS and Javascript.

C - Bootst rap was developed by Mark Otto and Jacob Thornton at Twitter.

D - All of the above.

Q 2 - Which of the following is correct about Bootstrap?

A - Bootst rap's responsive CSS adjusts to Desktops,Tablets and Mobiles.

B - Provides a clean and uniform solution for building an interface for developers.

C - It contains beautiful and functional built-in components which are easy to customize.

D - All of the above.

Q 3 - Which of the following is a part of Mobile First Strategy of Bootstrap?

A - Content: Determine what is most important.

B - Layout: Design to smaller widths first. Base CSS address mobile device first; media queries address for tablet, desktops.

C - Progressive Enhancement: Add elements as screen size increases.

D - All of the above.

Q 4 - Which of the following is correct about Bootstrap Grid System?

A - Rows must be placed within a .container class for proper alignment and padding.

B - Use rows to create horizontal groups of columns.

C - Content should be placed within the columns, and only columns may be the immediate children of rows.

D - All of the above.

Q 5 - Which of the following is correct about Bootstrap Grid System?

A - Predefined grid classes like .row and .col-xs-4 are available for quickly making grid layouts. LESS

mixins can also be used for more semantic layouts.

B - Columns create gutters (gaps between column content) via padding. That padding is offset in rows for the first and the last column via negative margin on .rows.

C - Grid columns are created by specifying the number of twelve available columns you wish to span. For example, three equal columns would use three .col-xs-4.

D - All of the above.

Q 6 - Which of the following is correct about Bootstrap Media Query?

B - It simply applies some CSS, based on certain conditions set forth. If those conditions are met, the style is applied.

C - Both of the above.

D - None of the above..

Q 7 - Which of the following is correct about Bootstrap Media Query?

A - Media queries have two parts, a device specification and then a size rule.

B - Media Queries in Bootst rap allow you to move, show and hide content based on the viewport

size.

C - Both of the above.

D - None of the above..

Q 8 - Which of the following is correct about Bootstrap Mobile First Strategy?

A - You need to add the viewport meta tag to the element, to ensure proper rendering and touch zooming on mobile devices.

B - width property cont rols the width of the device. Setting it to device-width will make sure that it is rendered across various devices (mobiles,desktops,tablets...) properly.

C - initial-scale=1.0 ensures that when loaded, your web page will be rendered at a 1:1 scale, and no zooming will be applied out of the box.

D - All of the above.

Q 9 - Which of the following is correct about Bootstrap Responsive Images?

A - Bootst rap 3 allows you to make the images responsive by adding a class ..img-responsive to the <.img> tag.

B - ..img-responsive class applies max-width: 100%; and height: auto; to the image so that it scales nicely to the parent element.

C - Both of the above.

D - None of the above..

Q 10 - Which of the following is correct about Bootstrap cross browser consistency?

A - Bootst rap uses Normalize to establish cross browser consistency.

B - Normalize.css is a modern, HTML5-ready alternative to CSS resets.

C - Normalize.css is a small CSS file that provides better cross-browser consistency in the default styling of HTML elements.

D - All of the above.

Q 11 - Which of the following class styles a table as a nice basic table with just some light padding and horizontal dividers?

A - .table

B - .table-st riped

C - .table-bordered

D - .table-hover

Q 12 - Which of the following class styles a table as a nice basic table with stripes on rows?

A - .table

B - .table-st riped

C - .table-bordered

D - .table-hover

Q 13 - Which of the following class styles a table with borders surrounding every element and rounded corners around the entire table?

A - .table

B - .table-st riped

C - .table-bordered
D - .table-hover

Q 14 - Which of the following class styles a table with a light gray background to rows while the cursor hovers over them?
A - .table
B - .table-st riped
C - .table-bordered
D - .table-hover

Q 15 - Which of the following class applies the hover color to a particular row or cell of a table?
A - .active
B - .success
C - .warning
D - .danger

Q 16 - Which of the following class indicates a successful or positive action?
A - .active
B - .success
C - .warning
D - .danger

Q 17 - Which of the following class indicates a warning that might need attention?
A - .active
B - .success
C - .warning
D - .danger

Q 18 - Which of the following class indicates a dangerous or potentially negative action?
A - .active
B - .success
C - .warning
D - .danger

Q 19 - Which of the following class can be used to create a responsive table?
A - .table-responsive
B - .responsive
C - .active
D - .table

Q 20 - Which of the following is the default layout of a bootstrap form?
A - .vertical
B - .inline

C - .horizontal
D - None of the above.

Q 21 - Which of the following class is required to be added to form tag to make it inline?
A - .inline
B - .form-inline
C - .horizontal
D - None of the above.

Q 22 - Which of the following class is required to be added to form tag to make it horizontal?
A - .horizontal
B - .form-horizontal
C - .horizontal
D - None of the above.

Q 23 - Which of the following is true about bootstrap help text?
A - Bootst rap form cont rols can have a block level help text that flows with the inputs.
B - To add a full width block of content, use the .help-block after the <input>.
C - Both of the above.
D - None of the above.

Q 24 - Which of the following bootstrap style of button creates a default/ standard button?
A - .btn
B - .btn-primary
C - .btn-success
D - .btn-info

Q 25 - Which of the following bootstrap style of button provides extra visual weight and identifies the primary action in a set of buttons?
A - .btn
B - .btn-primary
C - .btn-success
D - .btn-info

Q 26 - Which of the following is correct about bootstrap wells?
A - You can change the size of well using the optional classes such as, well-lg or well-sm.
B - well-lg or well-sm classes are used in conjunction with .well class.
C - Both of the above.
D - None of the above.

Q 27 - Which of the following is correct about Transition Plugin?

A - Transition.js is a basic helper for t ransitionEnd events as well as a CSS t ransition emulator.

B - It is used by the other plugins to check for CSS t ransition support and to catch hanging
t ransitions.

C - Both of the above.

D - None of the above.

Q 28 - Which of the following is correct about Modal Plugin?

A - You can toggle the modal plugin's hidden content via data att ributes.

B - You can toggle the modal plugin's hidden content via javascript.

C - Both of the above.

D - None of the above.

Q 29 - Which of the following is correct about data-backdrop Data attribute of
Modal Plugin?

A - It specifies static for a backdrop, if you don't want the modal to be closed when the user clicks

outside of the modal.

B - It closes the modal when escape key is pressed; set to false to disable.

C - It shows the modal when initialized.

D - Using the jQuery .load method, injects content into the modal body. If an href with a valid URL
is
added, it will load that content.

Q 30 - Which of the following is correct about data-keyboard Data attribute of
Modal Plugin?

A - It specifies static for a backdrop, if you don't want the modal to be closed when the user clicks
outside of the modal.

B - It closes the modal when escape key is pressed; set to false to disable.

C - It shows the modal when initialized.

D - Using the jQuery .load method, injects content into the modal body. If an href with a valid URL
is
added, it will load that content.

Q 31 - Which of the following is correct about data-show Data attribute of Modal
Plugin?

A - It specifies static for a backdrop, if you don't want the modal to be closed when the user clicks
outside of the modal.

B - It closes the modal when escape key is pressed; set to false to disable.

C - It shows the modal when initialized.

D - Using the jQuery .load method, injects content into the modal body. If an href with a valid URL
is
added, it will load that content.

Q 32- Which of the following is correct about data-remote Data attribute of Modal
Plugin?

A - It specifies static for a backdrop, if you don't want the modal to be closed when the user clicks
outside of the modal.

B - It closes the modal when escape key is pressed; set to false to disable.

C - It shows the modal when initialized.

D - Using the jQuery .load method, injects content into the modal body. If an href with a valid URL is

added, it will load that content.

Q 33 - Which of the following is correct about dropdown Plugin?

A - You can toggle the dropdown plugin's hidden content via data att ributes.

B - You can toggle the dropdown plugin's hidden content via javascript.

C - Both of the above.

D - None of the above.

Q 34 - Which of the following is correct about Scrollspy Plugin?

A - You can toggle the Scrollspy plugin's hidden content via data att ributes.

B - You can toggle the Scrollspy plugin's hidden content via javascript.

C - Both of the above.

D - None of the above.

Q 35 - Which of the following is correct about Tab Plugin?

A - You can toggle the Tab plugin's hidden content via data att ributes.

B - You can toggle the Tab plugin's hidden content via javascript.

C - Both of the above.

D - None of the above.

Q 36 - Which of the following is correct about data-animation Data attribute of
Tooltip Plugin?

A - Applies a CSS fade t ransition to the tooltip.

B - Inserts HTML into the tooltip. If false, jQuery's text method will be used to insert content into the dom.

C - Specifies how to position the tooltip (i.e., top|bottom|left|right|auto).

D - Delegates to the specified targets.

Q 37 - Which of the following is correct about data-html Data attribute of Tooltip
Plugin?

A - Applies a CSS fade t ransition to the tooltip.

B - Inserts HTML into the tooltip. If false, jQuery's text method will be used to insert content into the dom.

C - Specifies how to position the tooltip (i.e., top|bottom|left|right|auto).

D - Delegates to the specified targets.

Q 38 - Which of the following is correct about data-placement Data attribute of
Tooltip Plugin?

A - Applies a CSS fade t ransition to the tooltip.

B - Inserts HTML into the tooltip. If false, jQuery's text method will be used to insert content into the dom.

C - Specifies how to position the tooltip (i.e., top|bottom|left|right|auto).

D - Delegates to the specified targets.

Q 39 - Which of the following is correct about data-selector Data attribute of Tooltip Plugin?

A - Applies a CSS fade t ransition to the tooltip.
B - Inserts HTML into the tooltip. If false, jQuery's text method will be used to insert content into the dom.
C - Specifies how to position the tooltip (i.e., top|bottom|left|right|auto).
D - Delegates to the specified targets.

Q 40 - Which of the following is correct about data-title Data attribute of Tooltip Plugin?
A - Sets the default title value if the title att ribute isn't present.
B - Defines how the tooltip is t riggered.
C - Defines default content value if data-content att ribute isn't present
D - Delays showing and hiding the tooltip in ms.

Q 41 - Which of the following is correct about data-trigger Data attribute of Tooltip Plugin?
A - Sets the default title value if the title att ribute isn't present.
B - Defines how the tooltip is t riggered.
C - Defines default content value if data-content att ribute isn't present
D - Delays showing and hiding the tooltip in ms.

Q 42 - Which of the following is correct about data-content Data attribute of Tooltip Plugin?
A - Sets the default title value if the title att ribute isn't present.
B - Defines how the tooltip is t riggered.
C - Defines default content value if data-content att ribute isn't present
D - Delays showing and hiding the tooltip in ms.

Q 43 - Which of the following is correct about data-delay Data attribute of Tooltip Plugin?
A - Sets the default title value if the title att ribute isn't present.
B - Defines how the tooltip is t riggered.
C - Defines default content value if data-content att ribute isn't present
D - Delays showing and hiding the tooltip in ms.

Q 44 - Which of the following is correct about Popover Plugin?
A - You can toggle the Popover plugin's hidden content via data att ributes.
B - You can toggle the Popover plugin's hidden content via javascript.
C - Both of the above.
D - None of the above.

Q 45 - Which of the following is correct about data-animation Data attribute of
Popover Plugin?

A - Applies a CSS fade t ransition to the popover.

B - Inserts HTML into the popover. If false, jQuery's text method will be used to insert content into
the dom.

C - Specifies how to position the popover (i.e., top|bottom|left|right|auto).

D - Delegates to the specified targets.

Q 46 - Which of the following is correct about data-html Data attribute of
Popover Plugin?

A - Applies a CSS fade t ransition to the popover.

B - Inserts HTML into the popover. If false, jQuery's text method will be used to insert content into
the dom.

C - Specifies how to position the popover (i.e., top|bottom|left|right|auto).

D - Delegates to the specified targets.

Q 47- Which of the following is correct about data-placement Data attribute of
Popover Plugin?

A - Applies a CSS fade t ransition to the popover.

B - Inserts HTML into the popover. If false, jQuery's text method will be used to insert content into
the dom.

C - Specifies how to position the popover (i.e., top|bottom|left|right|auto).

D - Delegates to the specified targets.

Q 48- Which of the following is correct about data-selector Data attribute of
Popover Plugin?

A - Applies a CSS fade t ransition to the popover.

B - Inserts HTML into the popover. If false, jQuery's text method will be used to insert content into
the dom.

C - Specifies how to position the popover (i.e., top|bottom|left|right|auto).

D - Delegates to the specified targets.

Q 49 - Which of the following is correct about data-title Data attribute of popover
Plugin?

A - Sets the default title value if the title att ribute isn't present.

B - Defines how the popover is t riggered.

C - Defines default content value if data-content att ribute isn't present

D - Delays showing and hiding the popover in ms.

Q 50 - Which of the following is correct about data-trigger Data attribute of
popover Plugin?

A - Sets the default title value if the title att ribute isn't present.

B - Defines how the popover is t riggered.

C - Defines default content value if data-content att ribute isn't present

D - Delays showing and hiding the popover in ms.

51. Bootstrap 3 is mobile-first.
True
False

52. Which class provides a responsive fixed width container?
You answered:
a).container
b).container-fluid

53. Which class provides a full width container, spanning the entire width of the viewport?
a).container-fluid
b)a).container

54. The Bootstrap grid system is based on how many columns?
a)16
b)10
c)12
d)20

55. Which class adds zebra-stripes to a table?
a).table-striped
b).striped
c).tablestriped

56. Which class shapes an image to a circle?
a).circle
b).imgcircle
c).img-circle

57. Which class is used to create a big box for calling extra attention?
a).jumbotron
b)Carousel
c)model

58. Which button class is used to create a large button?
a).btn-lg
b).button-lg
c).btn-lg.*

59. Which class is used to create a button group?

a).btn-group
b).btn-grp
c).button-grp

60. How can you insert a search icon?
a)
b)
c)

61. Which class is used to create a badge?

62. Which class is used to create a basic pagination?

63. Which class is used to create a basic list group?

64. Which class adds a heading to a panel?

65. Which class indicates a dropdown menu?
a).dropdown
b)dropDowm
c)Drop-down

66. A standard navigation tab is created with:

67. A standard navigation bar is created with:
a)<navbar classss="navbar">
b)<nav class="navbar">
c)<nav class="nav-bar">

68. Which class is used to create a black navigation bar?
a).navbar-inverse
b).navbar-light
c).navbar-dark bg-primary

69. Which plugin is used to cycle through elements, like a slideshow?
a)Carousel
b)model
c)dropdown

70. Which plugin is used to create a modal window?
a)Dialog
b)Modal
c)placeholder

71. Which plugin is used to create a tooltip?

72. Which contextual class indicates a succesful or positive action?
a).text-success
b).text-danger
c).textuppercase

73. Which contextual class indicates a dangerous or potentially negative action?
a).text-success
b).text-danger
c).textuppercase

74. Which class indicates uppercased text?
a).text-success
b).text-danger
c).text-uppercase

75. The Bootstrap grid system works across multiple devices.
a)True
b)False