


Wedding Management


25mcmc04 - Saurabh Shrivastav

25mcmc09 - Vijay Singh Parihar

Updated ER



Updated Schema



Sql Queries

```
[mysql> create database Wedding_Management;  
Query OK, 1 row affected (0.002 sec)
```

```
[mysql> use Wedding_management;  
Database changed  
mysql> █
```

DDL commands

1. User table

```
mysql> CREATE TABLE User (  
->     user_id INT AUTO_INCREMENT PRIMARY KEY,  
->     name VARCHAR(100) NOT NULL,  
->     email VARCHAR(100) UNIQUE NOT NULL,  
->     phone VARCHAR(15),  
->     address TEXT,  
->     password VARCHAR(255) NOT NULL  
-> );
```

Query OK, 0 rows affected (0.015 sec)

```
[mysql> desc user;
```

Field	Type	Null	Key	Default	Extra
user_id	int	NO	PRI	NULL	auto_increment
name	varchar(100)	NO		NULL	
email	varchar(100)	NO	UNI	NULL	
phone	varchar(15)	YES		NULL	
address	text	YES		NULL	
password	varchar(255)	NO		NULL	

6 rows in set (0.008 sec)

```
mysql> █
```

2. Venue table;

```
mysql> CREATE TABLE Venue (  
->     venue_id INT AUTO_INCREMENT PRIMARY KEY,  
->     name VARCHAR(100) NOT NULL,  
->     address TEXT,  
->     capacity INT,  
->     cost_per_day DECIMAL(10,2)  
-> );
```

Query OK, 0 rows affected (0.008 sec)

```
[mysql> desc venue;
```

Field	Type	Null	Key	Default	Extra
venue_id	int	NO	PRI	NULL	auto_increment
name	varchar(100)	NO		NULL	
address	text	YES		NULL	
capacity	int	YES		NULL	
cost_per_day	decimal(10,2)	YES		NULL	

5 rows in set (0.002 sec)

```
mysql> █
```

3. Theme table;

```
mysql> CREATE TABLE Theme (  
->     theme_id INT AUTO_INCREMENT PRIMARY KEY,  
->     theme_name VARCHAR(100) NOT NULL,  
->     description TEXT  
-> );
```

Query OK, 0 rows affected (0.008 sec)

```
[mysql> desc theme;
```

Field	Type	Null	Key	Default	Extra
theme_id	int	NO	PRI	NULL	auto_increment
theme_name	varchar(100)	NO		NULL	
description	text	YES		NULL	

3 rows in set (0.003 sec)

```
mysql> █
```

4. Guest table

```
mysql> CREATE TABLE Guest (  
->   guest_id INT AUTO_INCREMENT PRIMARY KEY,  
->   name VARCHAR(100) NOT NULL,  
->   contact VARCHAR(15),  
->   rsvp_status ENUM('invited', 'confirmed', 'declined') DEFAULT 'invited',  
->   meal_preference VARCHAR(50)  
-> );  
Query OK, 0 rows affected (0.009 sec)
```

```
mysql> desc Guest;
```

Field	Type	Null	Key	Default	Extra
guest_id	int	NO	PRI	NULL	auto_increment
name	varchar(100)	NO		NULL	
contact	varchar(15)	YES		NULL	
rsvp_status	enum('invited','confirmed','declined')	YES		invited	
meal_preference	varchar(50)	YES		NULL	

```
5 rows in set (0.002 sec)
```

5. Vendor table

```
mysql> CREATE TABLE Vendor (  
->   vendor_id INT AUTO_INCREMENT PRIMARY KEY,  
->   name VARCHAR(100) NOT NULL,  
->   service_type VARCHAR(100),  
->   phone VARCHAR(15),  
->   email VARCHAR(100),  
->   rating DECIMAL(2,1),  
->   cost_estimate DECIMAL(10,2)  
-> );  
Query OK, 0 rows affected (0.008 sec)
```

```
mysql> desc vendor;
```

Field	Type	Null	Key	Default	Extra
vendor_id	int	NO	PRI	NULL	auto_increment
name	varchar(100)	NO		NULL	
service_type	varchar(100)	YES		NULL	
phone	varchar(15)	YES		NULL	
email	varchar(100)	YES		NULL	
rating	decimal(2,1)	YES		NULL	
cost_estimate	decimal(10,2)	YES		NULL	

```
7 rows in set (0.003 sec)
```

6. Wedding table

```
mysql> CREATE TABLE Wedding (  
->   wedding_id INT AUTO_INCREMENT PRIMARY KEY,  
->   wedding_date DATE,  
->   budget DECIMAL(10,2),  
->   status ENUM('planned', 'ongoing', 'completed', 'cancelled') DEFAULT 'planned'  
-> );  
Query OK, 0 rows affected (0.007 sec)
```

```
mysql> describe wedding;
```

Field	Type	Null	Key	Default	Extra
wedding_id	int	NO	PRI	NULL	auto_increment
wedding_date	date	YES		NULL	
budget	decimal(10,2)	YES		NULL	
status	enum('planned','ongoing','completed','cancelled')	YES		planned	

```
4 rows in set (0.003 sec)
```

```
mysql> █
```


7. Wedding Summary table;

```
mysql> CREATE TABLE Wedding_Summary (
  ->     summary_id INT AUTO_INCREMENT PRIMARY KEY,
  ->     wedding_id INT UNIQUE,
  ->     total_guests INT,
  ->     total_payments DECIMAL(10,2),
  ->     completed_tasks INT,
  ->     status_summary VARCHAR(255),
  ->     FOREIGN KEY (wedding_id) REFERENCES Wedding(wedding_id)
  -> );
Query OK, 0 rows affected (0.010 sec)

mysql> desc wedding_summary;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra      |
+-----+-----+-----+-----+-----+-----+
| summary_id | int       | NO   | PRI | NULL    | auto_increment |
| wedding_id | int       | YES  | UNI | NULL    |               |
| total_guests | int       | YES  |     | NULL    |               |
| total_payments | decimal(10,2) | YES  |     | NULL    |               |
| completed_tasks | int       | YES  |     | NULL    |               |
| status_summary | varchar(255) | YES  |     | NULL    |               |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.003 sec)

mysql>
```

8. Wedding_venue table;

```
mysql> CREATE TABLE Wedding_venue (
  ->     venue_id INT,
  ->     wedding_id INT,
  ->     PRIMARY KEY (wedding_id),
  ->     FOREIGN KEY (venue_id) REFERENCES Venue(venue_id),
  ->     FOREIGN KEY (wedding_id) REFERENCES Wedding(wedding_id)
  -> );
Query OK, 0 rows affected (0.012 sec)

mysql> desc wedding_venue;
+-----+-----+-----+-----+-----+-----+
| Field      | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| venue_id   | int  | YES  | MUL | NULL    |       |
| wedding_id | int  | NO   | PRI | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.003 sec)
```

9. Wedding_user table;

```
mysql> CREATE TABLE Wedding_user (
  ->     user_id INT,
  ->     wedding_id INT,
  ->     PRIMARY KEY (wedding_id),
  ->     FOREIGN KEY (user_id) REFERENCES User(user_id),
  ->     FOREIGN KEY (wedding_id) REFERENCES Wedding(wedding_id)
  -> );
Query OK, 0 rows affected (0.012 sec)

mysql> desc wedding_user;
+-----+-----+-----+-----+-----+-----+
| Field      | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| user_id    | int  | YES  | MUL | NULL    |       |
| wedding_id | int  | NO   | PRI | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.003 sec)

mysql>
```

10. Wedding_theme table

```
mysql> CREATE TABLE Wedding_theme (
  ->   theme_id INT,
  ->   wedding_id INT,
  ->   PRIMARY KEY ( wedding_id),
  ->   FOREIGN KEY (theme_id) REFERENCES Theme(theme_id),
  ->   FOREIGN KEY (wedding_id) REFERENCES Wedding(wedding_id));
Query OK, 0 rows affected (0.010 sec)
```

```
mysql> desc wedding_theme;
```

Field	Type	Null	Key	Default	Extra
theme_id	int	YES	MUL	NULL	
wedding_id	int	NO	PRI	NULL	

2 rows in set (0.003 sec)

```
mysql>
```

11. Wedding_guest table

```
mysql> CREATE TABLE Wedding_guest (
  ->   wedding_id INT,
  ->   guest_id INT,
  ->   PRIMARY KEY (guest_id),
  ->   FOREIGN KEY (wedding_id) REFERENCES Wedding(wedding_id),
  ->   FOREIGN KEY (guest_id) REFERENCES Guest(guest_id)
  -> );
Query OK, 0 rows affected (0.010 sec)
```

```
mysql> desc wedding_guest;
```

Field	Type	Null	Key	Default	Extra
wedding_id	int	YES	MUL	NULL	
guest_id	int	NO	PRI	NULL	

2 rows in set (0.002 sec)

```
mysql>
```

12. wedding_vendor table

```
mysql> CREATE TABLE Wedding_vendor (
  ->   wedding_id INT,
  ->   vendor_id INT,
  ->   service_cost DECIMAL(10,2),
  ->   service_status ENUM('booked', 'pending', 'completed') DEFAULT 'pending',
  ->   PRIMARY KEY (wedding_id, vendor_id),
  ->   FOREIGN KEY (wedding_id) REFERENCES Wedding(wedding_id),
  ->   FOREIGN KEY (vendor_id) REFERENCES Vendor(vendor_id)
  -> );
Query OK, 0 rows affected (0.011 sec)
```

```
mysql> desc wedding_vendor;
```

Field	Type	Null	Key	Default	Extra
wedding_id	int	NO	PRI	NULL	
vendor_id	int	NO	PRI	NULL	
service_cost	decimal(10,2)	YES		NULL	
service_status	enum('booked','pending','completed')	YES		pending	

4 rows in set (0.003 sec)

```
mysql>
```

13.Task table

```
mysql> CREATE TABLE Task (  
-> task_id INT AUTO_INCREMENT PRIMARY KEY,  
-> wedding_id INT,  
-> vendor_id INT,  
-> task_name VARCHAR(100),  
-> assigned_to VARCHAR(100),  
-> deadline DATE,  
-> status ENUM('pending', 'in_progress', 'completed') DEFAULT 'pending',  
-> remark TEXT,  
-> FOREIGN KEY (wedding_id) REFERENCES Wedding(wedding_id),  
-> FOREIGN KEY (vendor_id) REFERENCES Vendor(vendor_id)  
-> );  
Query OK, 0 rows affected (0.012 sec)
```

```
mysql> desc task;
```

Field	Type	Null	Key	Default	Extra
task_id	int	NO	PRI	NULL	auto_increment
wedding_id	int	YES	MUL	NULL	
vendor_id	int	YES	MUL	NULL	
task_name	varchar(100)	YES		NULL	
assigned_to	varchar(100)	YES		NULL	
deadline	date	YES		NULL	
status	enum('pending','in_progress','completed')	YES		pending	
remark	text	YES		NULL	

```
8 rows in set (0.003 sec)
```

```
mysql> █
```

14.Payment table

```
mysql> CREATE TABLE Payment (  
-> payment_id INT AUTO_INCREMENT PRIMARY KEY,  
-> wedding_id INT,  
-> venue_id INT,  
-> vendor_id INT,  
-> amount DECIMAL(10,2),  
-> payment_date DATE,  
-> payment_mode ENUM('cash', 'card', 'upi', 'bank_transfer'),  
-> status ENUM('pending', 'completed', 'failed') DEFAULT 'pending',  
-> FOREIGN KEY (wedding_id) REFERENCES Wedding(wedding_id),  
-> FOREIGN KEY (venue_id) REFERENCES Venue(venue_id),  
-> FOREIGN KEY (vendor_id) REFERENCES Vendor(vendor_id)  
-> );  
Query OK, 0 rows affected (0.013 sec)
```

```
mysql> desc payment;
```

Field	Type	Null	Key	Default	Extra
payment_id	int	NO	PRI	NULL	auto_increment
wedding_id	int	YES	MUL	NULL	
venue_id	int	YES	MUL	NULL	
vendor_id	int	YES	MUL	NULL	
amount	decimal(10,2)	YES		NULL	
payment_date	date	YES		NULL	
payment_mode	enum('cash','card','upi','bank_transfer')	YES		NULL	
status	enum('pending','completed','failed')	YES		pending	

```
8 rows in set (0.002 sec)
```

```
mysql> █
```


DML commands

1. User table

```
mysql> INSERT INTO User (name, email, phone, password, address) VALUES
-> ('Saurabh Kumar', 'sauravKumar@gmail.com', '9876543210', 'pass1', 'Banaras , UP'),
-> ('Harsh Gupta', 'harshgupta@gmail.com', '9823456789', 'pass2', 'Bhopal, MP'),
-> ('Vijay Singh', 'vijaysingh@gmail.com', '9812345678', 'pass3', 'Ujjain, MP'),
-> ('Arjun Dhakad', 'arjundhakad@gmail.com', '97555345555', 'pass4', 'Mandsaur, MP'),
-> ('Rohit kumar', 'rohitkumar@gmail.com', '97444433444', 'pass5', 'Indore, MP');
Query OK, 5 rows affected (0.003 sec)
Records: 5 Duplicates: 0 Warnings: 0

mysql> select * from user;
```

user_id	name	email	phone	address	password
1	Saurabh Kumar	sauravKumar@gmail.com	9876543210	Banaras , UP	pass1
2	Harsh Gupta	harshgupta@gmail.com	9823456789	Bhopal, MP	pass2
3	Vijay Singh	vijaysingh@gmail.com	9812345678	Ujjain, MP	pass3
4	Arjun Dhakad	arjundhakad@gmail.com	97555345555	Mandsaur, MP	pass4
5	Rohit kumar	rohitkumar@gmail.com	97444433444	Indore, MP	pass5

5 rows in set (0.000 sec)

2. Venue table

```
mysql> INSERT INTO Venue (name, address, capacity, cost_per_day) VALUES
-> ('Emerald Banquet Hall', 'MG Road, Indore', 300, 50000),
-> ('Royal Palace', 'Vijay Nagar, Indore', 500, 90000),
-> ('The Grand Lawn', 'Airport Road, Bhopal', 800, 120000),
-> ('Sunset Gardens', 'Rau, Indore', 400, 65000),
-> ('Golden Orchid', 'LIG Square, Indore', 250, 45000);
Query OK, 5 rows affected (0.002 sec)
Records: 5 Duplicates: 0 Warnings: 0

mysql> select * from venue;
```

venue_id	name	address	capacity	cost_per_day
1	Emerald Banquet Hall	MG Road, Indore	300	50000.00
2	Royal Palace	Vijay Nagar, Indore	500	90000.00
3	The Grand Lawn	Airport Road, Bhopal	800	120000.00
4	Sunset Gardens	Rau, Indore	400	65000.00
5	Golden Orchid	LIG Square, Indore	250	45000.00

5 rows in set (0.001 sec)

```
mysql>
```

3. Theme table

```
mysql> INSERT INTO Theme (theme_name, description) VALUES
-> ('Royal Classic', 'Golden and red royal-themed decor with chandeliers'),
-> ('Beach Vibes', 'Turquoise and white beach-themed wedding setup'),
-> ('Floral Dream', 'Pastel floral decorations with modern lights'),
-> ('Modern Minimalist', 'White and green aesthetic with sleek furniture'),
-> ('Bollywood Night', 'Vibrant lighting and music inspired by Indian cinema');
Query OK, 5 rows affected (0.002 sec)
Records: 5 Duplicates: 0 Warnings: 0

mysql> select * from theme;
```

theme_id	theme_name	description
1	Royal Classic	Golden and red royal-themed decor with chandeliers
2	Beach Vibes	Turquoise and white beach-themed wedding setup
3	Floral Dream	Pastel floral decorations with modern lights
4	Modern Minimalist	White and green aesthetic with sleek furniture
5	Bollywood Night	Vibrant lighting and music inspired by Indian cinema

5 rows in set (0.000 sec)

```
mysql>
```

4. Guest table

```
mysql> INSERT INTO Guest (name, contact, rsvp_status, meal_preference) VALUES
-> ('Sandeep Bhisnoi', '9938776655', 'confirmed', 'Veg'),
-> ('Aman Choudhary', '8877665544', 'confirmed', 'Vegan'),
-> ('Daksh Dua', '7766554433', 'confirmed', 'Veg'),
-> ('Sahil Kumar', '6654343322', 'declined', 'Veg'),
-> ('Anjali Shaw', '9988998877', 'confirmed', 'Non-Veg'),
-> ('Nikunj Patel', '8877665544', 'confirmed', 'Veg'),
-> ('Aadarsh', '7764354433', 'confirmed', 'Vegan'),
-> ('Dasari Vijay', '6232443322', 'declined', 'Veg'),
-> ('Aryan Seth', '9988898877', 'confirmed', 'Non-Veg'),
-> ('Ayush Topo', '5877665544', 'confirmed', 'Veg'),
-> ('Shubham Rajput', '73223554433', 'confirmed', 'Vegan'),
-> ('Lokesh Bharaskar', '6655443322', 'declined', 'Veg'),
-> ('Satya Rath', '9988978877', 'confirmed', 'Non-Veg'),
-> ('K S Shreeya', '2377665544', 'confirmed', 'Veg');
Query OK, 14 rows affected (0.003 sec)
Records: 14 Duplicates: 0 Warnings: 0
```

```
[mysql> select * from guest;
```

guest_id	name	contact	rsvp_status	meal_preference
1	Sandeep Bhisnoi	9938776655	confirmed	Veg
2	Aman Choudhary	8877665544	confirmed	Vegan
3	Daksh Dua	7766554433	confirmed	Veg
4	Sahil Kumar	6654343322	declined	Veg
5	Anjali Shaw	9988998877	confirmed	Non-Veg
6	Nikunj Patel	8877665544	confirmed	Veg
7	Aadarsh	7764354433	confirmed	Vegan
8	Dasari Vijay	6232443322	declined	Veg
9	Aryan Seth	9988898877	confirmed	Non-Veg
10	Ayush Topo	5877665544	confirmed	Veg
11	Shubham Rajput	73223554433	confirmed	Vegan
12	Lokesh Bharaskar	6655443322	declined	Veg
13	Satya Rath	9988978877	confirmed	Non-Veg
14	K S Shreeya	2377665544	confirmed	Veg

14 rows in set (0.001 sec)

5. Vendor table

```
mysql> INSERT INTO Vendor (name, service_type, phone, email, rating, cost_estimate) VALUES
-> ('Star Caterers', 'Catering', '9900112233', 'starcaterers@gmail.com', 4.9, 60000),
-> ('LensKing Photography', 'Photography', '9898989898', 'lensking@gmail.com', 4.5, 40000),
-> ('Blossom Decorators', 'Decoration', '9876123456', 'blossomdecor@gmail.com', 4.8, 70000),
-> ('Melody DJs', 'Music', '9765432100', 'melodydj@gmail.com', 4.4, 30000),
-> ('Elite Events', 'Planning', '9897665544', 'eliteevents@gmail.com', 4.9, 95000),
-> ('Bharat Band', 'Entertainment', '9897665544', 'bharatband@gmail.com', 4.9, 95000),
-> ('Vishal Ghodi Wala', 'Entertainment', '9897665544', 'vishalghodiwala@gmail.com', 4.9, 95000);
Query OK, 7 rows affected (0.003 sec)
Records: 7 Duplicates: 0 Warnings: 0
```

```
[mysql> INSERT INTO Vendor (name, service_type, phone, email, rating, cost_estimate) VALUES
-> ('Rajesh Ice Cream', 'Food', '9897665544', 'rajeshicecream@gmail.com', 4.9, 95000);
Query OK, 1 row affected (0.003 sec)
```

```
[mysql> select * from vendor
-> ;
```

vendor_id	name	service_type	phone	email	rating	cost_estimate
1	Star Caterers	Catering	9900112233	starcaterers@gmail.com	4.9	60000.00
2	LensKing Photography	Photography	9898989898	lensking@gmail.com	4.5	40000.00
3	Blossom Decorators	Decoration	9876123456	blossomdecor@gmail.com	4.8	70000.00
4	Melody DJs	Music	9765432100	melodydj@gmail.com	4.4	30000.00
5	Elite Events	Planning	9897665544	eliteevents@gmail.com	4.9	95000.00
6	Bharat Band	Entertainment	9897665544	bharatband@gmail.com	4.9	95000.00
7	Vishal Ghodi Wala	Entertainment	9897665544	vishalghodiwala@gmail.com	4.9	95000.00
8	Rajesh Ice Cream	Food	9897665544	rajeshicecream@gmail.com	4.9	95000.00

8 rows in set (0.000 sec)

```
mysql>
```


6. Wedding table

```
mysql> INSERT INTO Wedding (wedding_date, budget, status) VALUES
-> ('2025-01-20', 350000, 'ongoing'),
-> ('2025-02-15', 500000, 'completed'),
-> ('2025-03-10', 800000, 'completed'),
-> ('2025-04-25', 450000, 'planned'),
-> ('2025-05-18', 600000, 'planned'),
-> ('2025-06-22', 700000, 'planned'),
-> ('2025-07-27', 800000, 'ongoing'),
-> ('2025-08-31', 900000, 'planned'),
-> ('2025-09-05', 1000000, 'planned'),
-> ('2025-10-10', 1100000, 'completed'),
-> ('2025-11-15', 1200000, 'ongoing'),
-> ('2025-12-20', 1300000, 'planned');
Query OK, 12 rows affected (0.004 sec)
Records: 12 Duplicates: 0 Warnings: 0
```

```
[mysql> select * from wedding;
```

wedding_id	wedding_date	budget	status
1	2025-01-20	350000.00	ongoing
2	2025-02-15	500000.00	completed
3	2025-03-10	800000.00	completed
4	2025-04-25	450000.00	planned
5	2025-05-18	600000.00	planned
6	2025-06-22	700000.00	planned
7	2025-07-27	800000.00	ongoing
8	2025-08-31	900000.00	planned
9	2025-09-05	1000000.00	planned
10	2025-10-10	1100000.00	completed
11	2025-11-15	1200000.00	ongoing
12	2025-12-20	1300000.00	planned

```
12 rows in set (0.000 sec)
```

```
mysql> X
```

7. Wedding user table

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that c
mysql> INSERT INTO Wedding_user (user_id, wedding_id) VALUES
-> (1, 1),
-> (2, 2),
-> (3, 3),
-> (4, 4),
-> (5, 5),
-> (2, 6),
-> (3, 7),
-> (5, 8),
-> (1, 9),
-> (4, 10),
-> (2, 11),
-> (5, 12);
Query OK, 12 rows affected (0.003 sec)
Records: 12 Duplicates: 0 Warnings: 0
```

```
[mysql> select * from wedding_user;
```

user_id	wedding_id
1	1
1	9
2	2
2	6
2	11
3	3
3	7
4	4
4	10
5	5
5	8
5	12

```
12 rows in set (0.000 sec)
```

8. WEDding Venue

```
mysql> INSERT INTO Wedding_venue (venue_id, wedding_id) VALUES
```

```
    -> (1, 1),  
    -> (2, 2),  
    -> (3, 3),  
    -> (4, 4),  
    -> (5, 5),  
    -> (1, 6),  
    -> (2, 7),  
    -> (3, 8),  
    -> (5, 9),  
    -> (4, 10),  
    -> (1, 11),  
    -> (2, 12);
```

```
Query OK, 12 rows affected (0.003 sec)
```

```
Records: 12  Duplicates: 0  Warnings: 0
```

```
[mysql> select * from wedding_venue;
```

venue_id	wedding_id
1	1
1	6
1	11
2	2
2	7
2	12
3	3
3	8
4	4
4	10
5	5
5	9

```
12 rows in set (0.000 sec)
```

```
mysql> █
```

9. Wedding theme

```
mysql> INSERT INTO Wedding_theme (theme_id, wedding_id) VALUES
-> (3, 1),
-> (1, 2),
-> (4, 3),
-> (2, 4),
-> (5, 5),
-> (1, 6),
-> (3, 7),
-> (2, 8),
-> (4, 9),
-> (5, 10),
-> (3, 11),
[ -> (1, 12);
```

```
Query OK, 12 rows affected (0.003 sec)
Records: 12  Duplicates: 0  Warnings: 0
```

```
[mysql> select * from wedding_theme;
```

theme_id	wedding_id
1	2
1	6
1	12
2	4
2	8
3	1
3	7
3	11
4	3
4	9
5	5
5	10

```
12 rows in set (0.000 sec)
```

```
mysql> █
```


10. Wedding_guest table

```
mysql> INSERT INTO Wedding_guest (guest_id, wedding_id) VALUES
-> (1, 1),
-> (2, 1),
-> (3, 2),
-> (4, 2),
-> (5, 2),
-> (6, 3),
-> (7, 3),
-> (8, 4),
-> (9, 4),
-> (10, 4),
-> (11, 5),
-> (12, 5),
-> (13, 6),
-> (14, 6);
```

```
Query OK, 14 rows affected (0.002 sec)
Records: 14  Duplicates: 0  Warnings: 0
```

```
[mysql> select * from wedding_guest;
```

wedding_id	guest_id
1	1
1	2
2	3
2	4
2	5
3	6
3	7
4	8
4	9
4	10
5	11
5	12
6	13
6	14

```
14 rows in set (0.001 sec)
```

```
mysql> █
```

11. Wedding Vendor

```
mysql> INSERT INTO wedding_vendor (wedding_id, vendor_id, service_cost, service_status) VALUES
[
  -> (1, 1, 60000, 'booked'),
  -> (1, 2, 40000, 'booked'),
  -> (2, 3, 70000, 'completed'),
  -> (2, 4, 30000, 'booked'),
  -> (3, 5, 95000, 'completed'),
  -> (3, 6, 50000, 'booked'),
  -> (4, 2, 45000, 'booked'),
  -> (4, 7, 55000, 'booked'),
  -> (5, 1, 60000, 'booked'),
  -> (5, 3, 72000, 'pending'),
  -> (6, 4, 35000, 'booked'),
  -> (6, 5, 90000, 'booked'),
  -> (7, 6, 48000, 'completed'),
  -> (7, 2, 42000, 'completed'),
  -> (8, 1, 62000, 'pending'),
  -> (8, 8, 55000, 'booked'),
  -> (9, 3, 75000, 'completed'),
  -> (9, 7, 53000, 'booked'),
  -> (10, 5, 98000, 'completed'),
  -> (11, 2, 46000, 'pending'),
  -> (12, 1, 64000, 'booked'),
  -> (12, 6, 47000, 'booked');

```

Query OK, 22 rows affected (0.002 sec)
Records: 22 Duplicates: 0 Warnings: 0

```
mysql> select * from wedding_vendor;
```

wedding_id	vendor_id	service_cost	service_status
1	1	60000.00	booked
1	2	40000.00	booked
2	3	70000.00	completed
2	4	30000.00	booked
3	5	95000.00	completed
3	6	50000.00	booked
4	2	45000.00	booked
4	7	55000.00	booked
5	1	60000.00	booked
5	3	72000.00	pending
6	4	35000.00	booked
6	5	90000.00	booked
7	2	42000.00	completed
7	6	48000.00	completed
8	1	62000.00	pending
8	8	55000.00	booked
9	3	75000.00	completed
9	7	53000.00	booked
10	5	98000.00	completed
11	2	46000.00	pending
12	1	64000.00	booked
12	6	47000.00	booked

22 rows in set (0.000 sec)

```
mysql> █
```

12. Task table

```
mysql> INSERT INTO Task (wedding_id, vendor_id, task_name, assigned_to, deadline, status, remark) VALUES
-> (1, 1, 'Catering setup', 'Priya', '2025-01-18', 'completed', 'Setup done'),
-> (1, 2, 'Photo session', 'Harsh', '2025-01-19', 'completed', 'Album delivered'),
-> (2, 3, 'Decoration setup', 'Vijay', '2025-02-10', 'completed', 'Final look approved'),
-> (2, 4, 'DJ soundcheck', 'Arjun', '2025-02-13', 'in_progress', 'Half done'),
-> (3, 5, 'Full planning', 'Rohit', '2025-03-08', 'completed', 'Executed flawlessly'),
-> (3, 6, 'Music and Band', 'Karan', '2025-03-09', 'completed', 'Crowd loved it'),
-> (4, 7, 'Horse arrival', 'Anita', '2025-04-22', 'pending', 'To be confirmed'),
-> (4, 2, 'Photography contract', 'Saurabh', '2025-04-20', 'in_progress', 'Booking extended'),
-> (5, 3, 'Decor inspection', 'Priya', '2025-05-10', 'in_progress', 'Theme finalizing'),
-> (6, 5, 'Event coordination', 'Vijay', '2025-06-15', 'pending', 'Initial calls done'),
-> (7, 6, 'Entertainment setup', 'Harsh', '2025-07-15', 'completed', 'Excellent show'),
-> (8, 8, 'Dessert setup', 'Rohit', '2025-08-28', 'in_progress', 'Freezers installed'),
-> (9, 1, 'Menu finalization', 'Saurabh', '2025-09-02', 'completed', 'Chef confirmed'),
-> (10, 3, 'Decor maintenance', 'Anita', '2025-10-05', 'completed', 'All props ready'),
-> (11, 2, 'Photo shoot setup', 'Priya', '2025-11-10', 'in_progress', 'Lights arranged'),
-> (12, 4, 'Music preview', 'Karan', '2025-12-15', 'pending', 'Samples being tested');
Query OK, 16 rows affected (0.003 sec)
Records: 16 Duplicates: 0 Warnings: 0
```

```
[mysql> select * from task;
```

task_id	wedding_id	vendor_id	task_name	assigned_to	deadline	status	remark
1	1	1	Catering setup	Priya	2025-01-18	completed	Setup done
2	1	2	Photo session	Harsh	2025-01-19	completed	Album delivered
3	2	3	Decoration setup	Vijay	2025-02-10	completed	Final look approved
4	2	4	DJ soundcheck	Arjun	2025-02-13	in_progress	Half done
5	3	5	Full planning	Rohit	2025-03-08	completed	Executed flawlessly
6	3	6	Music and Band	Karan	2025-03-09	completed	Crowd loved it
7	4	7	Horse arrival	Anita	2025-04-22	pending	To be confirmed
8	4	2	Photography contract	Saurabh	2025-04-20	in_progress	Booking extended
9	5	3	Decor inspection	Priya	2025-05-10	in_progress	Theme finalizing
10	6	5	Event coordination	Vijay	2025-06-15	pending	Initial calls done
11	7	6	Entertainment setup	Harsh	2025-07-15	completed	Excellent show
12	8	8	Dessert setup	Rohit	2025-08-28	in_progress	Freezers installed
13	9	1	Menu finalization	Saurabh	2025-09-02	completed	Chef confirmed
14	10	3	Decor maintenance	Anita	2025-10-05	completed	All props ready
15	11	2	Photo shoot setup	Priya	2025-11-10	in_progress	Lights arranged
16	12	4	Music preview	Karan	2025-12-15	pending	Samples being tested

```
16 rows in set (0.000 sec)
```

```
mysql> █
```

13. Payment table

```
mysql> INSERT INTO Payment (wedding_id, venue_id, vendor_id, amount, payment_date, payment_mode, status) VALUES
-> (1, 1, 1, 50000, '2025-01-15', 'upi', 'completed'),
-> (1, 1, 2, 40000, '2025-01-16', 'card', 'completed'),
-> (2, 2, 3, 70000, '2025-02-12', 'card', 'completed'),
-> (2, 2, 4, 30000, '2025-02-13', 'cash', 'pending'),
-> (3, 3, 5, 95000, '2025-03-08', 'upi', 'completed'),
-> (3, 3, 6, 50000, '2025-03-09', 'cash', 'completed'),
-> (4, 4, 7, 55000, '2025-04-22', 'bank_transfer', 'pending'),
-> (4, 4, 2, 42000, '2025-04-23', 'upi', 'completed'),
-> (5, 5, 3, 72000, '2025-05-15', 'card', 'completed'),
-> (6, 1, 4, 35000, '2025-06-18', 'upi', 'completed'),
-> (7, 2, 6, 48000, '2025-07-20', 'cash', 'completed'),
-> (8, 3, 8, 55000, '2025-08-29', 'upi', 'pending'),
-> (9, 5, 7, 53000, '2025-09-03', 'bank_transfer', 'completed'),
-> (10, 4, 5, 98000, '2025-10-08', 'card', 'completed'),
-> (11, 2, 2, 46000, '2025-11-13', 'upi', 'pending'),
-> (12, 1, 1, 64000, '2025-12-18', 'upi', 'completed');
Query OK, 16 rows affected (0.003 sec)
Records: 16 Duplicates: 0 Warnings: 0
```

```
[mysql> select * from payment;
```

payment_id	wedding_id	venue_id	vendor_id	amount	payment_date	payment_mode	status
1	1	1	1	50000.00	2025-01-15	upi	completed
2	1	1	2	40000.00	2025-01-16	card	completed
3	2	2	3	70000.00	2025-02-12	card	completed
4	2	2	2	30000.00	2025-02-13	cash	pending
5	3	3	5	95000.00	2025-03-08	upi	completed
6	3	3	6	50000.00	2025-03-09	cash	completed
7	4	4	7	55000.00	2025-04-22	bank_transfer	pending
8	4	4	2	42000.00	2025-04-23	upi	completed
9	5	5	3	72000.00	2025-05-15	card	completed
10	6	1	4	35000.00	2025-06-18	upi	completed
11	7	2	6	48000.00	2025-07-20	cash	completed
12	8	3	8	55000.00	2025-08-29	upi	pending
13	9	5	7	53000.00	2025-09-03	bank_transfer	completed
14	10	4	5	98000.00	2025-10-08	card	completed
15	11	2	2	46000.00	2025-11-13	upi	pending
16	12	1	1	64000.00	2025-12-18	upi	completed

```
16 rows in set (0.001 sec)
```


Functional Queries

1. View all weddings

```
mysql> SELECT wedding_id, wedding_date, budget, status
-> FROM Wedding
[ -> ORDER BY wedding_date;
```

wedding_id	wedding_date	budget	status
1	2025-01-20	350000.00	ongoing
2	2025-02-15	500000.00	completed
3	2025-03-10	800000.00	completed
4	2025-04-25	450000.00	planned
5	2025-05-18	600000.00	planned
6	2025-06-22	700000.00	planned
7	2025-07-27	800000.00	ongoing
8	2025-08-31	900000.00	planned
9	2025-09-05	1000000.00	planned
10	2025-10-10	1100000.00	completed
11	2025-11-15	1200000.00	ongoing
12	2025-12-20	1300000.00	planned

```
12 rows in set (0.001 sec)

mysql>
```

2. View all weddings managed by given user

```
mysql> SELECT
->     w.wedding_id,
->     w.wedding_date,
->     w.status,
->     w.budget
-> FROM Wedding_user wu
-> JOIN Wedding w ON wu.wedding_id = w.wedding_id
[ -> WHERE wu.user_id = 3;
```

wedding_id	wedding_date	status	budget
3	2025-03-10	completed	800000.00
7	2025-07-27	ongoing	800000.00

```
2 rows in set (0.000 sec)

mysql>
```

3. Upcoming planned weddings

```
mysql> SELECT wedding_id, wedding_date, budget
-> FROM Wedding
-> WHERE status = 'planned'
[ -> ORDER BY wedding_date;
```

wedding_id	wedding_date	budget
4	2025-04-25	450000.00
5	2025-05-18	600000.00
6	2025-06-22	700000.00
8	2025-08-31	900000.00
9	2025-09-05	1000000.00
12	2025-12-20	1300000.00

6 rows in set (0.001 sec)

4. Completed weddings with total payment

```
mysql> SELECT w.wedding_id, w.status, SUM(p.amount) AS total_paid
-> FROM Wedding w
-> JOIN Payment p ON w.wedding_id = p.wedding_id
-> WHERE w.status = 'completed'
[ -> GROUP BY w.wedding_id;
```

wedding_id	status	total_paid
2	completed	100000.00
3	completed	145000.00
10	completed	98000.00

3 rows in set (0.001 sec)

5. Wedding organized by each user

```
mysql> SELECT u.name AS organizer_name, COUNT(wu.wedding_id) AS total_weddings
-> FROM User u
-> JOIN Wedding_user wu ON u.user_id = wu.user_id
[ -> GROUP BY u.user_id;
```

organizer_name	total_weddings
Saurabh Kumar	2
Harsh Gupta	3
Vijay Singh	2
Arjun Dhakad	2
Rohit kumar	3

5 rows in set (0.001 sec)

6. Wedding details with venue and theme

```
mysql> SELECT w.wedding_id, v.name AS venue_name, t.theme_name, w.status, w.budget
-> FROM Wedding w
-> JOIN Wedding_venue wv ON w.wedding_id = wv.wedding_id
-> JOIN Venue v ON wv.venue_id = v.venue_id
-> JOIN Wedding_theme wt ON w.wedding_id = wt.wedding_id
-> JOIN Theme t ON wt.theme_id = t.theme_id
[ -> ORDER BY w.wedding_date;
```

wedding_id	venue_name	theme_name	status	budget
1	Emerald Banquet Hall	Floral Dream	ongoing	350000.00
2	Royal Palace	Royal Classic	completed	500000.00
3	The Grand Lawn	Modern Minimalist	completed	800000.00
4	Sunset Gardens	Beach Vibes	planned	450000.00
5	Golden Orchid	Bollywood Night	planned	600000.00
6	Emerald Banquet Hall	Royal Classic	planned	700000.00
7	Royal Palace	Floral Dream	ongoing	800000.00
8	The Grand Lawn	Beach Vibes	planned	900000.00
9	Golden Orchid	Modern Minimalist	planned	1000000.00
10	Sunset Gardens	Bollywood Night	completed	1100000.00
11	Emerald Banquet Hall	Floral Dream	ongoing	1200000.00
12	Royal Palace	Royal Classic	planned	1300000.00

12 rows in set (0.001 sec)

7. Updating wedding status

```
mysql> select * from wedding;
```

wedding_id	wedding_date	budget	status
1	2025-01-20	350000.00	ongoing
2	2025-02-15	500000.00	completed
3	2025-03-10	800000.00	completed
4	2025-04-25	450000.00	planned
5	2025-05-18	600000.00	planned
6	2025-06-22	700000.00	planned
7	2025-07-27	800000.00	ongoing
8	2025-08-31	900000.00	planned
9	2025-09-05	1000000.00	planned
10	2025-10-10	1100000.00	completed
11	2025-11-15	1200000.00	ongoing
12	2025-12-20	1300000.00	planned

12 rows in set (0.000 sec)

```
mysql> UPDATE Wedding
```

```
-> SET status = 'completed'
```

```
[ -> WHERE wedding_id = 4;
```

Query OK, 1 row affected (0.002 sec)

Rows matched: 1 Changed: 1 Warnings: 0

```
mysql> select * from wedding;
```

wedding_id	wedding_date	budget	status
1	2025-01-20	350000.00	ongoing
2	2025-02-15	500000.00	completed
3	2025-03-10	800000.00	completed
4	2025-04-25	450000.00	completed
5	2025-05-18	600000.00	planned
6	2025-06-22	700000.00	planned
7	2025-07-27	800000.00	ongoing
8	2025-08-31	900000.00	planned
9	2025-09-05	1000000.00	planned
10	2025-10-10	1100000.00	completed
11	2025-11-15	1200000.00	ongoing
12	2025-12-20	1300000.00	planned

12 rows in set (0.000 sec)

```
mysql>
```


8. View guest list of all weddings

```
mysql> SELECT w.wedding_id, g.name AS guest_name, g.rsvp_status, g.meal_preference
-> FROM Guest g
-> JOIN Wedding_guest wg ON g.guest_id = wg.guest_id
-> JOIN Wedding w ON wg.wedding_id = w.wedding_id
[ -> ORDER BY w.wedding_id;
```

wedding_id	guest_name	rsvp_status	meal_preference
1	Sandeep Bhisnoi	confirmed	Veg
1	Aman Choudhary	confirmed	Vegan
2	Daksh Dua	confirmed	Veg
2	Sahil Kumar	declined	Veg
2	Anjali Shaw	confirmed	Non-Veg
3	Nikunj Patel	confirmed	Veg
3	Aadarsh	confirmed	Vegan
4	Dasari Vijay	declined	Veg
4	Aryan Seth	confirmed	Non-Veg
4	Ayush Topo	confirmed	Veg
5	Shubham Rajput	confirmed	Vegan
5	Lokesh Bharaskar	declined	Veg
6	Satya Rath	confirmed	Non-Veg
6	K S Shreeya	confirmed	Veg

14 rows in set (0.001 sec)

9. Count total guest per wedding

```
mysql> SELECT w.wedding_id, COUNT(g.guest_id) AS total_guests
-> FROM Wedding w
-> JOIN Wedding_guest wg ON w.wedding_id = wg.wedding_id
-> JOIN Guest g ON wg.guest_id = g.guest_id
[ -> GROUP BY w.wedding_id;
```

wedding_id	total_guests
1	2
2	3
3	2
4	3
5	2
6	2

6 rows in set (0.001 sec)

10. Guest who declined invitation

```
mysql> SELECT g.name AS guest_name, wg.wedding_id
-> FROM Guest g
-> JOIN Wedding_guest wg ON g.guest_id = wg.guest_id
[ -> WHERE g.rsvp_status = 'declined';
```

guest_name	wedding_id
Sahil Kumar	2
Dasari Vijay	4
Lokesh Bharaskar	5

3 rows in set (0.001 sec)

11. Updating guest status

```
[mysql> select * from guest;
```

guest_id	name	contact	rsvp_status	meal_preference
1	Sandeep Bhisnoi	9938776655	confirmed	Veg
2	Aman Choudhary	8877665544	confirmed	Vegan
3	Daksh Dua	7766554433	confirmed	Veg
4	Sahil Kumar	6654343322	declined	Veg
5	Anjali Shaw	9988998877	confirmed	Non-Veg
6	Nikunj Patel	8877665544	confirmed	Veg
7	Aadarsh	7764354433	confirmed	Vegan
8	Dasari Vijay	6232443322	declined	Veg
9	Aryan Seth	9988898877	confirmed	Non-Veg
10	Ayush Topo	5877665544	confirmed	Veg
11	Shubham Rajput	73223554433	confirmed	Vegan
12	Lokesh Bharaskar	6655443322	declined	Veg
13	Satya Rath	9988978877	confirmed	Non-Veg
14	K S Shreeya	2377665544	confirmed	Veg

```
14 rows in set (0.000 sec)
```

```
mysql> UPDATE Guest
```

```
-> SET rsvp_status = 'confirmed'
```

```
-> WHERE guest_id = 4;
```

```
Query OK, 1 row affected (0.002 sec)
```

```
Rows matched: 1 Changed: 1 Warnings: 0
```

```
[mysql> select * from guest;
```

guest_id	name	contact	rsvp_status	meal_preference
1	Sandeep Bhisnoi	9938776655	confirmed	Veg
2	Aman Choudhary	8877665544	confirmed	Vegan
3	Daksh Dua	7766554433	confirmed	Veg
4	Sahil Kumar	6654343322	confirmed	Veg
5	Anjali Shaw	9988998877	confirmed	Non-Veg
6	Nikunj Patel	8877665544	confirmed	Veg
7	Aadarsh	7764354433	confirmed	Vegan
8	Dasari Vijay	6232443322	declined	Veg
9	Aryan Seth	9988898877	confirmed	Non-Veg
10	Ayush Topo	5877665544	confirmed	Veg
11	Shubham Rajput	73223554433	confirmed	Vegan
12	Lokesh Bharaskar	6655443322	declined	Veg
13	Satya Rath	9988978877	confirmed	Non-Veg
14	K S Shreeya	2377665544	confirmed	Veg

```
14 rows in set (0.001 sec)
```

12. All vendors with their ratings

```
mysql> SELECT vendor_id, name, service_type, rating, cost_estimate
```

```
-> FROM Vendor
```

```
-> ORDER BY rating DESC;
```

vendor_id	name	service_type	rating	cost_estimate
1	Star Caterers	Catering	4.9	60000.00
5	Elite Events	Planning	4.9	95000.00
6	Bharat Band	Entertainment	4.9	95000.00
7	Vishal Ghodi Wala	Entertainment	4.9	95000.00
8	Rajesh Ice Cream	Food	4.9	95000.00
3	Blossom Decorators	Decoration	4.8	70000.00
2	LensKing Photography	Photography	4.5	40000.00
4	Melody DJs	Music	4.4	30000.00

```
8 rows in set (0.001 sec)
```

```
mysql> █
```

13. Vendor booked for each wedding

```
mysql> SELECT w.wedding_id, v.name AS vendor_name, v.service_type, wv.service_status
-> FROM Wedding_vendor wv
-> JOIN Vendor v ON wv.vendor_id = v.vendor_id
-> JOIN Wedding w ON wv.wedding_id = w.wedding_id
-> ORDER BY w.wedding_id;
```

wedding_id	vendor_name	service_type	service_status
1	Star Caterers	Catering	booked
1	LensKing Photography	Photography	booked
2	Blossom Decorators	Decoration	completed
2	Melody DJs	Music	booked
3	Elite Events	Planning	completed
3	Bharat Band	Entertainment	booked
4	LensKing Photography	Photography	booked
4	Vishal Ghodi Wala	Entertainment	booked
5	Star Caterers	Catering	booked
5	Blossom Decorators	Decoration	pending
6	Melody DJs	Music	booked
6	Elite Events	Planning	booked
7	LensKing Photography	Photography	completed
7	Bharat Band	Entertainment	completed
8	Star Caterers	Catering	pending
8	Rajesh Ice Cream	Food	booked
9	Blossom Decorators	Decoration	completed
9	Vishal Ghodi Wala	Entertainment	booked
10	Elite Events	Planning	completed
11	LensKing Photography	Photography	pending
12	Star Caterers	Catering	booked
12	Bharat Band	Entertainment	booked

22 rows in set (0.001 sec)

14. Vendors pending confirmation

```
mysql> SELECT v.name, wv.wedding_id, wv.service_status
-> FROM Wedding_vendor wv
-> JOIN Vendor v ON wv.vendor_id = v.vendor_id
-> WHERE wv.service_status = 'pending';
```

name	wedding_id	service_status
Blossom Decorators	5	pending
Star Caterers	8	pending
LensKing Photography	11	pending

3 rows in set (0.001 sec)

```
mysql> █
```


15. Updating vendor service status

```
[mysql> select * from wedding_vendor;
```

wedding_id	vendor_id	service_cost	service_status
1	1	60000.00	booked
1	2	40000.00	booked
2	3	70000.00	completed
2	4	30000.00	booked
3	5	95000.00	completed
3	6	50000.00	booked
4	2	45000.00	booked
4	7	55000.00	booked
5	1	60000.00	booked
5	3	72000.00	pending
6	4	35000.00	booked
6	5	90000.00	booked
7	2	42000.00	completed
7	6	48000.00	completed
8	1	62000.00	pending
8	8	55000.00	booked
9	3	75000.00	completed
9	7	53000.00	booked
10	5	98000.00	completed
11	2	46000.00	pending
12	1	64000.00	booked
12	6	47000.00	booked

```
22 rows in set (0.000 sec)
```

```
mysql> UPDATE Wedding_vendor
```

```
    -> SET service_status = 'completed'
```

```
[    -> WHERE wedding_id = 4 AND vendor_id = 7;
```

```
Query OK, 1 row affected (0.002 sec)
```

```
Rows matched: 1  Changed: 1  Warnings: 0
```

```
[mysql> select * from wedding_vendor;
```

wedding_id	vendor_id	service_cost	service_status
1	1	60000.00	booked
1	2	40000.00	booked
2	3	70000.00	completed
2	4	30000.00	booked
3	5	95000.00	completed
3	6	50000.00	booked
4	2	45000.00	booked
4	7	55000.00	completed
5	1	60000.00	booked
5	3	72000.00	pending
6	4	35000.00	booked
6	5	90000.00	booked
7	2	42000.00	completed
7	6	48000.00	completed
8	1	62000.00	pending
8	8	55000.00	booked
9	3	75000.00	completed
9	7	53000.00	booked
10	5	98000.00	completed
11	2	46000.00	pending
12	1	64000.00	booked
12	6	47000.00	booked

```
22 rows in set (0.001 sec)
```

16. Top 3 highest rated vendors

```
mysql> SELECT name, service_type, rating
-> FROM Vendor
-> ORDER BY rating DESC
[ -> LIMIT 3;
```

name	service_type	rating
Star Caterers	Catering	4.9
Rajesh Ice Cream	Food	4.9
Vishal Ghodi Wala	Entertainment	4.9

3 rows in set (0.001 sec)

```
mysql> █
```

17. All tasks with wedding and vendor

```
mysql> SELECT t.task_id, t.task_name, t.assigned_to, t.deadline, t.status, v.name AS vendor_name, w.wedding_id
-> FROM Task t
-> JOIN Vendor v ON t.vendor_id = v.vendor_id
-> JOIN Wedding w ON t.wedding_id = w.wedding_id
[ -> ORDER BY t.deadline;
```

task_id	task_name	assigned_to	deadline	status	vendor_name	wedding_id
1	Catering setup	Priya	2025-01-18	completed	Star Caterers	1
2	Photo session	Harsh	2025-01-19	completed	LensKing Photography	1
3	Decoration setup	Vijay	2025-02-10	completed	Blossom Decorators	2
4	DJ soundcheck	Arjun	2025-02-13	in_progress	Melody DJs	2
5	Full planning	Rohit	2025-03-08	completed	Elite Events	3
6	Music and Band	Karan	2025-03-09	completed	Bharat Band	3
8	Photography contract	Saurabh	2025-04-20	in_progress	LensKing Photography	4
7	Horse arrival	Anita	2025-04-22	pending	Vishal Ghodi Wala	4
9	Decor inspection	Priya	2025-05-10	in_progress	Blossom Decorators	5
10	Event coordination	Vijay	2025-06-15	pending	Elite Events	6
11	Entertainment setup	Harsh	2025-07-15	completed	Bharat Band	7
12	Dessert setup	Rohit	2025-08-28	in_progress	Rajesh Ice Cream	8
13	Menu finalization	Saurabh	2025-09-02	completed	Star Caterers	9
14	Decor maintenance	Anita	2025-10-05	completed	Blossom Decorators	10
15	Photo shoot setup	Priya	2025-11-10	in_progress	LensKing Photography	11
16	Music preview	Karan	2025-12-15	pending	Melody DJs	12

16 rows in set (0.001 sec)

18. Pending tasks

```
mysql> SELECT task_name, assigned_to, deadline
-> FROM Task
[ -> WHERE status = 'pending';
```

task_name	assigned_to	deadline
Horse arrival	Anita	2025-04-22
Event coordination	Vijay	2025-06-15
Music preview	Karan	2025-12-15

3 rows in set (0.000 sec)

```
mysql> █
```


19. Completed tasks per wedding

```
mysql> SELECT wedding_id, COUNT(*) AS completed_tasks
-> FROM Task
-> WHERE status = 'completed'
[ -> GROUP BY wedding_id;
```

wedding_id	completed_tasks
1	2
2	1
3	2
7	1
9	1
10	1

6 rows in set (0.001 sec)

20. Updating tasks status

ERROR 1146 (42S02): Table 'wedding_management.tasks' doesn't exist
mysql> select * from task;

task_id	wedding_id	vendor_id	task_name	assigned_to	deadline	status	remark
1	1	1	Catering setup	Priya	2025-01-18	completed	Setup done
2	1	2	Photo session	Harsh	2025-01-19	completed	Album delivered
3	2	3	Decoration setup	Vijay	2025-02-10	completed	Final look approved
4	2	4	DJ soundcheck	Arjun	2025-02-13	in_progress	Half done
5	3	5	Full planning	Rohit	2025-03-08	completed	Executed flawlessly
6	3	6	Music and Band	Karan	2025-03-09	completed	Crowd loved it
7	4	7	Horse arrival	Anita	2025-04-22	pending	To be confirmed
8	4	2	Photography contract	Saurabh	2025-04-20	in_progress	Booking extended
9	5	3	Decor inspection	Priya	2025-05-10	in_progress	Theme finalizing
10	6	5	Event coordination	Vijay	2025-06-15	pending	Initial calls done
11	7	6	Entertainment setup	Harsh	2025-07-15	completed	Excellent show
12	8	8	Dessert setup	Rohit	2025-08-28	in_progress	Freezers installed
13	9	1	Menu finalization	Saurabh	2025-09-02	completed	Chef confirmed
14	10	3	Decor maintenance	Anita	2025-10-05	completed	All props ready
15	11	2	Photo shoot setup	Priya	2025-11-10	in_progress	Lights arranged
16	12	4	Music preview	Karan	2025-12-15	pending	Samples being tested

16 rows in set (0.001 sec)

```
mysql> UPDATE Task
-> SET status = 'completed'
[ -> WHERE task_id = 5;
Query OK, 0 rows affected (0.001 sec)
Rows matched: 1 Changed: 0 Warnings: 0
```

mysql> select * from task;

task_id	wedding_id	vendor_id	task_name	assigned_to	deadline	status	remark
1	1	1	Catering setup	Priya	2025-01-18	completed	Setup done
2	1	2	Photo session	Harsh	2025-01-19	completed	Album delivered
3	2	3	Decoration setup	Vijay	2025-02-10	completed	Final look approved
4	2	4	DJ soundcheck	Arjun	2025-02-13	in_progress	Half done
5	3	5	Full planning	Rohit	2025-03-08	completed	Executed flawlessly
6	3	6	Music and Band	Karan	2025-03-09	completed	Crowd loved it
7	4	7	Horse arrival	Anita	2025-04-22	pending	To be confirmed
8	4	2	Photography contract	Saurabh	2025-04-20	in_progress	Booking extended
9	5	3	Decor inspection	Priya	2025-05-10	in_progress	Theme finalizing
10	6	5	Event coordination	Vijay	2025-06-15	pending	Initial calls done
11	7	6	Entertainment setup	Harsh	2025-07-15	completed	Excellent show
12	8	8	Dessert setup	Rohit	2025-08-28	in_progress	Freezers installed
13	9	1	Menu finalization	Saurabh	2025-09-02	completed	Chef confirmed
14	10	3	Decor maintenance	Anita	2025-10-05	completed	All props ready
15	11	2	Photo shoot setup	Priya	2025-11-10	in_progress	Lights arranged
16	12	4	Music preview	Karan	2025-12-15	pending	Samples being tested

16 rows in set (0.001 sec)

21. All payment Records

```
mysql> SELECT payment_id, wedding_id, vendor_id, amount, payment_date, payment_mode, status
-> FROM Payment
-> ORDER BY payment_date;
```

payment_id	wedding_id	vendor_id	amount	payment_date	payment_mode	status
1	1	1	50000.00	2025-01-15	upi	completed
2	1	2	40000.00	2025-01-16	card	completed
3	2	3	70000.00	2025-02-12	card	completed
4	2	4	30000.00	2025-02-13	cash	pending
5	3	5	95000.00	2025-03-08	upi	completed
6	3	6	50000.00	2025-03-09	cash	completed
7	4	7	55000.00	2025-04-22	bank_transfer	pending
8	4	2	42000.00	2025-04-23	upi	completed
9	5	3	72000.00	2025-05-15	card	completed
10	6	4	35000.00	2025-06-18	upi	completed
11	7	6	48000.00	2025-07-20	cash	completed
12	8	8	55000.00	2025-08-29	upi	pending
13	9	7	53000.00	2025-09-03	bank_transfer	completed
14	10	5	98000.00	2025-10-08	card	completed
15	11	2	46000.00	2025-11-13	upi	pending
16	12	1	64000.00	2025-12-18	upi	completed

16 rows in set (0.001 sec)

```
mysql>
```

22. Total payment per wedding

```
mysql> SELECT w.wedding_id, SUM(p.amount) AS total_payment
-> FROM Wedding w
-> JOIN Payment p ON w.wedding_id = p.wedding_id
-> GROUP BY w.wedding_id
-> ORDER BY total_payment DESC;
```

wedding_id	total_payment
3	145000.00
2	100000.00
10	98000.00
4	97000.00
1	90000.00
5	72000.00
12	64000.00
8	55000.00
9	53000.00
7	48000.00
11	46000.00
6	35000.00

12 rows in set (0.001 sec)

```
mysql>
```

23. Pending payments

```
mysql> SELECT p.payment_id, v.name AS vendor_name, p.amount, p.status
-> FROM Payment p
-> JOIN Vendor v ON p.vendor_id = v.vendor_id
[ -> WHERE p.status = 'pending';
```

payment_id	vendor_name	amount	status
4	Melody DJs	30000.00	pending
7	Vishal Ghodi Wala	55000.00	pending
12	Rajesh Ice Cream	55000.00	pending
15	LensKing Photography	46000.00	pending

4 rows in set (0.001 sec)

```
mysql> █
```

24. Update payment to complete

```
ERROR 1146 (42S02): Table 'wedding_management.payments' doesn't exist
mysql> select * from payment;
```

payment_id	wedding_id	venue_id	vendor_id	amount	payment_date	payment_mode	status
1	1	1	1	50000.00	2025-01-15	upi	completed
2	1	1	2	40000.00	2025-01-16	card	completed
3	2	2	3	70000.00	2025-02-12	card	completed
4	2	2	4	30000.00	2025-02-13	cash	pending
5	3	3	5	95000.00	2025-03-08	upi	completed
6	3	3	6	50000.00	2025-03-09	cash	completed
7	4	4	7	55000.00	2025-04-22	bank_transfer	pending
8	4	4	2	42000.00	2025-04-23	upi	completed
9	5	5	3	72000.00	2025-05-15	card	completed
10	6	1	4	35000.00	2025-06-18	upi	completed
11	7	2	6	48000.00	2025-07-20	cash	completed
12	8	3	8	55000.00	2025-08-29	upi	pending
13	9	5	7	53000.00	2025-09-03	bank_transfer	completed
14	10	4	5	98000.00	2025-10-08	card	completed
15	11	2	2	46000.00	2025-11-13	upi	pending
16	12	1	1	64000.00	2025-12-18	upi	completed

16 rows in set (0.001 sec)

```
mysql> UPDATE Payment
-> SET status = 'completed'
[ -> WHERE payment_id = 4;
Query OK, 1 row affected (0.002 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> select * from payment;
```

payment_id	wedding_id	venue_id	vendor_id	amount	payment_date	payment_mode	status
1	1	1	1	50000.00	2025-01-15	upi	completed
2	1	1	2	40000.00	2025-01-16	card	completed
3	2	2	3	70000.00	2025-02-12	card	completed
4	2	2	4	30000.00	2025-02-13	cash	completed
5	3	3	5	95000.00	2025-03-08	upi	completed
6	3	3	6	50000.00	2025-03-09	cash	completed
7	4	4	7	55000.00	2025-04-22	bank_transfer	pending
8	4	4	2	42000.00	2025-04-23	upi	completed
9	5	5	3	72000.00	2025-05-15	card	completed
10	6	1	4	35000.00	2025-06-18	upi	completed
11	7	2	6	48000.00	2025-07-20	cash	completed
12	8	3	8	55000.00	2025-08-29	upi	pending
13	9	5	7	53000.00	2025-09-03	bank_transfer	completed
14	10	4	5	98000.00	2025-10-08	card	completed
15	11	2	2	46000.00	2025-11-13	upi	pending
16	12	1	1	64000.00	2025-12-18	upi	completed

16 rows in set (0.001 sec)

```
mysql> █
```

25. Total spend per vendor

```
mysql> SELECT v.name AS vendor_name, SUM(p.amount) AS total_paid
-> FROM Payment p
-> JOIN Vendor v ON p.vendor_id = v.vendor_id
[ -> GROUP BY v.vendor_id;
```

vendor_name	total_paid
Star Caterers	114000.00
LensKing Photography	128000.00
Blossom Decorators	142000.00
Melody DJs	65000.00
Elite Events	193000.00
Bharat Band	98000.00
Vishal Ghodi Wala	108000.00
Rajesh Ice Cream	55000.00

8 rows in set (0.001 sec)

mysql>

26. Total no. of weddings by status

```
mysql> SELECT status, COUNT(*) AS total_weddings
-> FROM Wedding
[ -> GROUP BY status;
```

status	total_weddings
ongoing	3
completed	4
planned	5

3 rows in set (0.001 sec)

mysql>

27. Most expensive wedding

```
mysql> SELECT wedding_id, budget
-> FROM Wedding
-> ORDER BY budget DESC
[ -> LIMIT 1;
```

wedding_id	budget
12	1300000.00

1 row in set (0.001 sec)

mysql>

28. Total guests across all weddings

```
mysql> SELECT COUNT(guest_id) AS total_guests
-> FROM Wedding_guest;
```

total_guests
14

1 row in set (0.001 sec)

mysql>

29. Avg budget of completed weddings

```
mysql> SELECT AVG(budget) AS avg_completed_budget
-> FROM Wedding
[   -> WHERE status = 'completed';
+-----+
| avg_completed_budget |
+-----+
|          712500.000000 |
+-----+
1 row in set (0.001 sec)

mysql> █
```

30. Total earning (sum of all payments)

```
mysql> SELECT SUM(amount) AS total_earnings
-> FROM Payment
[   -> WHERE status = 'completed';
+-----+
| total_earnings |
+-----+
|          747000.00 |
+-----+
1 row in set (0.001 sec)

mysql> █
```

31. User managing most weddings

```
mysql> SELECT u.name AS planner, COUNT(wu.wedding_id) AS weddings_managed
-> FROM User u
-> JOIN Wedding_user wu ON u.user_id = wu.user_id
-> GROUP BY u.user_id
[   -> ORDER BY weddings_managed DESC;
+-----+-----+
| planner      | weddings_managed |
+-----+-----+
| Harsh Gupta  | 3 |
| Rohit kumar  | 3 |
| Saurabh Kumar | 2 |
| Vijay Singh  | 2 |
| Arjun Dhakad | 2 |
+-----+-----+
5 rows in set (0.001 sec)
```

32. Guest by meal preference

```
mysql> SELECT meal_preference, COUNT(*) AS total_guests
-> FROM Guest
[   -> GROUP BY meal_preference;
+-----+-----+
| meal_preference | total_guests |
+-----+-----+
| Veg             | 8 |
| Vegan           | 3 |
| Non-Veg         | 3 |
+-----+-----+
3 rows in set (0.001 sec)

mysql> █
```

33. Wedding per venue

```
mysql> SELECT v.name AS venue_name, COUNT(wv.wedding_id) AS total_weddings
-> FROM Wedding_venue wv
-> JOIN Venue v ON wv.venue_id = v.venue_id
-> GROUP BY v.venue_id
-> ORDER BY total_weddings DESC;
```

venue_name	total_weddings
Emerald Banquet Hall	3
Royal Palace	3
The Grand Lawn	2
Sunset Gardens	2
Golden Orchid	2

5 rows in set (0.001 sec)

```
mysql>
```

34. Wedding per theme

```
mysql> SELECT t.theme_name, COUNT(wt.wedding_id) AS total_weddings
-> FROM Wedding_theme wt
-> JOIN Theme t ON wt.theme_id = t.theme_id
-> GROUP BY t.theme_id
-> ORDER BY total_weddings DESC;
```

theme_name	total_weddings
Royal Classic	3
Floral Dream	3
Beach Vibes	2
Modern Minimalist	2
Bollywood Night	2

5 rows in set (0.001 sec)

```
mysql>
```

35. Wedding_Summary creation and insertion

```
mysql> INSERT INTO Wedding_Summary (wedding_id, total_guests, total_payments, completed_tasks, status_summary)
-> SELECT
-> w.wedding_id,
-> COUNT(DISTINCT wg.guest_id),
-> IFNULL(SUM(p.amount), 0),
-> SUM(CASE WHEN t.status = 'completed' THEN 1 ELSE 0 END),
-> CONCAT(
-> 'Guests: ', COUNT(DISTINCT wg.guest_id),
-> ', Payments: ₹', IFNULL(SUM(p.amount), 0),
-> ', Completed Tasks: ', SUM(CASE WHEN t.status = 'completed' THEN 1 ELSE 0 END)
-> )
-> FROM Wedding w
-> LEFT JOIN Wedding_guest wg ON w.wedding_id = wg.wedding_id
-> LEFT JOIN Payment p ON w.wedding_id = p.wedding_id
-> LEFT JOIN Task t ON w.wedding_id = t.wedding_id
-> GROUP BY w.wedding_id;
```

Query OK, 12 rows affected (0.005 sec)

Records: 12 Duplicates: 0 Warnings: 0

```
(mysql> select * from wedding_summary;
```

summary_id	wedding_id	total_guests	total_payments	completed_tasks	status_summary
1	1	2	360000.00	8	Guests: 2, Payments: ₹360000.00, Completed Tasks: 8
2	2	3	600000.00	6	Guests: 3, Payments: ₹600000.00, Completed Tasks: 6
3	3	2	580000.00	8	Guests: 2, Payments: ₹580000.00, Completed Tasks: 8
4	4	3	582000.00	0	Guests: 3, Payments: ₹582000.00, Completed Tasks: 0
5	5	2	144000.00	0	Guests: 2, Payments: ₹144000.00, Completed Tasks: 0
6	6	2	70000.00	0	Guests: 2, Payments: ₹70000.00, Completed Tasks: 0
7	7	0	48000.00	1	Guests: 0, Payments: ₹48000.00, Completed Tasks: 1
8	8	0	55000.00	0	Guests: 0, Payments: ₹55000.00, Completed Tasks: 0
9	9	0	53000.00	1	Guests: 0, Payments: ₹53000.00, Completed Tasks: 1
10	10	0	98000.00	1	Guests: 0, Payments: ₹98000.00, Completed Tasks: 1
11	11	0	46000.00	0	Guests: 0, Payments: ₹46000.00, Completed Tasks: 0
12	12	0	64000.00	0	Guests: 0, Payments: ₹64000.00, Completed Tasks: 0

12 rows in set (0.001 sec)