



Query Assignment

Note:

Use the Best Practices and make the fields and records as per the requirement of the question. Make sure to choose SOQL over SOSL wherever possible.

Note: While submitting Assignment on Git Branch Name should be feature/query-assignment.

Write a Apex class with name **QueryAssignment** which will have following methods:

1. Get the Sum of Amount of all closed opportunities owned by the current logged in user. The Sum should be fetched for every fiscal year by a single query.

[Hint: Use Fiscal_Year() Query function on Created date field]

```
public static List<AggregateResult> getClosedOpportunitySumByFiscalYear()
```

2. Fetch all the opportunity records whose close date lies between 2 dates passed as an argument to the function (firstDate, SecondDate) and opportunity owner's name is 'Saurman D'souza'. -- 10 marks

Note: Create/Change a user with name 'Saurman D'souza'

```
public static List<Opportunity> fetchOpportunitiesBetweenDates(Date firstDate, Date secondDate)
```

3.
 - a. Get all the opportunities,contacts,notes related to an Account where Account Name starts with 'B'. -- 5 marks

```
public static List<Account> fetchAccountsWithRelatedData()
```

By: Shrey Sharma | Mobile: +91 7568697474



Query Assignment

Note: You need to enable the Note object in the org.Fis

- b. Get the account name, notes, contacts related to an opportunity where opportunity name ends with 'A'.

```
public static List<Opportunity> fetchRelatedDataForOpportunity()
```

4. Get all the account and opportunity records where field consist 'Test' and close date of opportunity records should be of this fiscal year, accounts should be owned by current logged in user.

```
public static List<List<sObject>> fetchTestOpportunityRecords()
```

5. Create a map, use the query of Q3 a)
Where the key will be the Account id and list of records as value.

It should be like this,

Create 3 maps for opportunities, contacts and notes as variables outside all methods in the QueryAssignment class:

```
public static Map<Id, List<Opportunity>> opportunitiesRelatedToAccountMap =  
new Map<Id, List<Opportunity>>();
```

```
public static Map<Id, List<Contact>> contactsRelatedToAccountMap = new  
Map<Id, List<Contact>>();
```

```
public static Map<Id, List<Note>> notesRelatedToAccountMap = new Map<Id,  
List<Note>>();
```

```
public static void setOppContactNotesRelatedToAccount()
```

6. Write the queries for following scenarios:
- a. Write a query to get the total students in every batch.

```
public static List<AggregateResult> totalStudentsOfEachBatch()
```
- b. Write a query to get the sorted(ascending) list of students with their average rating. Sorting should be done as per average rating value.

By: Shrey Sharma | Mobile: +91 7568697474



Query Assignment

```
public static List<AggregateResult>
sortedListOfStudentWithAvgRating()
```

- c. Write a query to find the record of all students who have "aa" in their first name.
`public static List<Student__c> getStudentsStartWithAA()`
- d. Write a query to get the batch records with their respected course name and faculty name.
`public static List<Batch__c> getBatchesWithCourseAndFaculty()`
- e. Write a query to find the count of students with unique First_Name__c.
`public static List<AggregateResult> getDiscreteStudentsCount() {}`
- f. Get the sorted(according to age, in ascending order) list of students whose age > 25.
`public static List<Student__c> getSortedStudentsOver25()`
- g. Get the records of the "Student in batch" object, where "Testing" appears in both the course faculty's name and the student's first name.
`public static List<Student_in_Batch__c> getRecordsWithNameTesting() {}`
- h. Find the records of students whose First Name is present in the list(names) provided below and where the registered date is in the current quarter.

Also, Create Registration_Date__c field on Student object if it does not exist.

```
public static List<Student__c> getStudentPresentInList() {
    List<String> names = new List<String>{'John', 'Jack', 'Will', 'David'};

    // Rest of the code should come below
}
```

- i. Return the list of strings which consist of the student First Name, their registered course name, faculty name concatenated by dash(-) where student's as well

By: Shrey Sharma | Mobile: +91 7568697474



Query Assignment

as Faculty's name starts with 'Kri' but the course name should not be 'Php'.

[Hint: You need to write query on Student in Batch object]

```
public static List<String> getStudentCourseFacultyNameList()
```

j) Get the list of students who are admitted to the course opted courseName and fee deposited is in between fee1 and fee2 Arguments(course, fee1,fee2) where Course_Opted__c is a picklist field on the student object.

[Use course and fees from the arguments]

```
public static List<Student__c>
```

```
getStudentsBasedOnCourseAndFee(String courseName, Integer fee1, Integer fee2)
```

By: Shrey Sharma | Mobile: +91 7568697474