

RISING GREEN ENERGY

PM SURYAGHAR EMP NO. NPDG-164
316 SUNTRADE CENTER RAMNAGAR Surat Gujarat 395005
India
Surat Gujarat 395005
India
GSTIN 24ABBFR1974L1ZY
9913545352
rgesolar@gmail.com

Quote
QT-000150

Bill To
SNEHBHAI

Quote Date : 16/07/2026

Place Of Supply: Gujarat (24)

#	Item & Description	HSN/SAC	Qty	Rate	CGST	SGST	Amount
1	SUPPLY AND INSTALLATION 3.3KW SOLAR ROOFTOP SYSTEM	854140	3.30	42,000.00	3,465.00 2.5%	3,465.00 2.5%	1,38,600.00
2	STRUCTURE FABRICATION WORK 3.3KW SOLAR ROOFTOP SYSTEM	998873	3.30	5,000.00	1,485.00 9%	1,485.00 9%	16,500.00
Sub Total							1,55,100.00
CGST2.5 (2.5%)							3,465.00
SGST2.5 (2.5%)							3,465.00
CGST9 (9%)							1,485.00
SGST9 (9%)							1,485.00
Total							₹1,65,000.00

Total In Words: **Indian Rupee One Lakh Sixty-Five Thousand Only**

Notes

ALL BILL OF MATERIAL USED FOR INSTALLATION ARE AS PER PM SURYAGHAR GUIDLINE GOVERMENT CRITERIA AND AS PER ISI STANDER WITH AUTHENTIC CERTIFICATES

DOCUMENTS LIST:

ELECTRICITY BILL
VERA BILL
ADHARCARD
PANCARD
CANCEL CHEQUE
CONCENT LETTER (FOR COMMON TERRACE)

Terms & Conditions

- ESTIMATE VALID FOR 10DAYS ONLY
- GEDA REGISTRATION FEES EXTRA AS PER ACTUAL (IF APPLICABLE)
- METER CHARGES EXTRA AS PER ACTUAL DGVCL/TORRENT (IF APPLICABLE)
- SUBSIDY IN CLIENT ACCOUNT 216000/- (I.E 18000X12KW)
- AVG MONTHLY SAVING 1440 UNITS GENERATION WHICH SAVES UP TO 12000/-

Authorized Signature _____

RISING GREEN ENERGY PROPOSAL

Clean Energy. Guaranteed Savings. Sustainable Future.

1. Introduction Page

Dear Consumer,

Thank you for giving **Rising Green Energy** the opportunity to present this customized solar energy proposal for your property located at **SURAT**.

With electricity tariffs rising consistently year after year, switching to solar is no longer just an environmental choice-it is one of the smartest and safest financial investments available today. At **Rising Green Energy**, we combine premium Tier-1 components, precise engineering, and seamless multi-stage execution to ensure your transition to clean energy is entirely effortless and highly profitable.

Enclosed, you will find a comprehensive breakdown of your custom tailored solar solution, expected annual generation metrics, long-term financial returns, and an end-to-end implementation roadmap.

As energy costs continue to rise and environmental sustainability becomes a growing priority, rooftop solar photovoltaic (PV) systems offer an efficient, reliable, and cost-effective solution for meeting electricity demands. By harnessing clean and renewable solar energy, organizations and homeowners can significantly reduce electricity expenses, decrease dependence on conventional power sources, and contribute to a greener future.

This proposal presents a comprehensive rooftop solar solution designed to maximize energy generation based on the available roof area and site conditions. The proposed system incorporates high-quality solar modules, advanced inverters, and industry-standard installation practices to ensure optimal performance, safety, and long-term reliability.

In addition to reducing operational costs, the installation of a rooftop solar system supports environmental responsibility by lowering carbon emissions and promoting the use of renewable energy. With minimal maintenance requirements and a long service life, the proposed solar power system represents a sustainable investment that delivers both economic and environmental benefits for years to come.

Best Regards,


Abhijeetsinh Solanki

Rising Green Energy | 9913545352 | rgesolar@gmail.com

2. Technical Line Diagram Layout

The layout below illustrates the seamless logical electrical connection map from production to grid export.

Engineering single line diagram (SLD) layout: Solar PV Modules → DC Distribution Box (DCDB) → Smart Grid-Tied Inverter → AC Distribution Box (ACDB) → Bi-Directional Net Meter → Residential Load / Public Grid



3. How the Solar System Works

A grid-tied solar power system seamlessly integrates with your existing utility grid infrastructure to cleanly power your property:

- **Step 1: Solar Panels (Photovoltaic Modules)** - Positioned optimally on your roof, these modules absorb sunlight ambient photon radiation and convert it directly into Direct Current (DC) electricity.
- **Step 2: The Solar Inverter** - Acts as the intelligent brain of the system, converting the DC electricity into stable Alternating Current (AC), standardizing it for all home appliances.
- **Step 3: Home Consumption & Net Metering** - Power goes to your appliances first. Any excess surplus electricity generated is instantly directed back into the government utility grid via a specialized bidirectional meter.
- **Step 4: Utility Grid Backup** - At night or during heavily overcast days, this system smoothly pulls electricity back from the utility grid, ensuring uninterrupted power.

4. Generation Calculations

Projected estimations are generated based on regional irradiance data for a premium proposed **n kWp** system:

- **Daily Average Generation:** ~4 to 4.5 kWh (Units) per kWp installed - **$n \times 4$ Units/day**
- **Estimated Monthly Generation:** **$n \times 4 \text{ units} \times 30 \text{ days}$ Units/month**
 - **Projected Annual Generation:** **$n \times 4 \text{ units} \times 30 \text{ days} \times 12 \text{ months}$ Units/year**

5. Advantages of Solar Energy


- **Massive Utility Bill Reductions:** Drastically slash your monthly energy spend by up to **80% - 90%**.
- **High Return on Investment:** Solar operates as a high-yielding financial asset that typically clears its payback period within **3 - 4 years**, yielding completely free power for the remainder of its 25+ year lifecycle.
- **Property Appreciation:** Green-certified residential buildings equipped with fixed solar infrastructure command higher market resale values.
- **Extremely Low Maintenance:** With zero moving parts, the entire system requires minimal operational upkeep-restricted primarily to routine automated or manual panel washings.
- **Environmental Stewardship:** Directly mitigate carbon footprints and actively combat localized climate change.

6. Carbon Emission Offset Calculation

By shifting power generation source to solar PV, your property achieves highly significant environmental offset targets across its guaranteed 25-year operational lifecycle:

- **CO2 Emissions Prevented:** **101 Metric Tons** of pure Carbon Dioxide stopped from entering the atmosphere.
- **Fossil Fuel Preservation:** Equivalent to preventing the burning of **5 Tons** of standard coal.
- **Reforestation Equivalence:** Equal to the ecological impact of planting **4,545 mature trees**.

CARBON EMISSION SAVING CALCULATION PER KILOWATT (kW) OF SOLAR ROOFTOP




MULTIPLY BY SYSTEM SIZE FOR TOTAL SAVING. GO GREEN.

7. PM-Surya Ghar: Muft Bijli Yojana Process

As a fully authorized and certified empaneled solar vendor, we manage the entire national subsidy workflow framework for your project end-to-end:

- 1. Registration:** We safely onboard your consumer credentials directly onto the central government's PM-Surya Ghar National Portal.
- 2. Technical Feasibility:** The regional DISCOM (Electricity Board) reviews local grid capacity and issues a formal structural clearance approval.
- 3. Execution & Installation:** Our engineering wing carries out code-compliant installation adhering precisely to MNRE quality guidelines.
- 4. Net Metering Inspection:** DISCOM engineers perform physical on-site verification, deploy the smart net meter, and commission the plant.
- 5. Subsidy Disbursal:** Post-commissioning, the sanctioned central government subsidy is electronically credited to your linked bank account within 30 business days.

PM SURYA GHAR MUFT BIJLI YOJANA: 6 STEPS TO FREE ELECTRICITY



EMPOWERING 1 CRORE INDIAN HOUSEHOLDS. GO SOLAR.

8. Return on Savings (ROI)

A solar power system is a long-term investment designed to reduce dependence on conventional grid electricity and provide lasting value throughout its operating life.

- **Lower Electricity Dependence:** On-site solar generation reduces the amount of electricity purchased from the utility provider.
- **Protection Against Tariff Changes:** Producing clean energy on-site helps reduce exposure to future increases in grid electricity rates.
- **Long Operating Life:** Quality solar systems are designed to generate reliable energy over many years with appropriate maintenance.
- **Low Operating Requirements:** Solar PV systems require no fuel and contain few moving parts, keeping routine maintenance straightforward.
- **Long-Term Property Benefit:** A professionally installed solar system can improve the property's energy efficiency and overall appeal.

Actual savings and the investment recovery period depend on site conditions, electricity consumption, applicable tariffs, system performance, maintenance, and utility policies.

9. Documents Required

To initiate file processing for DISCOM permissions and central subsidy approvals, please provide:

- Latest Official Electricity Utility Bill (All pages included)
- Aadhaar Card of the property owner (Name alignment must match utility billing details)
- PAN Card Copy
- Bank Cancelled Cheque or clear Passbook photocopy (Required for direct electronic subsidy disbursement)
- Two recent passport-size color photographs

10. Payment Terms

- **30% Mobilization Advance:** Booked to initiate legal DISCOM file log, architectural layouts, and factory component ordering.
- **60% Component Delivery Milestone:** Payable immediately upon the safe arrival of primary inventory (PV Modules & Inverter) at the installation site.
- **10% Commissioning Milestone:** Balance due upon successful grid connection synchronization and hand over of system logs.

11. Disclaimer

Solar generation metrics are derived parameters calculated utilizing historical long-term satellite climate records for your specific latitude/longitude. Actual real-time production yields may fluctuate in accordance with variations in seasonal weather cycles, structural micro-climate shading patterns (such as subsequent newly erected adjacent high-rises), and regular panel dust wash upkeep consistency.

12. Material Make & Specifications

SOLAR PV MODULE

MAKE	ADANI, WAAREE, EXIDE, PREMIER, GOLDI, RAYZON
WP CAPACITY	550/570/580/590/620/690
TECHNOLOGY	BIFACIAL / MONO BIFACIAL TOPCON NTYPE
WARRANTY	10 MANUFACTURING +20 PERFORMANCE

SOLAR INVERTER

MAKE	PV-BLINK, VSOLE, SOLARYAAN, SUNGROW, GOODWE
WP CAPACITY	AS PER REQUIREMENT
TECHNOLOGY	ON GRID SOLAR SMART INVERTER
WARRANTY	10 YEARS

STRUCTURE PIPE

MAKE	APOLLO, HINDUSTAR, ISCON, SURYA
SPECIFICATION	HOT DIP GALVANIZED
SECTION SIZE	80X40X2MM 60X40X2MM
THICKNESS	2MM

DB COMBO


MAKE	L&T, HAVELLS, C&S
SPECIFICATION	IP 65 TRIBOX MCB WITH SPD

AC CABLE

MAKE	HAVELLS STANDARD, POLYCAB, RR, KEI
SPECIFICATION	2.5MM 4MM 6MM COPPER FLEXIBLE

DC CABLE

MAKE	POLYCAB, APAR
SPECIFICATION	2.5MM 4MM 6MM EN TYPE1 TYPE 2



LA CABLE

MAKE

POLYFLEX, KENBERRY, ANAND

SPECIFICATION

16MM AL 25MM AL



PVC CONDUITE

MAKE

POLYCAB, PRECISION, PRESSFIT

SPECIFICATION

20MM 25MM 32MM UV PROTECTED



EARTHING AND LA ROD

MAKE

E LINK TRUEBLUE

SPECIFICATION

1.5MTR 17MM 25MM CU COATED



J BOLT

MAKE

AS PER ISI STANDARDS

SPECIFICATION

M8 SS 304



SS TIE

MAKE

AS PER ISI STANDARDS

SPECIFICATION

SS 304



LUG

MAKE
SPECIFICATION


AS PER ISI STANDARDS
AS PER CABLE SIZE



MC4

MAKE
SPECIFICATION


ELMAX
UV PROTECTED



MONO RAIL

MAKE
SPECIFICATION

AS PER ISI STANDARDS
AS PER REQUIRMENT



WALKWAY

MAKE
SPECIFICATION

FRP MATERIAL
AS PER ISI STANDARDS