Bookdown demo

TC World India 2020

 $true \\ 2020-01-22$

Contents

| Pı | Prerequisites | 5 |
|--------------|--------------------------|------|
| P | Part One | 9 |
| 1 | Introduction | 9 |
| 2 | 2 Literature | 11 |
| P | Part Two | 15 |
| 3 | 3 Methods | 15 |
| | 3.1 What are the methods | . 15 |
| 4 | Applications | 17 |
| | 4.1 Example one | |
| | 4.2 Example two | . 17 |
| \mathbf{A} | A Final Words | 19 |
| | A.1 List of procedures | . 19 |

4 CONTENTS

Prerequisites

This is a sample book written in $\mathbf{Markdown}$.

The venue



6 CONTENTS

Part One

Introduction

You can label chapter and section titles using {#label} after them, e.g., we can reference Chapter 1. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 3.

Figures and tables with captions will be placed in figure and table environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```

Reference a figure by its code chunk label with the fig: prefix, e.g., see Figure 1.1. Similarly, you can reference tables generated from knitr::kable(), e.g., see Table 1.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2018) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).




Figure 1.1: Here is a nice figure!

| Table 1.1: Here is a nice table! | | | | | |
|----------------------------------|-------------|--------------|-------------|---------|--|
| Sepal.Length | Sepal.Width | Petal.Length | Petal.Width | Species | |
| 5.1 | 3.5 | 1.4 | 0.2 | setosa | |
| 4.9 | 3.0 | 1.4 | 0.2 | setosa | |
| 4.7 | 3.2 | 1.3 | 0.2 | setosa | |
| 4.6 | 3.1 | 1.5 | 0.2 | setosa | |
| 5.0 | 3.6 | 1.4 | 0.2 | setosa | |
| 5.4 | 3.9 | 1.7 | 0.4 | setosa | |
| 4.6 | 3.4 | 1.4 | 0.3 | setosa | |
| 5.0 | 3.4 | 1.5 | 0.2 | setosa | |
| 4.4 | 2.9 | 1.4 | 0.2 | setosa | |
| 4.9 | 3.1 | 1.5 | 0.1 | setosa | |
| 5.4 | 3.7 | 1.5 | 0.2 | setosa | |
| 4.8 | 3.4 | 1.6 | 0.2 | setosa | |
| 4.8 | 3.0 | 1.4 | 0.1 | setosa | |
| 4.3 | 3.0 | 1.1 | 0.1 | setosa | |
| 5.8 | 4.0 | 1.2 | 0.2 | setosa | |
| 5.7 | 4.4 | 1.5 | 0.4 | setosa | |
| 5.4 | 3.9 | 1.3 | 0.4 | setosa | |
| 5.1 | 3.5 | 1.4 | 0.3 | setosa | |
| 5.7 | 3.8 | 1.7 | 0.3 | setosa | |
| 5.1 | 3.8 | 1.5 | 0.3 | setosa | |

Literature

Here is a review of existing methods.

Part Two

Methods

We describe our methods in this chapter.

3.1 What are the methods

- Method 1
- \bullet Method 2
- Method 3
- Method 4
- Method 5

Applications

Some significant applications are demonstrated in this chapter.

- 4.1 Example one
- 4.2 Example two

Appendix A

Final Words

We have finished a nice book.

A.1 List of procedures

- Procedure 1
- Procedure 2
- Procedure 3

Bibliography

Xie, Y. (2015). Dynamic Documents with R and knitr. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2018). bookdown: Authoring Books and Technical Documents with R Markdown. R package version 0.9.