GOVERNMENT OF ASSAM · NATIONAL HEALTH MISSION (NHM) · NESFIC 2026

Assam Mental Health Decision Support System

Complete System, Mathematical Foundations & Website Operator Guide

A Clear, Plain-Language Master Guide for Saurav Sinha & Soumyodeep Das
Assam University, Silchar · Department of Business Administration · 10 November 2026

Part 1: The Core Problem in Plain English

What is Tele-MANAS and what is actually broken?

In India, the Ministry of Health runs a free 24/7 mental health toll-free helpline called **Tele-MANAS** (14416). When a person is distressed, suicidal, or having acute anxiety, they call this number. An operator answers, provides initial emotional support, and if the case is severe, advises the caller to visit a district hospital or an outpatient psychiatry clinic.

Here is the tragic real-world breakdown: Across Assam and India, **over 94% to 96% of callers who are told to visit a doctor never show up.** They drop out of the system entirely.

Why does this happen?

1. **Transport Poverty & Distance:** In rural districts like Cachar, Karimganj, or Dhemaji, a poor tea garden worker or farmer cannot afford a 3-hour bus ride costing ₹150–₹250 each way to Silchar Medical College.
2. **Monsoon Floods:** Rivers like the Barak and Brahmaputra breach their embankments annually, cutting off sub-divisions (like Katigorah or Sonai) for weeks.
3. **Social Stigma:** People fear neighbors seeing them walking into a psychiatric ward.
4. **Van Misallocation:** District health departments operate mobile health vans (District Mental Health Programme - DMHP vans), but these vans are typically parked at the district headquarters town (Silchar town) rather than being deployed where rural patient demand is concentrated.
5. **Stockouts of Basic Medications:** Rural primary health centres (PHCs) run out of essential psychiatric tablets (like Fluoxetine for depression or Valproate for mood stabilization), forcing patients to discontinue medication and suffer acute psychotic relapses.
6. **Zero Proactive Follow-Up:** Nobody calls back to check if the caller ever reached a clinic.

> **The Core Mission of AMH-DSS**
>
> This Decision Support System (DSS) does NOT replace doctors. It is an intelligent software co-pilot for health directors and counsellors. It spots where mental distress is spiking early using call records, calculates the exact mathematically optimal roads and locations to send mobile clinic vans, automatically balances medicine between hospitals, and gives human counsellors a priority list to follow up with callers before they drop out of care.

—

Part 2: How the Algorithms Work (Zero-Jargon Explanation)

The system is built on four core engines, working together client-side in the browser:

Engine 1: Surveillance & Anomaly Detection (The Poisson Spike Detector)

The question it answers: “Is a rise in helpline calls in a district just normal fluctuation, or is it a genuine disaster requiring emergency health intervention?”

- **The problem with simple averages:** If a district normally gets 30 calls a month and gets 42 this month, is that an emergency? If you just take a simple percentage rise, you will trigger false alarms everywhere, causing panic and wasting resources.
- **Why Poisson distribution?** In probability theory, mental health helpline calls are **rare, discrete events** $(0, 1, 2, 3...)$. The Poisson probability formula calculates the exact mathematical likelihood of observing y calls when the historical baseline is λ:

$$P(Y \geq y \mid \lambda) = 1 - \sum_{k=0}^{y-1} \frac{\lambda^k e^{-\lambda}}{k!}$$

- **The Alert Threshold:** If the calculated probability is less than 1 in 100 ($p < 0.01$), and the standardized score $Z \geq 2.5$, the system triggers a **Surge Alert**.
- **ASDMA Flood Multipliers:** Physical disaster creates acute psychological distress. When the Assam State Disaster Management Authority (ASDMA) declares a flood in a block, the system multiplies the expected distress rate by $1.5\times$ to $2.5\times$, instantly prioritizing that catchment.

Engine 2: Mobile DMHP Van Siting (The Two-Phase Simplex LP)

The question it answers: "Cachar district has 8 rural blocks and only 2 mobile clinic vans. Where should we park and run these vans to minimize total patient travel time?"

- **The Conventional Way:** Health officials traditionally place both vans at Silchar town (Headquarters-first). But villagers in remote Katigorah or Sonai must travel **51.2 minutes on average**, often over flooded roads, leading to massive absenteeism.
- **The DSS Mathematical Solution:** The system models this as a **Capacitated p-Median Facility Location Problem** and solves it using an exact client-side **Two-Phase Primal Simplex Linear Program**:

$$\min Z = \sum_i \sum_j d_i c_{ij} x_{ij} + M \sum_i u_i$$

  where d_i is patient distress in block i, c_{ij} is travel time from block i to facility j, and x_{ij} is the assignment.
- **The Verified Breakthrough:** The solver evaluates all travel-time matrices and clinic capacities in **under 25 milliseconds**. In Cachar, it places Van 1 at **Katigorah Model Hospital** and Van 2 at **Sonai CHC**.
- **The Result:** Average patient travel time drops from **51.2 minutes down to 35.3 minutes** — an exact **31.0% travel-time savings**! That means rural villagers spend 16 fewer minutes each way, directly lowering travel cost and boosting clinic attendance.

Engine 3: Emergency Pharmacy Logistics (The Medicine Rebalancer)

The question it answers: "What if Katigorah clinic runs out of antidepressants while Silchar Medical College has 4,000 tablets sitting on shelves?"

- **Daily Tablet Burn Rate:** The engine calculates how fast each facility consumes three essential medications (Haloperidol for psychosis, Fluoxetine for depression, and Sodium Valproate for bipolar disorder) based on local distress numbers:

$$\text{Daily Burn} = \frac{\text{Expected Distress Patients} \times \text{Usage Rate} \times 4}{30}$$

- **Days of Cover:** $\text{Days of Cover} = \frac{\text{Current Stock}}{\text{Daily Burn}}$.
- **Safety Thresholds:**
  - **Redline Alert:** If a clinic has **under 15 days of cover**, it is in immediate danger of a stockout.
  - **Target Buffer:** Healthy facilities should maintain **30 days of cover**.
- **Automated Lateral Transfer Directive:** Instead of waiting months for Central Medical Stores in Guwahati to issue a new tender, the system issues a direct bilateral transfer order: e.g., **"Transfer 600 tablets of Fluoxetine from Silchar MCH (which has 45 days of surplus) to Katigorah PHC (which only has 4 days left)"**. It guarantees that Silchar keeps at least 15 days of buffer.

Engine 4: Referral Retention Queue (The Absorbing Markov Chain)

The question it answers: "Where in the pipeline are patients dropping out, and who needs a call right now?"

- **The 4-Stage Care Funnel:**
  1. **Stage 1 (Helpline Intake):** Caller dials 14416.
  2. **Stage 2 (Specialist Escalation):** Transferred to a clinical psychologist or psychiatrist.
  3. **Stage 3 (eSanjeevani Teleconsultation):** Digital consultation booked.
  4. **Stage 4 (In-Person DMHP Clinic / Camp):** Patient physically visits a doctor and receives medication.
- **The Markov Mathematics:** The care pathway is modeled as an **Absorbing Markov Chain** with a Fundamental Matrix $N = (I - Q)^{-1}$. The mathematical absorption vector $B = N \cdot R$ proves that out of 10,000 initial callers, **only 320 callers (3.2%) reach verified recovery**, while **96.8% fall out of the system**.
- **Closed-Loop Counsellor Queue:** Callers who have not arrived at a clinic for **more than 14 days** are flagged as **"Stalled"**. They are placed in a prioritized queue for human counsellors.
- **Strict Human Follow-up (No Robocalls):** Under Section 23 of the Mental Healthcare Act 2017, sending automated robocalls or IVR blast messages to psychiatric patients is strictly illegal. The DSS requires a human counsellor to dial the patient, confirm statutory consent, and log one of 4 verified clinical outcomes: **Callback Completed**, **Referred to ASHA Worker**, **Facility Visit Confirmed**, or **Refused**. Only a confirmed doctor visit closes the case, preventing fake progress numbers.

The Security & Privacy Shield (DPDP Act 2023 & SHA-256)

- **Salted SHA-256 Hashing:** When caller records or CSVs are ingested, telephone numbers and names are scrambled instantly using one-way cryptographic hashing with a secret salt. Raw phone numbers are never stored in the database.
- **Small-Cell Suppression ($n < 10$):** In a small village, if a table showed **"9 men aged 20–25 in Katigorah called for substance abuse"**, villagers could easily guess who called. Under DPDP Act 2023 rules, any aggregate count below 10 is automatically masked as `"<10"` with complementary row/column suppression so nobody can reverse-calculate the identities.
- **Cryptographic Audit Chain:** Every role switch, optimization run, medicine transfer, and patient outcome is added as a block to a SHA-256 hash chain:

$$H_k = \text{SHA-256}(R_k \parallel H_{k-1})$$

  Genesis Hash: `c1055f1808600ae5788767db1beb2edebe2fc23c4d876bed0cb8386e90a8ec9d`. If anyone alters an old record, every subsequent hash immediately mismatches, and the website flips from `OK` to `BROKEN`.

—

Part 3: Website Walkthrough — How to Use the System

The live application is hosted at **https://mhdss.vercel.app/** (and https://mentalhealthdss.vercel.app/).

Here is how you and Soumyodeep can walk through and operate every part of the dashboard:

Feature / Screen	Location	What it does & How to demonstrate it
Top Institutional Bar	Header strip	Displays Government of Assam & Tele-MANAS institutional branding, MHCA 2017 & DPDP 2023 compliance badge, role selector, district filter, SHA-256 status (OK in green), and the Sun/Moon theme toggle.
Role-Based Access (RBAC)	Header drop-down	Switch between **State Director** (full statewide visibility & CSV upload), **District Officer** (district-scoped planning), and **Counsellor** (access to the patient retention queue).
M3 Theme Switcher	Header Sun/ Moon	Toggles between dynamic Android Material 3 Light Mode (clean institutional white/blue) and Dark Mode (deep slate). Persistent across refreshes with zero flash.
Evaluator Guided Tour	"Tour" button	Opens a floating step-by-step presentation dock designed for jury reviews. Walks through all 4 evaluation phases with explanation boxes, takeaway cards, and action buttons.
Export Decision Memo	"Memo" button	Generates an official Government of Assam Health & Family Welfare Department Decision Memo with letterhead formatting and print-ready A4 styles.
Macro Disaster Scenarios	Command ribbon	Four 1-click preset stress tests: **Baseline** (normal), **Barak Flood** (Katigorah 2.5x flood shock), **Brahmaputra Crisis** (Upper Assam riverine surge), and **Festival Surge** (Urban anxiety spike).
Overview Screen	`?view=overview`	The executive command deck: 4 KPI summary cards, Poisson surge progress meters for top districts, active lateral medicine rebalancing alerts, and stalled care cases.
Surveillance Screen	`?view=state`	Complete leaderboard of all 35 Assam districts. Shows call volumes, Poisson expected rates, Z-scores, exact p-values, and ASDMA flood crisis toggles.
Van Siting Planner	`?view=planner`	The Cachar DMHP cockpit: interactive vector map of all 8 blocks, fleet size selector (1 to 3 vans), live Simplex LP solver, and the **31.0% travel-time reduction delta card**.
Pharmacy Screen	`?view=pharmacy`	Linear bullet graphs tracking Haloperidol, Fluoxetine, and Valproate stock against the 15-day redline buffer, paired with bilateral transfer dispatch cards.
Retention Queue	`?view=queue`	Visual 4-stage Markov retention funnel diagram ($10,000 \to 320$, 96.8% attrition cliff) and the counsellor check-in table for callers stalled > 14 days.
Audit & Ingestion	`?view=audit`	Real-time SHA-256 block ledger inspector, one-click **"Simulate Tamper"** button to demonstrate instant cryptographic invalidation, and Tele-MANAS CSV file uploader.
Method Screen	`?view=method`	Official mathematical formulations, Simplex LP tableau equations, absorbing Markov transition matrices, and statutory legal citations for academic viva defense.

Table 1: AMH-DSS Operational Feature Map

—

Part 4: Step-by-Step Live Demo Script (For Viva & Evaluators)

When demonstrating this system to your MBA advisor, faculty jury, or Government of Assam evaluators, follow this exact 5-minute presentation script:

Step 1: Open with the Human Problem (1 Minute)

> **What to Say:**
>
> "Respected committee members, Assam's Tele-MANAS helpline receives thousands of distress calls every month. But our clinical research revealed a devastating barrier: over 94% of callers who are referred for in-person psychiatric evaluation never reach a hospital. The barriers are geographic, logistical, and economic: tea garden workers and rural farmers in Cachar cannot afford travel to Silchar Medical College, monsoon floods cut off roads, rural clinics run out of basic psychiatric drugs, and nobody follows up. We built the Assam Mental Health Decision Support System to turn passive call records into active, privacy-preserving, mathematically optimized health operations."

Step 2: Launch the 1-Click Evaluator Tour (2 Minutes)

1. Click the **Tour** button in the top navigation bar.
2. The **Evaluator Guided Tour** modal appears in the bottom right corner.
3. **Phase 1 (Surveillance):** Click **"Inject Barak Valley Monsoon Surge"**. Show the jury how Cachar immediately jumps to 680 calls with $Z = 3.65$ and $p < 0.0001$. Explain that the system detected a localized crisis using discrete Poisson tail probabilities factoring in ASDMA flood multipliers before hospital wards were overwhelmed.
4. **Phase 2 (Optimization):** Click Next and click **"Solve Two-Phase Simplex Siting"**. The screen switches to the Cachar Van Planner. Point out the delta card:
   - **Conventional Baseline (Silchar town mandatory):** 51.2 minutes average travel time.
   - **Optimal LP Siting (Katigorah PHC & Sonai CHC):** 35.3 minutes average travel time.
   - **Savings: 31.0% reduction in patient transit time**, solved client-side in under 25 milliseconds. Point out the green catchment vector lines connecting remote villages to the optimal van locations.
5. **Phase 3 (Retention):** Click Next and click **"Inspect Counsellor Retention Queue"**. Point to the Markov Care Funnel diagram at the top: out of 10,000 initial callers, only 320 recover without intervention (a 96.8% loss). Show how the system switches the role to **Counsellor** and surfaces stalled cases waiting over 14 days. Click **"Log Check-In"** on a patient row to show that informed consent is recorded with zero robocalls.
6. **Phase 4 (Governance):** Click Next and click **"Verify Ledger & Run Tamper Test"**. The screen switches to the Cryptographic Audit view. Show the green **"SHA-256 OK"** badge and the Genesis block hash (`c1055f18...`). Now click **"Simulate Tamper"**. Watch the badge instantly flip to red **"SHA-256 BROKEN"** at Block 2, proving that nobody can tamper with public health records without detection.

Step 3: Demonstrate the Lateral Pharmacy Rebalancing (1 Minute)

1. Navigate to the **Pharmacy** tab (`?view=pharmacy`).
2. Show the linear bullet bars: point to Katigorah PHC where Fluoxetine is at 4 days of cover (deep red, below the 15-day redline).
3. Look at the right-hand panel: point to the bilateral transfer recommendation: **"Silchar MCH arrow Katigorah PHC: 600 tablets of Fluoxetine"**.
4. Click **"Simulate Transfer Dispatch"**. Watch Katigorah's stock bar immediately jump above the 15-day safe buffer while Silchar retains its 30-day reserve.

Step 4: Export the Official Government Decision Memo (1 Minute)

1. In the header bar, click the **Memo** button.
2. The modal displays a formal **Government of Assam Health & Family Welfare Department Decision Memo** (`NHM-ASSAM/MHDSS/2026/OP-01`).

3. Explain to the evaluators: **“Department directors cannot carry interactive laptops into every cabinet meeting. With one click on ‘Print / Save PDF’, the system strips all web elements and produces an official 2-page executive brief ready for administrative sign-off.”**

—

Part 5: Viva Defense & Reviewer Q&A Cheat Sheet

Q1: Why did you use a Poisson distribution instead of a standard Gaussian (Normal) curve for surveillance?

A: Gaussian distributions assume continuous, symmetric data and break down when sample sizes are small (n < 30), which is typical in rural blocks. Mental health calls are rare, discrete events (0, 1, 2, 3 calls). Poisson tail calculation P(Y >= y | lambda) gives the exact probability of an event occurring by random chance, preventing false alarms in small rural populations while factoring in ASDMA flood multipliers.

Q2: How does your Two-Phase Simplex LP differ from a greedy heuristic or simple clustering?

A: Greedy algorithms select locations one by one based on immediate density, which often traps them in local sub-optima (e.g., repeatedly assigning vans near the largest town). Our client-side Two-Phase Primal Simplex solver evaluates the entire bipartite graph of patient demand, road impedance, and facility capacities simultaneously, guaranteeing global mathematical optimality in <25 ms with zero backend latency.

Q3: Why is an Absorbing Markov Chain appropriate for mental health referral tracking?

A: Healthcare referral is not a one-way linear funnel; patients transition between outpatient, specialist, and tele-consultation states, or get absorbed into 'Verified Recovery' or 'Defaulted Care'. The absorbing Markov formulation allows us to invert the transition matrix (N = (I - Q)^(-1)) to calculate the exact fundamental absorption probabilities, proving mathematically that 96.8% of callers are lost without proactive human navigation.

Q4: How does this system comply with the Digital Personal Data Protection (DPDP) Act 2023 and Mental Healthcare Act 2017?

A: Under Section 23 of the Mental Healthcare Act 2017, patient confidentiality is absolute. We enforce this through three architectural safeguards: (1) Salted SHA-256 caller pseudonymization on CSV ingest so no raw phone numbers are ever stored, (2) Primary and secondary small-cell suppression (n < 10) to algebraically prevent re-identification from village tables, and (3) Strictly human-in-the-loop counsellor follow-ups with zero automated robocalling.

Q5: Why did you build this as a zero-backend, client-side application?

A: Three reasons: First, instant speed (<25 ms optimizer latency with zero network lag). Second, data privacy: patient telemetry and CSVs are processed directly in browser memory without exfiltrating sensitive mental health records to third-party cloud servers. Third, cost and resilience: the application can run offline or on low-bandwidth government connections in remote district offices on Vercel Edge with zero cloud database hosting costs.

—

Assam Mental Health Decision Support System (AMH-DSS)
Live Web Application: https://mhdss.vercel.app/ · Source: GitHub (sauravsz/assam-mental-health-dss)
Developed by Saurav Sinha & Soumyodeep Das · Assam University, Silchar