

October 5th, 2026

Agenda:

- Data Strategy & Quantitative Metrics
 - How to train with multiple sources
 - Better to start general and then further combine our datasets?
 - Datasets found in these docs tab indicating what the dataset is for:
<https://docs.google.com/document/d/1-tpxwzzSL0VZ7bSzHOSblG8OPrtNvb-AbTcK8Oa7GI/edit?tab=t.0#heading=h.ghyyex6acc8e>
 - Would it be good to have a dataset to first train our model on the argumentation mining component, and then a separate dataset for the information disorder classification? Or together?(LiarARG example uses multi-task learning model for instance)
 - Looking at our data, how feasible is our domain of creating a tool for political news articles? The ArgUNSC paper mentions how domain transfer is poor for argumentative relationship identification/classification
 - Specific pipeline feedback for ML model
 - Our current draft is: Argument Component Classification -> Argument relation extraction -> Information disorder classification
- Have her look at our current scheme:
 - Argumentative components: Claim, Premise/Evidence, (Backing?)
 - Our current plan is to use article headline to help us identify the claim of the article? Or would it be better to parse the article for its major claim
 - The argumentative component classification is a pipeline in itself i.e first need to detect the argumentative components then identify which argumentative components they are?
 - Argumentative relations: Support, Attack, None
 - Similarly two parts we need to first detect if two components are related and then identify the relation?
 - Information disorder components: Misinformation, Disinformation, Malinformation?
 - Feasibility of identifying intent (ex. Malicious intent for malinformation)
- Evaluation metrics
 - F1 score for argument component classification, argument relation extraction and information disorder classification would be separate? and an overall one?
- Functional Requirements: Have her look at our prioritization p0-p3 if she has any concerns as well

Priority	Function
----------	----------

P0 (must have)	- Model identifies argument components (Claim, Evidence) and the relation between pairs (Support, Attack, Neither) - Claim is identified through the article headline (should support or oppose the article's main topic) - Model extracts the relationship between claim and evidence - Claim and evidence are visualized in the web extension - Web extension displays the model's output
P1 (High priority)	- Identify information disorder (malinformation, disinformation, misinformation) from model results - Detect malicious intent, if present in the article - Add Backing to the argumentation scheme
P2 (Med priority)	- Text highlighting and UX-friendly indicators of evidence in claims (e.g., supporting evidence highlighted in green) - Extract relationships between claims
P3 (Low priority)	- For each requirement, specify the input, expected output, data flow, and whether the requirement is primarily frontend or backend focused.

Async qs:

- Project Timeline

Extra Qs:

-