

SBML Model Report

Model name: “Chaouiya2013 - EGF and TNFalpha mediated signalling pathway”



May 5, 2016

1 General Overview

This is a document in SBML Level 3 Version 1 format. This model was created by the following two authors: Vijayalakshmi Chelliah¹ and Thomas Cokelaer² at December twelveth 2014 at 5:21 p. m. and last time modified at January 21st 2015 at 11:01 a. m. Table 1 gives an overview of the quantities of all components of this model.

Table 1: Number of components in this model, which are described in the following sections.

| Element | Quantity | Element | Quantity |
|-------------------|----------|----------------------|----------|
| compartment types | 0 | compartments | 1 |
| species types | 0 | species | 0 |
| events | 0 | constraints | 0 |
| reactions | 0 | function definitions | 0 |
| global parameters | 0 | unit definitions | 0 |
| rules | 0 | initial assignments | 0 |

Model Notes

Chaouiya2013 - EGF and TNFalpha mediated signalling pathway

This model is described in the article:[SBML qualitative models: a model representation format and infrastructure to foster interactions between qualitative modelling formalisms and tools](#). Chaouiya C, Brenguier D, Keating SM, Naldi A, van Iersel MP, Rodriguez N, Drger A,

¹EMBL-EBI, viji@ebi.ac.uk

²EMBL-EBI, cokelaer@ebi.ac.uk

Bchel F, Cokelaer T, Kowal B, Wicks B, Goncalves E, Dorier J, Page M, Monteiro PT, von Kamp A, Xenarios I, de Jong H, Hucka M, Klamt S, Thieffry D, Le Novre N, Saez-Rodriguez J, Helikar T. BMC Syst Biol 2013; 7: 135

Abstract:

BACKGROUND: Qualitative frameworks, especially those based on the logical discrete formalism, are increasingly used to model regulatory and signalling networks. A major advantage of these frameworks is that they do not require precise quantitative data, and that they are well-suited for studies of large networks. While numerous groups have developed specific computational tools that provide original methods to analyse qualitative models, a standard format to exchange qualitative models has been missing. **RESULTS:** We present the Systems Biology Markup Language (SBML) Qualitative Models Package („qual„), an extension of the SBML Level 3 standard designed for computer representation of qualitative models of biological networks. We demonstrate the interoperability of models via SBML qual through the analysis of a specific signalling network by three independent software tools. Furthermore, the collective effort to define the SBML qual format paved the way for the development of LogicalModel, an open-source model library, which will facilitate the adoption of the format as well as the collaborative development of algorithms to analyse qualitative models. **CONCLUSIONS:** SBML qual allows the exchange of qualitative models among a number of complementary software tools. SBML qual has the potential to promote collaborative work on the development of novel computational approaches, as well as on the specification and the analysis of comprehensive qualitative models of regulatory and signalling networks.

This model is hosted on [BioModels Database](#) and identified by: [BIOMD0000000562](#).

To cite BioModels Database, please use: [BioModels Database: An enhanced, curated and annotated resource for published quantitative kinetic models](#).

To the extent possible under law, all copyright and related or neighbouring rights to this encoded model have been dedicated to the public domain worldwide. Please refer to [CC0 Public Domain Dedication](#) for more information.

2 Unit Definitions

This is an overview of five unit definitions which are all predefined by SBML and not mentioned in the model.

2.1 Unit substance

Notes Mole is the predefined SBML unit for substance.

Definition mol

2.2 Unit volume

Notes Litre is the predefined SBML unit for volume.

Definition l

2.3 Unit area

Notes Square metre is the predefined SBML unit for area since SBML Level 2 Version 1.

Definition m^2

2.4 Unit length

Notes Metre is the predefined SBML unit for length since SBML Level 2 Version 1.

Definition m

2.5 Unit time

Notes Second is the predefined SBML unit for time.

Definition s

3 Compartment

This model contains one compartment.

Table 2: Properties of all compartments.

| Id | Name | SBO | Spatial Dimensions | Size | Unit | Constant | Outside |
|------|------|-----|-----------------------|------|-------|-------------------------------------|---------|
| main | | | 3 | 1 | litre | <input checked="" type="checkbox"/> | |

3.1 Compartment main

This is a three dimensional compartment with a constant size given in litre.

SBML²TeX was developed by Andreas Dräger^a, Hannes Planatscher^a, Dieudonné M Wouamba^a, Adrian Schröder^a, Michael Hucka^b, Lukas Endler^c, Martin Golebiewski^d and Andreas Zell^a. Please see <http://www.ra.cs.uni-tuebingen.de/software/SBML2LaTeX> for more information.

^aCenter for Bioinformatics Tübingen (ZBIT), Germany

^bCalifornia Institute of Technology, Beckman Institute BNMC, Pasadena, United States

^cEuropean Bioinformatics Institute, Wellcome Trust Genome Campus, Hinxton, United Kingdom

^dEML Research gGmbH, Heidelberg, Germany