

ZHUDELE®

VIDEO Doorphone
Safe & Comfortable

住得乐

7"



一拖三

RoHS CE FC ISO9001

Products

- Product Name: Video doorphone ZDL-97TM
- Product Mode: ZDL-97TM

Product Features:

- * IP56 waterproof outdoor unit.
- * Outdoor camera with rain shade can avoid direct sunshine.
- * Intercommunication is available between indoor unit and outdoor unit.
- * Damage-proof outdoor unit.
- * High definition camera, Night vision.
- * Hands-free intercommunication.
- * Monitoring the outdoor.
- * Brightness, Chroma and ring adjustable.
- * 8-chord melody rings for option.
- * DIY installation.

Technique Parameter

Adapter input Voltage: AC100-240V 50Hz-60Hz Dual-Voltage.

Adapter output Voltage、Current: DC15V 1500mA

Talk time delay: 120S \pm 10%


Monitor time delay: 40S \pm 10%

Dissipation: stand by $<0.5W$, Working $<10W$

Working Temperature: $-35^{\circ}C \sim 55^{\circ}C$

Relative humidity: 10%-90 % (RH)

Wiring diagram



Main setting

1 Pressing calling button from the outdoor unit, indoor monitor display image.

2 Pressing monitoring button, indoor monitor display image.

3 Taking a picture automatic or automatic a 10 S video are optional

[take photos or videos triangular icon flashes when prompted]

Button operation on monitor:

Monitoring interface, button operation

Playback button: View photo or video

Video button: Video 10S

Image button: Take one picture

Monitoring button: Standby

Back button: Returns to the calendar interface

Enter the menu interface, button operation

Video button: right

Image button: left

Monitoring button: to confirm entry

Back button: Returns to the previous menu

Playback button: View photo or video

Parameter Description

LCD driver 800 X 480

Photo format JPEG standard

Video encode MJPEG standard, AVI file

The video input CVBS analog video input

FLASH memory 2MB Flash, store 50 pictures.

TF / SD card storage Default TF / SD card 2GB (maximum support 32GB)

Length of a single video file 10 seconds

Working voltage DC15V \pm 1V

Operating Current 330mA

Start-up time 1 second

Working Temperature -35 °C ~ +55 °C









VIDEO Doorphone

Safe & Comfortable

NEW



ZHUDELE



Video recording



Photograph



SD card



Screen size in 7-inch



Touch button



Monitoring



Unlocking



Night vision



Adjustable ring tone volume



8 Ring tones

Item ZDL-97TM

ONE-FAMILY four wire colour video handsfree kit with wall mounted dedicated entrance panel (rainshield included). Metal entrance panel with colour camera and LED for the illumination of the field of view. Handsfree video with 7" screen colour display, audio & picture memory, 8 ringtones and PLUG IN power supply included. It can be expanded with up to 4 dedicated handsfree internal units. Available in white or black finish.

EXAMPLE OF ONE-FAMILY VIDEO SYSTEM

