

customer charge → float

GO → float

Bill amount → float

net bill → float

due date → string

bill date → string

time → string

section → string

district → string

QR code → image

3) Gas bill

consumer number → long int

cylinder price → double / float

sgst → double / float

cgst → float [double

customer name → string

final price → float / double

invoice date → string

order status → string

connection type → string

4) Amazon order bill

Billing Address $\rightarrow$ string

Shipping Address $\rightarrow$ string

Pan no $\rightarrow$ string

gst no $\rightarrow$ string

Order number $\rightarrow$ string

Order date $\rightarrow$ string

Invoice number $\rightarrow$ string

Invoice date $\rightarrow$ string

Product name $\rightarrow$ string

Unit price $\rightarrow$ float

Quantity $\rightarrow$ int

Net amount $\rightarrow$ float

Tax rate $\rightarrow$ float

Tax amount $\rightarrow$ float

Total amount $\rightarrow$ float

Payment transaction ID $\rightarrow$ string

Payment mode $\rightarrow$ string

Date $\rightarrow$ string

Time $\rightarrow$ string

Invoice value $\rightarrow$ float

1) list of variables and their datatypes

6/7/26

in bus ticket

Task 1

Variable

Datatype

Ticket no →

int

time →

string

depot →

string

date →

string

route →

string

place →

string

balance →

float

Total amount →

float

vehicle no →

string

2) current bill +

service no →

string

Consumer name →

string

Address →

string

phase →

int

Connected load →

float

meter number →

long

present reading →

int

units →

int

RMD →

int

fixed charge →

float