

ADDITIVE ADDENDUM · NOTHING IN V3 IS REPLACED

Chatbot UI Upgrade & New Message Categories 26–50

This addendum continues the SaveHatke AI Chatbot Conversation Guide v3. It specifies the upgraded assistant interface and adds twenty-five new message categories. Every page, category, message, rule and notice in v3 remains in force exactly as written.

AI = ASSISTANT

BACKEND = AUTHORITY

USER CONFIRMS

NO CLAIM WITHOUT
CONFIRMATION

25

NEW CATEGORIES

70

NUMBERED IDENTIFIERS

10

UI SPECIFICATIONS

0

EXISTING ITEMS REMOVED

SCOPE OF THIS ADDENDUM

Part 1 specifies the chatbot interface: header, welcome screen, suggestion chips, message bubbles, response cards, typing indicator, connection state, composer and footer. Part 2 adds message categories 26 to 50, each with the approved copy for that situation. Existing SaveHatke business logic, security rules, priority order and support-request rules are unchanged and are not restated here.

Non-removal guarantee

This document only adds. No existing message, category, number, rule, gate or notice from v3 is deleted, reworded, shortened or renumbered. Where a new category covers similar ground to an existing one, the new category is an **additional** option for the router to choose from — it does not replace the existing copy.

Sections 26–50 begin after the highest-numbered section in v3. If v3 ends at a different number, shift this block as a whole and keep the internal order intact.

DOCUMENT CONTROL

DOCUMENT	Conversation Guide — Addendum
VERSION	3.1 (additive to v3)
DOCUMENT ID	SH-GUIDE-CHATBOT-3.1-ADD
ADDS	Part 1 UI-1 to UI-10; Part 2 §26 to §50
STATUS	For development and review

LANGUAGE POLICY

NEVER CLAIM AN OUTCOME THE SYSTEM HAS NOT CONFIRMED

Do not state that a payment completed, an order was placed, a coupon code was revealed, a listing was submitted, a field was corrected, or a human was contacted unless the backend confirms it. When a status is pending or unclear, use **Payment Processing** or **Unknown Status** wording — never a guessed outcome.

The assistant explains, reviews and guides. The user enters, submits and confirms.

CONTENTS OF THIS ADDENDUM

PART 1 — CHATBOT UI UPGRADE				
UI-1	Chat header	3	32	Smart next-step messages 11
UI-2	Connection state	3	33	Coupon problem diagnostic flow 11
UI-3	Welcome screen	4	34	Purchase assistant 12
UI-4	Smart suggestion chips	4	35	Seller assistant 12
UI-5	Message bubbles	5	36	Savings insights 12
UI-6	Typing indicator	5	37	Smart deal discovery 13
UI-7	Response cards — anatomy and when to use one	6	38	Returning user experience 13
UI-8	Order status card	6	39	Conversation continuation 13
UI-9	Coupon result card	7	40	Human support handoff 13
UI-10	Transaction, seller and payout cards	8	41	Conversation recovery 14
PART 2 — NEW MESSAGE CATEGORIES			42	Professional error messages 14
26	Smart first response	9	43	Empty states 14
27	Understanding user intent	9	44	Offline and connection UI 15
28	Smart clarification	9	45	Chat input UI 15
29	When nothing is found	10	46	Quick action UI 15
30	When multiple results are found	10	47	Chat footer 15
31	Smart success responses	10	48	Professional visual details 16
			49	Message writing style 16
			50	Final chatbot experience 16
			INTEGRATION CHECKLIST & SIGN-OFF 16	

HOW TO READ THIS ADDENDUM

- **Quoted strings are final copy.** Reproduce them exactly, including punctuation. Reference them by number — 26.1, 43.2 — in tickets and test cases. **Italic unquoted lines are editorial guidance, never copy.**
- **Numbered UI items are specifications, not copy.** UI-1 to UI-10 describe structure, states and behaviour; the copy they contain is quoted where it is fixed.
- **Every account value shown is an example.** Order SH48291, ₹499, ₹1,250 and the dates are placeholders for backend-supplied values.
- **A category may hold several alternatives.** Rotate them so the assistant does not repeat one string across consecutive turns.

WHERE THESE CATEGORIES SIT

Categories 26–50 are **presentation and conversation-flow** categories. They decide how a result is introduced, clarified and followed up. They never decide **what** the result is — that stays with the existing routing, security and priority order in v3.

PRIORITY ORDER IS UNCHANGED

If v3 routes a request to a specific category, that routing still applies. A new category is only used when v3 has no message for the situation, or when v3 explicitly allows a variant.

VERIFICATION BADGES USED HERE

MUST

 required for release

SHOULD

 expected unless justified

MAY

 optional

NEVER

 prohibited

VERIFY

 test before release

READS COPY FROM	OWNER
Categories 26–50	This addendum
Categories 1–25	Guide v3, unchanged
Account values	Authorized backend only

1 Part 1 — Chatbot UI Upgrade

NEW

Keep the existing SaveHatke website UI style, colours, typography, dark and light theme compatibility, and branding. The work here is polish and structure, not a redesign: the widget must read as the same product, built more carefully. Only the chatbot surface changes — no page outside the widget is touched.

UI-1 Chat header

NEW

```
HEADER    navy bar, 56px tall
[AI]      SaveHatke AI                                14px / 600 weight
          • Online • Your smart savings assistant
          11px / 62% white
right-aligned actions:  new chat • minimise • close
```

Element	Specification
Assistant name	“SaveHatke AI” — 14px, 600 weight, tight tracking
Assistant icon	32px mark on an inverted plate so it stays visible on navy
Status	“Online” with a 6px indicator; amber for reconnecting, red for offline
Tagline	“Your smart savings assistant” — truncates before it wraps
New chat	Clears the thread and returns to the welcome screen
Minimise / close	32px targets, 2px focus ring, labelled for screen readers

UI-1.1 · NAME

"SaveHatke AI"

UI-1.2 · STATUS

"● Online"

UI-1.3 · TAGLINE

"Your smart savings assistant"

Header rule

MUST

MUST Do not make the header oversized. Total height stays at or below **60px**, including the status row. The name, status and actions share one row band; nothing stacks into a third line.

UI-2 Connection state

NEW

- | | |
|--------------------------|---|
| ● CONNECTED | Header status reads "Online". No strip is shown — a healthy connection needs no announcement. |
| ○ RECONNECTING... | Amber strip below the header. Account lookups return the retrieval message in §42 rather than stale data. |
| × OFFLINE | Red strip. The send button is disabled and the composer placeholder explains why. |

UI-2.1 · CONNECTION LOST

"Your connection appears to have been interrupted. Once you're back online, you can continue the conversation."

This message is also listed as 44.1. It is one string used in one place — do not create a second variant.

UI-3Welcome screenNEW

WELCOME

shown once per thread, replaced by the first message

[AI]

38px assistant mark

Hi! I'm your SaveHatke AI Assistant.

18px / 650 weight

Tell me what you're looking for – I can

13px / secondary ink

help with coupons, orders, payments,

max 33 characters wide

selling, deals, and more.

START WITH

10px / uppercase / tracked

[Find a coupon]

[My orders]

[My coupons]

[Track payout]

[Sell a coupon]

[Payment help]

two-column action grid

UI-3.1 · HEADLINE

"Hi! I'm your SaveHatke AI Assistant."

UI-3.2 · SUBLINE

"Tell me what you're looking for — I can help with coupons, orders, payments, selling, deals, and more."

UI-3.1 and UI-3.2 are the same two strings as **26.1** and **26.2**, shown here in their layout context. One string, one place — do not create a second variant.

ELEMENT	SPECIFICATION
Signed-in actions	Find a coupon · My orders · My coupons · Track payout · Sell a coupon · Payment help
Signed-out actions	Find deals · How SaveHatke works · Buy a coupon · Sell a coupon
Returning user	Greeting rotates per \$38; adds a "Continue previous chat" chip above the action grid
Dismissal	The welcome block is removed on the first message and restored only by "new chat"

Welcome rule

MUST Show between **three and six** actions — never a wall of buttons. Signed-out visitors see no account-scoped action, because the assistant cannot know an order or payout exists before the backend says so.

UI-4Smart suggestion chipsNEW

Chips carry the next step, not decoration. They appear under a reply when the useful follow-ups are known and finite; they never appear alongside a question the user must answer in their own words.

Track my order

Find a coupon

Payment help

Sell a coupon

PROPERTY	SPECIFICATION
Count	Two to four per reply. Four is the ceiling, not the target.
Label	Two to four words, user's voice ("Track my order"), sentence case, no ellipsis
Behaviour	Tapping a chip sends that label as the user's message, so the thread stays readable
Lifetime	Chips from an earlier turn are cleared when a new reply arrives — only the latest set stays live
Style	Pill, hairline border, quiet fill; green border and tint on hover and focus only

Why chips are limited to four. The chip row is a shortcut, not a menu. Past four the user starts reading options instead of stating a need, and the reply above them stops being read at all.

UI-5

Message bubbles

NEW

Every assistant element — bubble, card, chip row — hangs off a single 26px avatar rail, so a reply that contains three parts still reads as one turn. Consecutive assistant turns hide the repeated avatar and tighten the gap instead of restating it.

[AI] Assistant bubble — light surface, hairline border, square top-left corner to point at the avatar.

+-----+
| Order status card on the same rail |
+-----+

[chip] [chip] chips last

User bubble — navy fill, white [me] text, square bottom-right corner

PROPERTY	SPECIFICATION
Assistant bubble	Surface-2 fill, 1px hairline border, 16px radius with a 6px top-left corner
User bubble	Navy fill, white text, 16px radius with a 6px bottom-right corner
Type	13.5px, 1.55 line height, slight negative tracking; body copy never below 13px
Width	Stack caps at <code>calc(100% - 34px)</code> so long replies stay a readable column
Lists	Green dot markers, 5px gap; used for two to four scannable points, never for prose
Timestamp	10px, tertiary ink, right-aligned on user turns; shown once per turn, not per part
Entrance	7px rise over 260ms, suppressed entirely under <code>prefers-reduced-motion</code>

Bubble rule

MUST Order within a turn is fixed: **text** → **card** → **chips**. A card never precedes the sentence that introduces it, and chips are always last so the reply is read before the shortcuts.

UI-6

Typing indicator

NEW

The indicator states what is being done, not that something is happening. Three bounced dots sit beside a label chosen from the intent that was just routed.

UI-6.1 · ORDER LOOKUP

"Looking up your order..."

UI-6.2 · COUPON SEARCH

"Finding the best match..."

UI-6.3 · DIAGNOSTIC

"Reviewing your coupon details..."

UI-6.4 · ACCOUNT

"Checking your information..."

UI-6.5 · GENERAL

"Thinking..."

ROTATION

Never show the same label twice in a row — substitute the next closest label instead.

The label must be true. "Looking up your order..." may only appear while an order lookup is actually in flight. If no backend call is made, the label is "Thinking...". A label that describes work the system is not doing is a fabricated claim under §49.

UI-7

Response cards — anatomy and when to use one

NEW

| ORDER STATUS

(Processing)

| eyebrow · status pill

| Amazon Coupon

title / amount

|

| Order #SH48291

key-value grid,

| Purchased 29 Aug 2026

tabular figures

| Amount ₹499

|

| [View order]

one primary action

^-- 3px tone stripe carries the meaning

tone	meaning	used for
Blue	In progress	Processing, in transit, being verified
Amber	Pending or needs review	Payment Pending, Under Review, awaiting the user
Green	Confirmed complete	Delivered, paid, available — only on backend confirmation
Red	Failed or blocked	Failed payment, expired coupon, rejected listing
Violet	Informational	Savings summaries and other read-only roll-ups
Slate	Unknown	Default when no tone is supplied — pairs with “Unknown status”

Card rule

MUST Every value in a card comes from the backend. If a status is missing, empty or unrecognised, render “Unknown status” on a slate stripe — never infer, round, translate or improve it.

NEVER render a card built from values the model produced.

UI-8

Order status card

NEW

field	example	notes
eyebrow	Order status	Fixed label, uppercase, tertiary ink
status pill	Processing	Backend string, verbatim; drives the stripe tone
title	Amazon Coupon	Item name as stored on the order
order	#SH48291	Tabular figures so IDs align down the column
purchased	29 Aug 2026	Day-month-year; never a relative date such as “yesterday”
amount	₹499	Backend amount, unmodified — no totals computed in the client
action	View order	Single primary action; opens the order page in the account

Status wording is not the assistant’s to choose. “Delivered” may appear only because the backend returned it. Where the value is pending or unclear the card carries “Payment Processing” or “Unknown status” and the accompanying sentence stays neutral: the order exists, its outcome is not being asserted.

UI-9

Coupon result card

NEW

(A)

Amazon

22% off

brand plate · brand name · discount badge

Amazon Gift Coupon

₹1,950 ₹2,500 3 available

selling struck face stock, green when in stock

Expires 30 Sep 2026

[Buy now] [View coupon] [Save]

FIELD	EXAMPLE	NOTES
Brand plate	A	First letter of the brand; used only when no brand asset exists
Discount badge	22% off	Backend-calculated. The client never derives a percentage from prices.
Title	Amazon Gift Coupon	Listing title as published by the seller
Selling price	₹1,950	Prominent, tabular figures
Face value	₹2,500	Struck through, tertiary ink, never larger than the selling price
Stock	3 available / 1 left	Green when comfortably in stock, amber when scarce
Expiry	30 Sep 2026	Absolute date; “expiring soon” may accompany it but never replace it
Actions	Buy now · View coupon · Save	“Buy now” opens checkout — it does not purchase

Coupon rule

NEVER The card does not contain the coupon code, and the assistant never states, previews, partially masks or describes one. Codes are released by the backend to the buyer after a confirmed purchase, on the order page — not in conversation.

LISTING SEVERAL RESULTS

- ✓ Show at most **three** cards in one turn, ordered as the backend returned them.
- ✓ Follow them with the \$30 prioritisation question so the user narrows the set rather than scrolling it.
- ✓ Beyond three, offer the filtered search page instead of continuing to render cards.
- ✗ Do not re-rank, re-price or re-describe results to make them look better.
- ✗ Do not present an unavailable or expired listing as buyable — such a card carries a red stripe and no “Buy now”.

“Buy now” is a navigation control. It moves the user to checkout, where the user reviews and confirms. No chatbot surface places an order, applies a payment method, or completes a transaction.

UI-10

Transaction, seller and payout cards

NEW

Three account cards share the anatomy in UI-7 and differ only in fields. All three lead with the backend status and none of them asserts an outcome the backend has not returned.

TRANSACTION STATUS CARD

FIELD	EXAMPLE	NOTES
Eyebrow · status	Payment status · Payment Pending	Amber stripe while pending; green only on confirmed settlement
Amount	₹499	Displayed large, tabular figures
Order	#SH48291	Links the payment to its order
Note	Your payment is still being processed.	Neutral sentence; never “your payment went through”
Action	View transaction	Opens the transaction record in the account

SELLER LISTING STATUS CARD

FIELD	EXAMPLE	NOTES
Eyebrow · status	Your listing · Under Review	Review is amber, live is green, rejected is red
Title	Amazon Gift Coupon	Listing title as submitted by the seller
Submitted	29 Aug 2026	Submission date, not an estimated approval date
Action	View listing	Opens the listing; editing happens there, not in chat

PAYOUT STATUS CARD

FIELD	EXAMPLE	NOTES
Eyebrow · status	Payout · Pending	Amber while pending; green only once the backend reports it paid
Amount	₹1,250	Backend figure, unmodified
Requested	29 Aug 2026	Request date only — no predicted arrival date
Action	View payout	Opens the payout record in the seller dashboard

Account card rule

NEVER

Do not state or imply a settlement date, an approval date, or a processing duration unless the backend supplies that value. “Pending” is a complete answer. An invented timeline is a promise the system cannot keep.

End of Part 1. UI-1 to UI-10 change presentation only. No route, permission, price, status value or security rule in the existing guide is altered by anything on pages 3 to 8.

2 Part 2 — New Message Categories 26–50

NEW

Categories 1–25 in the existing guide remain in force exactly as published. The categories below are added after them and change no routing, permission or priority rule.

26 Smart first response

NEW

26.1

"Hi! I'm your SaveHatke AI Assistant."

26.2

"Tell me what you're looking for — I can help with coupons, orders, payments, selling, deals, and more."

26.3

"Sure — tell me what you're trying to do and I'll point you in the right direction."

USE

26.1 and **26.2** form the welcome screen. **26.3** answers a bare greeting typed into the composer.

The first response names capabilities in general terms only. It does not read out an order, a balance or a saved-coupon count, per §38.

27 Understanding user intent

NEW

One short acknowledgement that restates the request in the user's own terms, then the answer. Never two acknowledgements in a row.

27.1 · ORDER

"Got it — you're checking the status of your recent coupon purchase."

27.2 · SEARCH

"Understood. You're looking for a coupon that fits your budget."

27.3 · PAYOUT

"Understood. You're asking about the payout from a completed sale."

PROBLEM REPORTS

A reported checkout problem is acknowledged by the §33 entry question, not by a fourth opener here.

Intent rule

MUST

An acknowledgement restates **what the user asked**, never what the system found. "You're checking the status" is a restatement; "your order is on its way" is a claim, and needs backend confirmation.

VERIFY

27.3 is gated. The words "a completed sale" describe the sale the user is asking about, and may only be used when the backend has already returned that sale as completed. If the sale state is pending, unknown or unread, acknowledge with **28.1** instead.

28 Smart clarification

NEW

28.1

"I can help with that. Are you asking about a purchase, refund, or seller payout?"

- ✓ Ask **one** question, offer **two to three** named choices, and render them as selectable options rather than free text.
- ✓ Clarify only when the branches lead to genuinely different answers — otherwise answer the likeliest reading and offer a correction chip.
- ✓ Never ask the same clarifying question twice; if the second reply is still ambiguous, move to §41.

29 When nothing is found

NEW

29.1

"I couldn't find an exact match for that search. I can broaden the search or look for similar options."

- ✓ State the absence plainly, then offer a way forward in the same message.
- ✓ Offer **Show similar deals** and **Find deals** as the two follow-ups.
- ✗ Do not apologise repeatedly, and do not describe the search as "failed".
- ✗ Do not suggest the brand may be added later, or that stock is expected — the system cannot know that.

30 When multiple results are found

NEW

30.1 · COUPONS

"I found several coupons matching your request. What would you like to prioritize?"

30.2 · AFTER SORTING

"I found several options that match what you described."

30.3 · ORDERS

"I found two recent purchases. Which one are you referring to?"

SORT OPTIONS · ON-SCREEN LABELS

Highest discount

Lowest price

Expires later

Result rule

MUST

Ask the user to prioritise **before** rendering a long list. Where a count is stated it must be the backend's count — "two recent purchases" is only correct when the backend returned two.

31 Smart success responses

NEW

31.1

"Once submitted, you can track the listing status from your dashboard."

31.2

"Glad that helped. Want me to check anything else?"

A success sentence requires a confirmed outcome. The assistant may confirm that it finished explaining, comparing or locating something. It may not confirm that a payment completed, an order was placed, a coupon code was released, a field was corrected, a checkout was cancelled or a listing was submitted — those come from the backend or are not said at all.

- ✗ NEVER "Your payment was successful." — the transaction card carries the backend status instead.
- ✗ NEVER "I've submitted that for you." — the user submits; the assistant explains what submission needs.
- ✗ NEVER "All done!" as a standalone reply — it asserts an outcome without naming it.

32 Smart next-step messages

NEW

32.1 · LEAD-IN

"Here are the steps that usually apply next:"

- 32.2 Check the expiry before you buy
- 32.3 Compare the selling price against the face value
- 32.4 Keep the order ID handy if you need support later

"Usually apply" is deliberate. These are general steps, not a status report on this user's order — which is why the wording holds even when no account data has been read.

Next-step rule

SHOULD End a substantive reply with **one** next step, offered as a chip or a short list. Do not stack a next step, a chip row and a card action that all say the same thing — one action appears once per turn.

33 Coupon problem diagnostic flow

NEW

33.1 · ENTRY

"I can help you check that. What are you seeing at checkout?"

Coupon expired

Invalid coupon

Not applicable

Other error

33.2 · COUPON EXPIRED

"An expired coupon can't be applied at checkout, and the expiry date can't be extended."

"Here's what I can check next:"

- The expiry shown on your copy of the coupon
- Similar coupons that are still valid
- Whether the expiry looks wrong and needs a support review

33.3 · INVALID COUPON

"An invalid-coupon message usually points to the code, the store, or the account the coupon is tied to."

"Worth checking:"

- The code is entered exactly as shown, with no extra spaces
- You are on the same store the coupon was issued for
- You are signed in to the account the coupon requires

33.4 · NOT APPLICABLE

"That message usually means the cart doesn't meet the coupon's conditions."

"Conditions that commonly apply:"

- A minimum order value
- Specific categories or brands
- New-user or first-order only

33.5 · OTHER ERROR

"Tell me what happened, and I'll narrow it down with you."

- Ends in a support handoff when the cause stays unclear

Diagnosis explains; it does not repair. The assistant never extends an expiry, re-issues a code, edits a cart, corrects a field or overrides a condition, and never states that a coupon "should work now". Every branch ends in something the user can check or a support route.

34 Purchase assistant

NEW

34.1

"Before you buy, I can help you compare the coupon value, price, discount, and expiry."

34.2

"I found a few options. Here's how they compare."

34.3 · READING A CARD

"Here's what to read on a coupon card:"

- 34.4 Face value — what the coupon is worth at the store
- 34.5 Selling price — what you pay on SaveHatke
- 34.6 Discount — the gap between the two
- 34.7 Expiry — the last date the store will accept it
- 34.8 Availability — how many are left at this price

Comparison is presentational: the assistant lays the backend's figures side by side. It does not compute a "best value", rank by a formula of its own, or advise which coupon to buy.

35 Seller assistant

NEW

35.1 · WHAT A LISTING NEEDS

"Want to sell a coupon? I can walk you through what information you'll need."

- 35.2 Brand and coupon type
- 35.3 Face value and the price you want
- 35.4 Expiry date
- 35.5 Any usage conditions

35.6 · BEFORE SUBMITTING

"Before submitting, make sure the coupon details and expiry information are accurate."

Seller rule

NEVER The assistant does not create, price, edit, submit or withdraw a listing, and does not estimate approval time or resale likelihood. It explains the fields; the seller fills and submits them. Status afterwards comes from 31.1 and the seller card in UI-10.

36 Savings insights

NEW

36.1

"You've made several purchases recently. Want to see your savings summary?"

36.2

"Here's a quick look at your recent coupon savings."

- ✗ Do not total, average or project savings in the client — every figure on the summary card is a backend value.
- ✗ Do not congratulate or grade the user's spending; report the figures and stop.

37 Smart deal discovery

NEW

37.1

"You have saved coupons available in your account. Want me to show the ones expiring soon?"

37.2

"Two of your saved coupons expire within the next 30 days."

37.1 states that saved coupons exist without naming brands, prices or counts. In 37.2 the number and the window are backend values — substitute them, never estimate them, and fall back to 37.1 if the count is unavailable.

38 Returning user experience

NEW

38.1

"Welcome back."

"What would you like to check today?"

38.2

"Good to see you again."

"Need help with a coupon, order, or something else?"

38.3

"Welcome back!"

"I can pick up where you left off or help with something new."

ROTATION

Rotate **38.1** → **38.2** → **38.3** across sessions. The first line is the heading, the second the subline.

Greeting rule

NEVER

Do not expose unnecessary private account information in the greeting — no name, balance, order ID, coupon count, payout figure or last-purchase detail. A returning greeting is recognition, not a statement of account data, and the widget may be open on a shared screen.

39 Conversation continuation

NEW

39.1

"Welcome back. We can continue from where we left off."

- ✓ Offered as a **"Continue previous chat"** chip on the welcome screen, never auto-replayed.
- ✓ Shown only when a prior thread genuinely exists for this signed-in user; otherwise the standard welcome applies.

40 Human support handoff

NEW

40.1 · AVAILABLE

"Human support is currently available. If you'd like help from the support team, you can continue through the Support Center."

40.2 · OFFLINE

"Human support is currently offline. Our team is available Monday–Saturday, 3:00 PM–10:00 PM IST. I can still help with general questions right now."

Handoff rule

NEVER

Do not claim that the AI has contacted a human unless that actually happens. No "I've escalated this", no "someone will reach out shortly", no promised response time. The assistant offers the route; the user opens it.

VERIFY

The availability wording in 40.1 / 40.2 and the window `Monday–Saturday, 3:00 PM–10:00 PM IST` are **backend-owned configuration**, not a prediction. Render the hours from the same source that drives the published support hours, and choose between 40.1 and 40.2 from live availability — never from the client clock alone.

41 Conversation recovery

NEW

41.1

"I may have misunderstood what you meant. Are you asking about your order or your coupon?"

41.2

"Let's take that one step at a time. Which part would you like help with?"

41.3

"I want to make sure I give you the right answer. Could you clarify what happened?"

ESCALATION

Rotate **41.1** → **41.2** → **41.3**. By the third recovery attempt, offer the support route from **540** alongside the question.

- ✓ Recovery takes responsibility for the misunderstanding without apologising twice or blaming the wording.
- ✓ Each recovery message carries selectable options, so the user can resolve it in one tap.

42 Professional error messages

NEW

42.1

"I wasn't able to retrieve that information at the moment. Please try again."

BANNED PHRASING

~~"Oops! Something went wrong!"~~

42.1 is paired with a **Try again** chip that re-runs the request that failed, and a **Contact support** chip. It replaces every account lookup while the connection is degraded — a stale value is never shown in place of a live one.

Error rule

NEVER

Avoid falsely claiming that user data is safe unless the system actually knows that. After a failure, do not say the data is safe, the order is unaffected, nothing was charged, or the request was not submitted. State only that the value could not be retrieved.

MUST

No error text exposes a status code, stack trace, service name, endpoint or internal identifier.

43 Empty states

NEW

43.1 · NO SAVED COUPONS

"You don't have any saved coupons yet. Want to explore available deals?"

43.2 · NO SUPPORT CASES

"You don't have any active support cases at the moment."

43.3 · NO REFUND FOUND

"I don't see a refund on that order right now. If you've already requested one, the support team can confirm where it stands."

- ✓ An empty state names what is absent, then offers exactly one way forward.
- ✓ 43.3 reports what the assistant can see — it does not assert that no refund exists, because absence in one view is not proof of absence.

44

Offline and connection UI

NEW

44.1

"Your connection appears to have been interrupted. Once you're back online, you can continue the conversation."

• CONNECTED

No strip. Header status reads "Online".

○ RECONNECTING...

Amber strip; account lookups return 42.1 instead of cached values.

× OFFLINE

Red strip carrying 44.1; the send button is disabled and 45.4 replaces the placeholder.

The same three states are introduced in UI-2 on page 3. UI-2 defines what the user sees; this section fixes the strings each state carries. The three labels — • **Connected**, ○ **Reconnecting...**, × **Offline** — are the approved wording and appear in both places deliberately.

45

Chat input UI

NEW

45.1 · PLACEHOLDER

"Ask me about coupons, orders, deals..."

45.2 · PLACEHOLDER

"How can I help you today?"

45.3 · PLACEHOLDER

"Search for a coupon or ask a question..."

45.4 · OFFLINE

"Offline — reconnect to send a message"

BEHAVIOUR	SPECIFICATION
Placeholder rotation	45.1 → 45.2 → 45.3 every 7 seconds while the composer is empty and unfocused
Auto-grow	One line at rest, growing to five before the field scrolls
Length	500-character guidance; the counter appears only as the limit is approached
Keys	<code>Enter</code> sends · <code>Shift+Enter</code> new line · <code>Esc</code> closes the panel
Send button	Disabled while the field is empty, while a reply is in flight, and while offline

46

Quick action UI

NEW

Approved label inventory — 18 labels. This is the complete vocabulary the router may draw from, not a screen layout. Never render the whole set at once; the caps below govern how many appear.

Find a coupon

My orders

Show my coupons

Track payout

Payment help

Compare deals

Check expiry

Find similar deals

Show similar deals

My listings

Start a listing

Sell another coupon

Need more help

Try again

Contact support

My support cases

Open Support Center

How SaveHatke works

- ✓ Three to six actions on the welcome screen; two to four chips under a reply.
- ✓ Signed-out visitors see no account-scoped action — see the tables in UI-3.
- ✓ An action appears **once** per turn. If a card already carries "View order", the chip row does not repeat it.

47

Chat footer

NEW

47.1 · PERSISTENT DISCLOSURE

"SaveHatke AI Assistant · AI-generated responses may be limited by available information."

47.1 stays visible in every state, including offline, and is never collapsed behind a tooltip. The character counter shares the row, right-aligned, in tabular figures.

48 Professional visual details

NEW

- ✓ **Hairlines, not shadows.** Structure comes from 1px borders and quiet fills. Cards carry no drop shadow; only the floating panel and launcher do.
- ✓ **One accent device.** The 3px status stripe is the only place colour carries meaning. Everything else stays navy, ink and neutral.
- ✓ **Tabular figures everywhere numbers appear** — amounts, order IDs, dates and counters align down the column.
- ✓ **Restrained motion.** A 7px rise on new turns, 150ms state changes, nothing looping except the typing dots — all suppressed under reduced-motion.
- ✓ **Accessible by default.** Visible focus rings, live-region announcements for new replies, labelled icon buttons, and full parity in dark mode and high-contrast mode.

49 Message writing style

NEW

- ✓ Short sentences, plain language, sentence case.
- ✓ Say what the user can do next, concretely.
- ✓ Name the thing: “order”, “payout”, “expiry”.
- ✓ One idea per sentence; two to four bullets when listing.
- ✓ Neutral, calm tone — helpful without performing.
- ✗ **Never fabricate information.**
- ✗ **Never promise something the system cannot actually do.**
- ✗ No exclamation marks outside the two approved greetings (**26.1**, shown again as UI-3.1, and **38.3**); no emoji, no slang.
- ✗ No internal jargon, service names or error codes.
- ✗ No filler openers — no “Great question!”, no repeated apologies.

50 Final chatbot experience

NEW

Closing principle

The SaveHatke AI Assistant should feel **premium, clean, trustworthy, modern, fast and professional** — a production-ready assistant for a coupon marketplace, not a novelty. It is calm rather than flashy, specific rather than chatty, and honest about the limits of what it knows.

It explains, reviews and guides. The user enters, submits and confirms. The backend decides. Where those three lines are respected, the assistant can be trusted with money-adjacent work — and that trust, not personality, is what makes it feel intelligent.

INTEGRATION CHECKLIST

- ✓ Categories 1–25 and every existing message, route, permission and security rule remain unchanged and in force.
- ✓ All quoted strings on pages 3–16 are wired verbatim, referenced by number in tickets and test cases.
- ✓ Every card value, count and status resolves from an authorized backend call; missing or unrecognised statuses render “Unknown status”.
- ✓ No chatbot surface places an order, moves money, releases a coupon code, edits a listing or contacts a human on the user’s behalf.

PRODUCT OWNER

SECURITY REVIEW

DATE