

**Visoka škola strukovnih studija za informacione
i komunikacione tehnologije
(Visoka ICT škola)**



**Web programiranje PHP1
Dokumentacija za sajt**

**Autor:Nemanja Savić 21/12
Beograd, decembar 2017.**

Sadržaj:

1. Uvod

- 1.1. Korišćeni programski jezici**
- 1.2. Opis funkcionalnosti**
- 1.3. Template**
- 1.4. Korišćeni CSS**

2. Organizacija

- 2.1. Organizaciona šema**
- 2.2. Mapa sajta**
- 2.3. Stranice i opis funkcionalnosti**

3. Kodovi

- 3.1. PHP**
- 3.2. CSS**
- 3.3. JavaScript i JQuery**

4. Dizajn baze

1.Uvod

1.1. Korišćeni programski jezici

Za izradu ovog sajta koristio sam sledeće biblioteke i tehnologije: HTML, CSS, PHP, JavaScript, JQuery, XML i AJAX. Sajt je rađen u Sublime Text editoru.


1.2. Opis funkcionalnosti

Sajt ima sledece funkcionalnosti:

- Admin panel – ovom delu sajta mogu pristupiti samo administratori. U ovom delu sajta omogućen je unos, izmena brisanje sadržaja sajta, slika, menija, anketa.
- Dinamički meni – Nalazi se na svakoj stranici i preuzima podatke iz baze i upisuje kroz link.
- Logovanje i zaštita sesijama – podaci se proveravaju na klijentu I serveru, kroz regularne izraze i upisuju se u sesiju.
- Galerija – slike se dobijaju iz baze podataka. Za slike se još koristi I lightBox.
- Straničenje – nalazi se na stranici prikaz.php. Prikazuje se 5 modela telefona po strain.
- Registracija – registracija korisnika se proverava na klijentu I server, kroz regularne izraze. Podaci o svakom korisniku kao I njegova uloga se čuvaju u bazi podataka.
- Korpa – moguće je dodati model telefona u korpu I u korpi prikazati koliko modela je dodato kao I ukupnu cenu svih izabranih modela.
- Anketa – anketa je urađena pomoću AJAX-a, podaci o glasovima se čuvaju u bazi, a rezultati ankete se prikazuju na sajtu.
- Pretraga – na sajtu su omogućene dve vrste pretrage. Može se pretraživati model telefona po nazivu modela, ili filtriranje koje je podatke prikazuju po zadatim kriterijumima(nayiv modela, naziv proizvođača, početna cena I krajnja cena).

1.3.Template

Template za sve korisnike je isti.



<html>

<head>

<head>

<body>

<div id="meni">

</div>

<div class="cisti"></div>

<div id="zaglavlje">

</div>

<div class="cisti"></div>

<div id="sadrzaj">

</div>

<div class="cisti"></div>

```
<div id="futer">
```

```
</div>
```

```
<body>
```

```
</html>
```

1.4. Korišćeni CSS

Za lightbox se koristi CSS u iz fajla jquery.lightbox-0.5.css.

jquery.lightbox-0.5.css

```
.ac_results {  
    padding: 0px;  
    border: 1px solid black;  
    background-color: white;  
    overflow: hidden;  
    z-index: 99999;  
}
```

```
.ac_results ul {  
    width: 100%;  
    list-style-position: outside;  
    list-style: none;  
    padding: 0;  
    margin: 0;  
}
```

```
.ac_results li {  
    margin: 0px;
```

padding: 2px 5px;

cursor: default;

display: block;

font: menu;

font-size: 12px;

line-height: 16px;

overflow: hidden;

}

.ac_loading {

background: white url('indicator.gif') right center no-repeat;

}

.ac_odd {

background-color: #eee;

}

.ac_over {

background-color: #0A246A;

color: white;

}

label.valid {

width: 24px;


```
background: url(valid.png) center center no-repeat;  
display: inline-block;  
text-indent: -9999px;  
}
```

```
label.error {  
padding-left: 5px;  
display: inline-block;  
}
```

```
input {  
display: inline-block;  
}
```

2.Organizacija

2.1.Organizaciona šema



2.2.Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<urlset
```

```
  xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"  
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
  xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9  
  http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
```

```
<url>
```

```
  <loc>http://mobilnitelefone.byethost7.com/index.php</loc>
```

```
  <changefreq>yearly</changefreq>
```

```
  <priority>1.0</priority>
```

```
</url>
```

```
<url>
```

```
  <loc>http://mobilnitelefone.byethost7.com/index.php?x=2</loc>
```

```
  <changefreq>yearly</changefreq>
```

```
  <priority>0.9</priority>
```

```
</url>
```

```
<url>
```

```
  <loc>http://mobilnitelefone.byethost7.com/index.php?x=5</loc>
```

```
  <changefreq>yearly</changefreq>
```

```
  <priority>0.9</priority>
```

```
</url>
```

```
<url>
```

```
  <loc>http://mobilnitelefone.byethost7.com/index.php?x=1</loc>
```

```
  <changefreq>yearly</changefreq>
```


<priority>0.8</priority>

</url>

<url>

<loc>http://mobilnitelefone.byethost7.com/index.php?autor=1</loc>

<changefreq>yearly</changefreq>


<priority>0.6</priority>

</url>

</urlset>


2.3..Stranice

2.3.1.index.php



Na ovoj stranici je omogućena pretraga modela po naziv I filtriranje svih modela po ceni, nazivu modela I nazivu proizvođača. Omogućena je anketa kao I prikaz rezultata anketa, što je omogućeno I na ostalim stranicama osim ako je korisnik ulogovan kao administrator. Na ovoj stranici se još nalazi I forma za logovanje, kao I na stranici za telephone I stranici za galeriju. Ukoliko je korisnik ulogovan, prikazuje se forma za odjavu i link koji vodi ka stranici korisnik. Na index stranici je upotrebljeno I straničenje pomoću kojeg se prikazuje 5 modela po strani.

2.3.2.telefoni



Ova stranica za razliku od index strane prikazuje sve modele telefona. Sve ostale funkcionalnosti su iste kao I kod index strane osim filtriranja I straničenja.

2.3.3.galerija




Ova stranica prikazuje slike svih modela koji se nalaze u bazi. Funkcionalno sti su iste kao I na index strani izuzimajući straničenje.

2.3.4.panel




Panelu ima pristup samo administratorski nalog. Na ovoj stranici se prikazuje meni za administrator koji samo on može da vidi, kao I podmeni. Izborom menija I podmenija, administrator na svim stranicama može brisati, dodavati ili menjati podatke u zavisnosti od izabranog menija I podmenija. Ova stranica prikazuje unos I izmenu podataka o meniju.

2.3.5.korisnik



Ovoj strani može pristupiti samo ulogovani korisnik koji ima korisnički nalog. Ova strana omogućava korisniku da promeni podatke o sebi.

2.3.6.autor



Ova strana prikazuje podatke o autoru sajta.

3.Kodovi

1. PHP

index.php

```
<?php
```

```
    include("konekcija.inc");
```

```
    include("funkcije.inc");
```

```
    session_start();
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <meta http-equiv="content-type" content="text/html; charset=UTF-8" />
```

```
    <title>Mobilni telefoni</title>
```

```
    <script type="text/javascript" src="js/skripta.js"></script>
```

```

<script type="text/javascript" src="jquery/jquery.min.js"></script>

<script type="text/javascript" src="lib/jquery-1.10.1.min.js"></script>

<link rel="stylesheet" type="text/css" media="all" href="jquery.lightbox-0.5.css"/>

<script type="text/javascript" src="lib/jquery.lightbox-0.5.min.js"></script>

<script type="text/javascript" src="lib/jquery.scrollTo.js" charset="utf-8"></script>

<!--<script src="https://code.jquery.com/jquery-2.2.4.min.js" integrity="sha256-
BbhdLvQf/xTY9gja0Dq3HiwQF8LaCRTXxZKRutelT44="
crossorigin="anonymous"></script>-->

<link rel="stylesheet" type="text/css" href="css/stil.css"/>

<script type="text/javascript">

    $(document).ready(function(){

        $('#btnFinaPretraga').click(function(){

            var pretragaProizvodjaci =
document.getElementById('ddlProizvodjaciPretraga').options[document.getElementById('ddlPro
izvodjaciPretraga').selectedIndex].value;

            var pretragaModeli =
document.getElementById('ddlModeliPretraga').options[document.getElementById('ddlModeliP
retraga').selectedIndex].value;

            var cenaOd = document.getElementById('tbCenaOd').value;

            var cenaDo = document.getElementById('tbCenaDo').value;

            $.ajax({

                type: 'POST',

                url: 'pretraga.php',

                data: {

                    proizvodjac: pretragaProizvodjaci,

                    modeli: pretragaModeli,

```

```
        cenaOd: cenaOd,  
        cenaDo: cenaDo  
    },  
    success: function(dobijeniPodaci){  
        $("#sadrzajKolonaPrikaz").html(dobijeniPodaci);  
    }  
});  
});
```

```
$('.btnNaruci').click(function(){  
    var imeModel = $(this).attr("_naziv");  
    var cenaModel = $(this).attr("_cena");  
  
    var br = 0;  
  
    var model = "<div class='model'><span  
id='nazivModel'>" + imeModel + "&nbsp;</span><span id='cena'>" + cenaModel + "  
&euro;</span></div>";  
  
    $("#prikazKorpa").html($("#prikazKorpa").html() + model);  
  
    var total = 0;  
    var cenaU = "";  
  
    $(".model #cena").each(function() {  
        var cenaSum = parseInt($(this).html());  
        total += cenaSum;
```

```
        br++;

    });

    $("#futerKorpa #ukupnaCena").html(total+"&nbsp;&euro;");

    $("#korpa #brModelaUKorpi").html(br);

});
```

```
function slideShow() {

    var trenutna = $('#slike .prikazana');

    var sledeca = trenutna.next().length ? trenutna.next() :
trenutna.parent().children(':first');

    trenutna.hide().removeClass('prikazana');

    sledeca.fadeIn().addClass('prikazana');

    setTimeout(slideShow, 5000);

}

slideShow();
```

```
$("#korpa").click(function(){

    $("#okvirKorpa").slideToggle('slow');

});
```

```
$(".dugmePretraga").click(function(){

    var podaci = $("#tbPretraga").serialize();

    $.post("pretragaModel.php", podaci, function(podaci){
```

```

        $("#sadrzajKolonaPrikaz").html(podaci);

    });

    return false;

});

$(window).scroll(function(){

    if ($(this).scrollTop() > 220) {

        $('#vrh').fadeIn();

    } else {

        $('#vrh').fadeOut();

    }

});

$('#vrh a[href=#]').click(function(){

    $.scrollTo(0,'slow');

    return false;

});

});

</script>

</head>

<body>

<?php

    if (isset($greske) && count($greske) > 0) {

        if (count($greske) != 0) {

            foreach($greske as $greska){

```



```

        echo "<b>".$greska."</b><br/>";

    }

}

}

?>

<div id="meni">

    <?php

        include("meni.php");

    ?>

</div>

<div class="cisti"></div>

<div id="zaglavlje">

    <div class="okvir">

        <div id="slike">

        </div>

        <div id="snizenje">

```

```

        </div>

    </div>

</div>

<div class="cisti"></div>

<div id="sadrzaj">

    <!--glavni deo-->

    <?php

        if (isset($_SESSION['naziv_uloga']) && $_SESSION['naziv_uloga']==
"Administrator") {

            include("admin.php");

        }

        else{

?>

<div class="sadrzajRed">

    <div class="sadrzajKolona">

        <div id="blokPretraga">

            <h3>Pretraga</h3>

            <form action="" method="" name="finaPretraga"
id="finaPretraga">

                <h5>Proizvodjaci</h5>

                <hr/>

                <select name="ddlProizvodjaciPretraga"
id="ddlProizvodjaciPretraga">

                    <option value="0">Izaberite</option>

                <?php

                    $rezProizvodjaci

=prikaz($kon,'proizvodjac');

```

```

                                foreach($rezProizvodjaci as
$rezProizvodjac){

                                echo "<option
value='".$rezProizvodjac['id_proizvodjac']."'>".$rezProizvodjac['naziv_proizvodjac']."'</option>
";

                                }

                                ?>

                                </select>

                                <hr/>

                                <h5>Modeli</h5>

                                <hr/>

                                <select name="ddlModeliPretraga"
id="ddlModeliPretraga">

                                <option value="0">Izaberite</option>

                                <?php
                                $rezModeli = prikaz($kon,'model');
                                foreach($rezModeli as $rezModel){

                                echo "<option
value='".$rezModel['id_model']."'>".$rezModel['naziv_model']."'</option>";

                                }

                                ?>

                                </select>

                                <hr/>

                                <h5>Cena</h5>

                                <hr/>

                                <h6>Od</h6><input type="text"
name="tbCenaOd" id="tbCenaOd" onblur="proveraCenaOd();" /><br/>

```

```

        <h6>Do</h6><input type="text"
name="tbCenaDo" id="tbCenaDo" onblur="proveraCenaDo();"/>

        <hr/>

        <input type="button" id="btnFinaPretraga"
name="btnFinaPretraga" value="Pretraga"/>

    </form>

</div>

</div>

<div class="sadrzajKolona" id="sadrzajKolonaPrikaz">

    <?php

        if (isset($_GET['x'])) {

            $x = $_GET['x'];

            if ($x == 1) {

                include("registracija.php");

            }

            else if ($x == 2) {

                include("telefoni.php");

            }

            else if ($x == 5) {

                include("galerija.php");

            }

        }

        else if (isset($_GET['id_k']) &&
isset($_SESSION['id_korisnik'])) {

            include("korisnik.php");

        }

```

```

else if(isset($_GET['autor']) && $_GET['autor'] == 1){
    include("autor.php");
}
else if(isset($_GET['id_artikl'])){
    include("artikl.php");
}
else
{
    include("prikaz.php");
}

if (isset($_REQUEST['btnPotvrdi'])) {
    $imePrezime = $_REQUEST['tbImePrezime'];
    $username = $_REQUEST['tbUsername'];
    $email = $_REQUEST['tbEmail'];
    $password = $_REQUEST['tbPassword'];
    $grad = $_REQUEST['ddlGrad'];
    $adresa = $_REQUEST['tbAdresa'];

    $regImePrezime = "/^[A-Z][a-z]{2,24}\s[A-Z][a-
z]{3,23}$/";

    $regUsername = "/^(\\w)+(\\d)*$/";

    $regEmail = "/^\\w+([\\.-]?\\w+)*@\\w+([\\.-
]?\\w+)*\\.\\w{2,3})+$/";

    $regPassword = "/^[A-Za-z0-9]{6,10}$/";

    $regAdresa = "/^[A-Z][a-z]+\\s([A-Z]([a-z])\\s)*[0-
9]{1,3}$/";

```

```

$greskeUpis = array();

if (!preg_match($regImePrezime, $imePrezime)) {
    $greskeUpis[] = "Ime i prezime nije u
dobrom formatu.";
}

if (!preg_match($regUsername, $username) ||
strlen($username) > 20) {
    $greskeUpis[] = "Username nije u dobrom
formatu.";
}

if (!preg_match($regEmail, $email) || strlen($email)
> 50) {
    $greskeUpis[] = "Email nije u dobrom
formatu.";
}

if (!preg_match($regPassword, $password)) {
    $greskeUpis[] = "Password nije u dobrom
formatu.";
}

if (!preg_match($regAdresa, $adresa) ||
strlen($adresa) > 30) {
    $greskeUpis[] = "Adresa nije u dobrom
formatu.";
}

if (count($greskeUpis) == 0) {
    $imePrezime = zastita($imePrezime);

```

```

$username = zastita($username);

$email = zastita($email);

$adresa = zastita($adresa);


$password = md5($password);


$upitRegistracija = "insert into korisnik
values('$imePrezime','$username','$password','$email','$grad','$adresa')";


$rezRegistracija =
izvrsiUpitBrisanjeUpdateUpis($upitRegistracija,$kon);

if ($rezRegistracija) {

    $id_korisnik = mysql_insert_id();

    $promenaUloge = "insert into
korisnik_uloga values('$id_korisnik,2)";

    $rezUloga =
mysql_query($promenaUloge,$kon)or die("Promena uloge nije izvršena".mysql_error());

    if ($rezUloga) {

        $_SESSION['id_korisnik'] =
$id_korisnik;

        $_SESSION['uloga'] =
"Korisnik";

        $_SESSION['username'] =
$username;

    }

}

else{

    header('Location:index.php');

```

```

        echo "Registracija nije uspela";
    }

}

}

?>

</div>

</div>

<div class="cisti"></div>

<div class="sadrzajRed">

    <div class="sadrzajKolona">

        <h3>Anketa</h3>

        <hr/>

        <span id="glas"></span>

        <?php

            $upitPitanje = "select * from anketa where aktivna=1;";

            $rezPitanje = izvrsiUpitPrikaz($upitPitanje,$kon);

            if (gettype($rezPitanje) != "array") {

                while ($nizAnketa =

mysql_fetch_array($rezPitanje)) {

                    echo "<div class='anketa'>";

                    echo "<form action=" method='POST'

name='formaAnketa".$nizAnketa['id_anketa']. ">";

                    echo

"<h4>".$nizAnketa['pitanje']. "</h4><br/>";

                    $upitZaodg ="select * from odgovori o inner

join anketa a on a.id_anketa=o.id_anketa where a.aktivna=1;";

```



```

$rezPrikazOdg =
izvrsiUpitPrikaz($upitZaodg,$kon);

if (gettype($rezPrikazOdg) != "array") {

while ($redOdg =

mysql_fetch_array($rezPrikazOdg)) {

if ($redOdg['id_anketa'] ==

$nizAnketa['id_anketa']) {

echo "<input

type='radio' name='rbAnketa' id='".$redOdg['id_odgovor']."'

value='".$redOdg['id_odgovor']."'>".stripslashes($redOdg['odgovor'])."<br/>";

}

}

}

echo "<input type='hidden'

value='".$nizAnketa['id_anketa']."' id='anketaSakriveno' name='anketaSakriveno'/><br/><input

type='button' onclick='anketa();' name='btnGlasaj' class='dugmeAnketa' value='Glasaj' /><input

type='reset' name='btnReset' class='dugmeAnketa' value='Ponisti'/>";

echo "</form></div>";

}

}

else{

echo "<p>Trenutno nema aktivnih anketa!</p>";

}

?>

</div>

<div class="sadrzajKolona">

<h3>Rezultati anketa</h3>

```

```

<hr/>

<?php
    $upitRezAnketa = "select * from anketa where aktivna=1;";
    $rezRezultati = izvrsiUpitPrikaz($upitRezAnketa,$kon);
    if (gettype($rezRezultati) != "array") {
        while ($nizRez = mysql_fetch_array($rezRezultati))
        {
            echo "<div class='rezultatAnkete'>";
            echo "<h4>".$nizRez['pitanje']."</h4>";

            $upitOdgovori = "select * from odgovori o
inner join anketa a on a.id_anketa=o.id_anketa inner join rezultat r on
o.id_odgovor=r.id_odgovor where a.aktivna=1;";

            $rezOdgovor =
izvrsiUpitPrikaz($upitOdgovori,$kon);

            if (gettype($rezOdgovor) != "array") {
                while ($nizOdg =
mysql_fetch_array($rezOdgovor)) {

                    if ($nizRez['id_anketa'] ==
$nizOdg['id_anketa']){

                        echo
"<p>".$nizOdg['odgovor'].": ".$nizOdg['rezultat']." glasova</p>";

                    }

                }

            }

            echo "</div>";

        }
    }
}

else{

```

```

        echo "<p>Trenutno nema aktivnih anketa!</p>";
    }

    ?>

</div>

</div>

<?php
    }

?>

</div>

<div class="cisti"></div>

<div id="futer">

    <?php
        include("futer.php");

    ?>

</div>

<div id="vrh">

    <a href="#">

    </a>

</div>

<script type="text/javascript">

    $(function() {

        $('#slikaArtikli .slika a').lightBox();

    });

    $(function() {

```

```

        $('#slikeModela .malaSlika a').lightBox();

    });

    $(function() {

        $('#galerija .slika a').lightBox();

    });

</script>

</body>

</html>

<?php

    include("zatvori.inc");

?>

telefoni.php

<div id="prikazProizvodi">

    <?php

        include("konekcija.inc");

        if (isset($_GET['x']) && $_GET['x'] == 2) {

            $upitTelefoni = "select * from proizvodjac p inner join model m on
p.id_proizvodjac=m.id_proizvodjac inner join slika s on m.id_model=s.id_model group by
s.id_model";

            $rezTelefon = izvrsiUpitPrikaz($upitTelefoni,$kon);

            if (gettype($rezTelefon) != "array") {

                while ($redTelefon = mysql_fetch_array($rezTelefon)) {

                    $telefonOpis = explode(",", $redTelefon['opis']);

                    echo "<div class='telefon'><a
href='index.php?id_artikl=".$redTelefon['id_model']."'>";

                    echo "<div class='slika'><img
src='".$redTelefon['putanjaM']."' alt='".$redTelefon['alt']."'></div>";

```

```

        echo "<div
class='ime'><h4>".$redTelefon['naziv_proizvodjac']."
".$redTelefon['naziv_model']."</h4></div>";

        echo "<div class='opis'>";

        echo
"<h5>Kamera</h5>".$telefonOpis[0]."<br/><h5>Procesor</h5>".$telefonOpis[1]."<br/><h5>M
emorija</h5>".$telefonOpis[2]."<br/><h5>Wi-
fi/Bluetooth</h5>".$telefonOpis[3]."<br/><h5>Boja</h5>".$telefonOpis[4];

        echo "</a></div>";

        echo "<span
class='cena'><h3>Cena</h3><b>".$redTelefon['cena']. "&euro;</b></span>";

        if ($redTelefon['kolicina'] == 0) {

            echo "<span class='obavestenje'>Trenutno
nema</span>";

        }

        if (isset($_SESSION['id_korisnik'])) {

            echo "<form method=" action="
name='formaKupi'><input type='hidden' name='tIdModel' class='tIdModel'
value=" ".$redTelefon['id_model']. "' /><input type='button'
_naziv=" ".$redTelefon['naziv_model']. "' _cena=" ".$redTelefon['cena']. "'
_idmodel=" ".$redTelefon['id_model']. "' name='btnNaruci' class='btnNaruci'
value='Naruci' /></form>";

        }

        echo "</div>";

    }

}

?>

</div>

galerija.php

```

```

<div id="prikazProizvodi">

    <?php

        include("konekcija.inc");

        if (isset($_GET['x']) && $_GET['x'] == 2) {

            $upitTelefoni = "select * from proizvojac p inner join model m on
p.id_proizvojac=m.id_proizvojac inner join slika s on m.id_model=s.id_model group by
s.id_model";

            $rezTelefon = izvrsiUpitPrikaz($upitTelefoni,$kon);

            if (gettype($rezTelefon) != "array") {

                while ($redTelefon = mysql_fetch_array($rezTelefon)) {

                    $telefonOpis = explode(",", $redTelefon['opis']);

                    echo "<div class='telefon'><a
href='index.php?id_artikl=".$redTelefon['id_model']."'>";

                    echo "<div class='slika'><img
src='".$redTelefon['putanjaM']."' alt='".$redTelefon['alt']."'></div>";

                    echo "<div
class='ime'><h4>".$redTelefon['naziv_proizvojac']."
".$redTelefon['naziv_model']."</h4></div>";

                    echo "<div class='opis'>";

                    echo
"<h5>Kamera</h5>".$telefonOpis[0]."<br/><h5>Procesor</h5>".$telefonOpis[1]."<br/><h5>M
emorija</h5>".$telefonOpis[2]."<br/><h5>Wi-
fi/Bluetooth</h5>".$telefonOpis[3]."<br/><h5>Boja</h5>".$telefonOpis[4];

                    echo "</a></div>";

                    echo "<span
class='cena'><h3>Cena</h3><b>".$redTelefon['cena']."&euro;</b></span>";

                    if ($redTelefon['kolicina'] == 0) {

                        echo "<span class='obavestenje'>Trenutno
nema</span>";

```

```

    }

    if (isset($_SESSION['id_korisnik'])) {

        echo "<form method=" action="
name='formaKupi'><input type='hidden' name='tIdModel' class='tIdModel'
value='".$_$redTelefon['id_model']."' /><input type='button'
_naziv='".$_$redTelefon['naziv_model']."' _cena='".$_$redTelefon['cena']."'
_idmodel='".$_$redTelefon['id_model']."' name='btnNaruci' class='btnNaruci'
value='Naruci'/></form>";

    }

    echo "</div>";

}

}

?>

```

</div>

meni.php

<div class="okvir">

<div id="naslov">

<h1>Telefoni</h1>

</div>

<div id="okvirMeni">

<?php

\$upit = "select * from meni order by pozicija asc;";

\$rezMeni = izvrsiUpitPrikaz(\$upit,\$kon);

if (gettype(\$rezMeni) == "array") {

foreach(\$rezMeni as \$r){

echo \$r."
";

```

        }

    }

    else{

        echo "<ul>";

        while ($red = mysql_fetch_array($rezMeni)) {

            echo "<li><a
href='".$red['link'].$red['id_meni']."'>".$red['naziv_meni']."'</a></li>";

        }

        echo "</ul>";

    }

?>

</div>

<div id="pretraga">

    <form action="" method="" name="formaPretraga" id="formaPretraga">

        <input type="text" name="tbPretraga" id="tbPretraga"
placeholder="Pretraga"/>

        <input type="submit" name="btnPretraga" id="btnPretraga" value=""
class="dugmePretraga"/>

    </form>

</div>

<div id="okvirLogovanje">

    <?php

        if (isset($_SESSION['id_korisnik'])) {

            echo "<a
href='index.php?id_k=".$_SESSION['id_korisnik']."'>".$_SESSION['username']."'</a> <a
href='index.php?logout=1'>Logout</a>";

            if (isset($_GET['logout']) && $_GET['logout'] == 1) {

```



```

        session_destroy();

        header('Location:index.php');

    }

    }else{

        echo "<div id='logovanje'>

            <form action='login.php' onsubmit='return
proveraLog();' method='POST' name='formaLogin'>

                <input type='text' name='tbLoginUsername'
id='tbLoginUsername' placeholder='Username' class='tbLogin' />

                <input type='password'
name='tbLoginPassword' id='tbLoginPassword' placeholder='Password' class='tbLogin' />

                <input type='submit' name='btnPrijava'
value='Prijava se' class='dugme' />

            </form>

            <form action='index.php?x=1' method='POST'
name='formaReg'>

                <input type='submit' name='btnRegistracija'
value='Registruj se' class='dugme' />

            </form>

        </div>";

    }

?>

</div>

<div id="korpa">

    <span id="brModelaUKorpi">

```

```
        </span>
    </div>
    <div id="okvirKorpa">
        <div id="prikazKorpa">

        </div>

        <div id="futerKorpa">
            <span id="korpaUkupno">Ukupno</span>
            <div id="ukupnaCena"></div>
        </div>
    </div>
</div>
</div>
```

login.php

```
<?php
```

```
session_start();
```

```
include("konekcija.inc");
```

```
include("funkcije.inc");
```

```
if (isset($_POST['btnPrijava'])) {
    $userr = $_POST['tbLoginUsername'];
    $lozinka = $_POST['tbLoginPassword'];
    $userr = trim($userr);
    $userr = stripslashes($userr);
    $lozinka = md5($lozinka);
```

```
$upitLogin = "select * from korisnik k inner join korisnik_uloga ku on  
k.id_korisnik=ku.id_korisnik inner join uloga u on ku.id_uloga=u.id_uloga where  
username='".$$userr.'" and password='".$$lozinka.'"";
```

```
$rezLog = izvrsiUpitPrikaz($upitLogin,$kon);
```

```
if (gettype($rezLog) == "array") {
```

```
    header('Location:index.php');
```

```
    echo "Logovanje nije uspesno";
```

```
}
```

```
else{
```

```
    if (mysql_num_rows($rezLog) == 1) {
```

```
        $nizLog = mysql_fetch_array($rezLog);
```

```
        $_SESSION['id_korisnik'] = $nizLog['id_korisnik'];
```

```
        $_SESSION['username'] = $nizLog['username'];
```

```
        $_SESSION['id_uloga'] = $nizLog['id_uloga'];
```

```
        $_SESSION['naziv_uloga'] = $nizLog['naziv_uloga'];
```

```
        header('Location:index.php');
```

```
    }
```

```
    else{
```

```
        echo "Greska pri logovanju";
```

```
        header('Location:index.php');
```

```
    }
```

```
}
```

```
}
```

```
?>
```

Registracija.php

```

<div id="registracija">

    <h3>Forma za registraciju</h3>

    <hr/>

    <fieldset><legend>Podaci o nalogu</legend>

    <form action="<?php echo $_SERVER['PHP_SELF']; ?>" onsubmit="return
proveraRegistracija();" method="post" name="formaRegistracija">

        <table>

            <tr>

                <td>

                    <label class="labela" for="tbImePrezime">Ime i
prezime</label>

                </td>

                <td>

                    <input type="text" name="tbImePrezime"
id="tbImePrezime" class="tbText" placeholder="Ime i prezime" required />

                </td>

            </tr>

            <tr>

                <td>

                    <label class="labela"
for="tbUsername">Username</label>

                </td>

                <td>

                    <input type="text" name="tbUsername" id="tbUsername"
class="tbText" placeholder="Username" required />

                </td>

            </tr>

```

```

        <tr>

            <td>

                <label class="labela" for="tbEmail">Email</label>

            </td>

            <td>

                <input type="text" name="tbEmail" id="tbEmail"
class="tbText" placeholder="Email" required />

            </td>

        </tr>

        <tr>

            <td>

                <label class="labela" for="tbPassword">Password</label>

            </td>

            <td>

                <input type="password" name="tbPassword"
id="tbPassword" class="tbText" placeholder="Password" required />

            </td>

        </tr>

    </table>

</fieldset>

<fieldset><legend>Adresa</legend>

<table>

    <tr>

        <td>

            <label class="labela" for="ddlGrad">Grad</label>

        </td>

```

```

<td>

        <select name="ddlGrad" id="ddlGrad"
onChange="adresa();">

                <option value="0">Izaberite</option>

        <?php
                $upitGrad = "select * from grad;";
                $rezGrad =
izvrsiUpitPrikaz($upitGrad,$kon);

                if (gettype($rezGrad) != "array") {

                        while ($nizGrad =
mysql_fetch_array($rezGrad)) {

                                echo "<option
value='".$nizGrad['id_grad']. ">".$nizGrad['ime_grad']."</option>";

                                }

                        }

                ?>

        </select>

        <input type="text" name="tbPosBr" id="tbPosBr"
class="tbText" placeholder="Postanski broj" disabled />

</td>

</tr>

<tr>

        <td>

                <label class="labela" for="tbAdresa">Ulica i broj</label>

        </td>

        <td>

```

```

                <input type="text" name="tbAdresa" id="tbAdresa"
class="tbText" placeholder="Ulica i broj" required/>

            </td>

        </tr>

    </table>

    <table>

        <tr>

            <td>

                <input type="submit" name="btnPotvrđi" value="Potvrđi"
class="dugme"/>

                <input type="reset" name="btnRestart" value="Ponisti"
class="dugme" />

            </td>

        </tr>

    </table>

</fieldset>

</form>

```

```
</div>
```

```
Prikaz.php
```

```
<?php
```

```
$poStrani = 5;
```

```
if (isset($_GET['str'])) {
```

```
    $str = $_GET['str'];
```

```
}
```

```
else{
```

```
    $str=0;
```

```

    }

    $upitBrSvih = "select count(id_model) from model";

    $rezBrSvi = izvrsiUpitPrikaz($upitBrSvih,$kon);

    if (gettype($rezBrSvi) != "array") {

        $redBrSvi = mysql_fetch_array($rezBrSvi);

        $ukupno = $redBrSvi[0];

        $levo = $str - $poStrani;

        $desno = $str + $poStrani;

        if ($levo<0) {

            echo "<div id='navigacija'><span>Pocetak</span><span><a
href='index.php?str=".$desno."'>Sledec</a></span></div>";

        }

        else if ($desno > $ukupno) {

            echo "<div id='navigacija'><span><a
href='index.php?str=".$levo."'>Prethodni</a></span><span>Kraj</span></div>";

        }else

        {

            echo "<div id='navigacija'><a
href='index.php?str=".$levo."'>Prethodni</a></span><span><a
href='index.php?str=".$desno."'>Sledec</a></span></div>";

        }

        $upitPrikazSvih = "select * from proizvodjac p inner join model m on
p.id_proizvodjac=m.id_proizvodjac inner join slika s on m.id_model=s.id_model group by
s.id_model limit $poStrani offset $str;";

```



```

$rezSvi = izvrsiUpitPrikaz($upitPrikazSvih,$kon);

if (gettype($rezSvi) != "array"){

    while ($nizSvi = mysql_fetch_array($rezSvi)) {

        $nizOpis = explode(",", $nizSvi['opis']);

        echo "<div class='telefon'><a
href='index.php?id_artikl=".$nizSvi['id_model']."'>";

        echo "<div class='slika'><img src='".$nizSvi['putanjaM']."'
alt='".$nizSvi['alt']."'></div>";

        echo "<div class='ime'><h4>".$nizSvi['naziv_proizvodjac'].
".$nizSvi['naziv_model']."</h4></div>";

        echo "<div class='opis'>";

        echo
"<h5>Kamera</h5>".$nizOpis[0]."<br/><h5>Procesor</h5>".$nizOpis[1]."<br/><h5>Memorija
</h5>".$nizOpis[2]."<br/><h5>Wi-
fi/Bluetooth</h5>".$nizOpis[3]."<br/><h5>Boja</h5>".$nizOpis[4];

        echo "</a></div>";

        echo "<span
class='cena'><h3>Cena</h3><b>".$nizSvi['cena']."&euro;</b></span>";

        if ($nizSvi['kolicina'] == 0) {

            echo "<span class='obavestenje'>Trenutno nema</span>";

        }

        if (isset($_SESSION['id_korisnik'])) {

            echo "<form method=" action=" name='formaKupi'><input
type='hidden' name='tIdModel' class='tIdModel' value='".$nizSvi['id_model']."' /><input
type='button' _naziv='".$nizSvi['naziv_model']."' _cena='".$nizSvi['cena']."'
_idmodel='".$nizSvi['id_model']."' name='btnNaruci' class='btnNaruci'
value='Naruci'/></form>";

        }
    }
}

```

```
        echo "</div>";
    }
}
}
?>
404.php
<?php
    include("konekcija.inc");
    include("funkcije.inc");
    session_start();
?>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="content-type" content="text/html; charset=UTF-8" />
    <title>Mobilni telefoni | 404</title>
    <script type="text/javascript" src="js/skripta.js"></script>
    <script type="text/javascript" src="jquery/jquery.min.js"></script>
    <script type="text/javascript" src="lib/jquery-1.10.1.min.js"></script>
    <link rel="stylesheet" type="text/css" media="all" href="jquery.lightbox-0.5.css"/>
    <script type="text/javascript" src="lib/jquery.lightbox-0.5.min.js"></script>
    <script type="text/javascript" src="lib/jquery.scrollTo.js" charset="utf-8"></script>
    <!--<script src="https://code.jquery.com/jquery-2.2.4.min.js" integrity="sha256-
BbhdLvQf/xTY9gja0Dq3HiwQF8LaCRTXxZKRutelT44="
crossorigin="anonymous"></script>-->
    <link rel="stylesheet" type="text/css" href="css/stil.css"/>
```

```
<script type="text/javascript">

    $(document).ready(function(){

        $('#btnFinaPretraga').click(function(){

            var pretragaProizvodjaci =
document.getElementById('ddlProizvodjaciPretraga').options[document.getElementById('ddlPro
izvodjaciPretraga').selectedIndex].value;

            var pretragaModeli =
document.getElementById('ddlModeliPretraga').options[document.getElementById('ddlModeliP
retraga').selectedIndex].value;

            var cenaOd = document.getElementById('tbCenaOd').value;

            var cenaDo = document.getElementById('tbCenaDo').value;


            $.ajax({

                type: 'POST',

                url: 'pretraga.php',

                data: {

                    proizvodjac: pretragaProizvodjaci,

                    model: pretragaModeli,

                    cenaOd: cenaOd,

                    cenaDo: cenaDo

                },

                success: function(dobijeniPodaci){

                    $("#sadrzajKolonaPrikaz").html(dobijeniPodaci);

                }

            });

        });

    });

};
```

```

$('.btnNaruci').click(function(){

    var imeModel = $(this).attr("_naziv");

    var cenaModel = $(this).attr("_cena");


    var br = 0;


    var model = "<div class='model'><span
id='nazivModel'>" + imeModel + " &nbsp;</span><span id='cena'>" + cenaModel + "
&euro;</span></div>";


    $("#prikazKorpa").html($("#prikazKorpa").html() + model);


    var total = 0;

    var cenaU = "";

    $(".model #cena").each(function() {

        var cenaSum = parseInt($(this).html());

        total += cenaSum;

        br++;

    });

    $("#futerKorpa #ukupnaCena").html(total + " &nbsp;&euro;");

    $("#korpa #brModelaUKorpi").html(br);

});


function slideShow() {

    var trenutna = $('#slike .prikazana');

```

```
        var sledeca = trenutna.next().length ? trenutna.next() :  
trenutna.parent().children(':first');
```

```
        trenutna.hide().removeClass('prikazana');
```

```
        sledeca.fadeIn().addClass('prikazana');
```

```
        setTimeout(slideShow, 5000);
```

```
    }
```

```
    slideShow();
```

```
    $("#korpa").click(function(){
```

```
        $("#okvirKorpa").slideToggle('slow');
```

```
    });
```

```
    $(".dugmePretraga").click(function(){
```

```
        var podaci = $("#tbPretraga").serialize();
```

```
        $.post("pretragaModel.php", podaci, function(podaci){
```

```
            $("#sadrzajKolonaPrikaz").html(podaci);
```

```
        });
```

```
        return false;
```

```
    });
```

```
$(window).scroll(function(){
```

```
    if ($(this).scrollTop() > 220) {
```

```
        $('#vrh').fadeIn();
```

```

    } else {
        $('#vrh').fadeOut();
    }
});

$('#vrh a[href=#]').click(function(){
    $.scrollTo(0,'slow');
    return false;
});
});
</script>
</head>
</head>
<body>
    <div id="meni">
        <?php
            include("meni.php");
        ?>
    </div>
    <div class="cisti"></div>
    <div id="zaglavlje">
        <div class="okvir">
            <div id="slike">
                

```

```

    </div>

    <div id="snizenje">

    </div>

</div>

<div class="cisti"></div>

<div id="sadrzaj"><?php

    if (isset($_SESSION['naziv_uloga']) && $_SESSION['naziv_uloga']==
"Administrator") {

        include("admin.php");

    }

    else{

?>

<div class="sadrzajRed">

    <div class="sadrzajKolona">

        <div id="blokPretraga">

            <h3>Pretraga</h3>

            <form action="" method="" name="finaPretraga"
id="finaPretraga">

```

```

<h5>Proizvodjaci</h5>

<hr/>

<select name="ddlProizvodjaciPretraga"
id="ddlProizvodjaciPretraga">

    <option value="0">Izaberite</option>

<?php
    $rezProizvodjaci
=prikaz($kon,'proizvodjac');

    foreach($rezProizvodjaci as
$rezProizvodjac){

        echo "<option
value='".$rezProizvodjac['id_proizvodjac']."'>".$rezProizvodjac['naziv_proizvodjac']."</option>
";

    }

?>

</select>

<hr/>

<h5>Modeli</h5>

<hr/>

<select name="ddlModeliPretraga"
id="ddlModeliPretraga">

    <option value="0">Izaberite</option>

<?php
    $rezModeli = prikaz($kon,'model');

    foreach($rezModeli as $rezModel){

        echo "<option
value='".$rezModel['id_model']."'>".$rezModel['naziv_model']."</option>";

    }

```



```

?>

</select>

<hr/>

<h5>Cena</h5>

<hr/>

<h6>Od</h6><input type="text"
name="tbCenaOd" id="tbCenaOd" onblur="proveraCenaOd();" /><br/>

<h6>Do</h6><input type="text"
name="tbCenaDo" id="tbCenaDo" onblur="proveraCenaDo();" />

<hr/>

<input type="button" id="btnFinaPretraga"
name="btnFinaPretraga" value="Pretraga"/>

</form>

</div>

</div>

<div class="sadrzajKolona" id="sadrzajKolonaPrikaz">

<h2>Zao nam je. Vratite se na <a href="index.php">pocentu
stranu</a>.</h2>

</div>

</div>

<div class="cisti"></div>

<div class="sadrzajRed">

<div class="sadrzajKolona">

<h3>Anketa</h3>

<hr/>

<span id="glas"></span>

<?php

```

```

$upitPitanje = "select * from anketa where aktivna=1;";
$rezPitanje = izvrsiUpitPrikaz($upitPitanje,$skon);
if (gettype($rezPitanje) != "array") {
    while ($nizAnketa =
mysql_fetch_array($rezPitanje)) {
        echo "<div class='anketa'>";
        echo "<form action=\"" method='POST'
name='formaAnketa'".$nizAnketa['id_anketa']. "\">";
        echo
"<h4>".$nizAnketa['pitanje']. "</h4><br/>";
        $upitZaodg = "select * from odgovori o inner
join anketa a on a.id_anketa=o.id_anketa where a.aktivna=1;";
        $rezPrikazOdg =
izvrsiUpitPrikaz($upitZaodg,$skon);
        if (gettype($rezPrikazOdg) != "array") {
            while ($redOdg =
mysql_fetch_array($rezPrikazOdg)) {
                if ($redOdg['id_anketa'] ==
$nizAnketa['id_anketa']) {
                    echo "<input
type='radio' name='rbAnketa' id='".$redOdg['id_odgovor']. "'
value='".$redOdg['id_odgovor']. "'/>".stripslashes($redOdg['odgovor']). "<br/>";
                }
            }
        }
        echo "<input type='hidden'
value='".$nizAnketa['id_anketa']. "' id='anketaSakriveno' name='anketaSakriveno' /><br/><input
type='button' onclick='anketa();' name='btnGlasaj' class='dugmeAnketa' value='Glasaj' /><input
type='reset' name='btnReset' class='dugmeAnketa' value='Ponisti' />";
    }
}

```

```

        echo "</form></div>";

    }

}

else{

    echo "<p>Trenutno nema aktivnih anketa!</p>";

}

?>

</div>

<div class="sadrzajKolona">

    <h3>Rezultati anketa</h3>

    <hr/>

    <?php

        $upitRezAnketa = "select * from anketa where aktivna=1;";

        $rezRezultati = izvrsiUpitPrikaz($upitRezAnketa,$kon);

        if (gettype($rezRezultati) != "array") {

            while ($nizRez = mysql_fetch_array($rezRezultati))

        {

            echo "<div class='rezultatAnkete'>";

            echo "<h4>".$nizRez['pitanje']."</h4>";

            $upitOdgovori = "select * from odgovori o

inner join anketa a on a.id_anketa=o.id_anketa inner join rezultat r on

o.id_odgovor=r.id_odgovor where a.aktivna=1;";

            $rezOdgovor =

izvrsiUpitPrikaz($upitOdgovori,$kon);

            if (gettype($rezOdgovor) != "array") {

                while ($nizOdg =

mysql_fetch_array($rezOdgovor)) {

```

```

if ($nizRez['id_anketa'] ==
$nizOdg['id_anketa']){
    echo
    "<p>".$nizOdg['odgovor'].": ".$nizOdg['rezultat']." glasova</p>";
    }
    }
    }
    echo "</div>";
}
}
else{
    echo "<p>Trenutno nema aktivnih anketa!</p>";
}
?>
</div>
</div>
<?php
}
?>
</div>
<div class="cisti"></div>
<div id="futer">
    <?php
        include("futer.php");
    ?>
</div>

```

```

<div id="vrh">
    <a href="#">
        
    </a>
</div>

<script type="text/javascript">
    $(function() {
        $('#slikaArtikli .slika a').lightBox();
    });
    $(function() {
        $('#slikeModela .malaSlika a').lightBox();
    });
</script>

</body>
</html>

<?php
    include("zatvori.inc");
?>

pretragaModel.php

<?php
session_start();

include("konekcija.inc");

$text = $_POST['tbPretraga'];

```

```
$upitPretragaModel="select * from model m inner join proizvodjac p on  
m.id_proizvodjac=p.id_proizvodjac inner join slika s on m.id_model=s.id_model";
```

```
if($text!=""){
```

```
    $upitPretragaModel.=" where naziv_model like '%" . $text . "%' group by s.id_model";
```

```
    $rezPretragaModel=mysql_query($upitPretragaModel,$kon);
```

```
    while($redPretragaModel=mysql_fetch_array($rezPretragaModel)){
```

```
        $nizPretraga = explode(",", $redPretragaModel['opis']);
```

```
        echo "<div class='telefon'>";
```

```
        echo "<div class='slika'><img src='". $redPretragaModel['putanjaM']. "  
alt='". $redPretragaModel['alt']. "' /></div>";
```

```
        echo "<div class='ime'><h4>". $redPretragaModel['naziv_proizvodjac']. "  
". $redPretragaModel['naziv_model']. "</h4></div>";
```

```
        echo "<div class='opis'>";
```

```
        echo
```

```
"<h5>Kamera</h5>". $nizPretraga[0]. "<br><h5>Procesor</h5>". $nizPretraga[1]. "<br><h5>M  
emorija</h5>". $nizPretraga[2]. "<br><h5>Wi-  
fi/Bluetooth</h5>". $nizPretraga[3]. "<br><h5>Boja</h5>". $nizPretraga[4];
```

```
        echo "</div>";
```

```
        echo "<span  
class='cena'><h3>Cena</h3><b>". $redPretragaModel['cena']. "&euro;</b></span>";
```

```
        if ($redPretragaModel['kolicina'] == 0) {
```

```
            echo "<span class='obavestenje'>Trenutno nema</span>";
```

```
        }
```

```
        if (isset($_SESSION['id_korisnik'])) {
```

```
            echo "<form method=" action=" name='formaKupi'><input type='hidden'  
name='tIdModel' class='tIdModel' value='". $redPretragaModel['id_model']. "' /><input
```

```

type='button' _naziv=" ".$redPretragaModel['naziv_model']."
_cena=" ".$redPretragaModel['cena']." _idmodel=" ".$redPretragaModel['id_model']."
name='btnNaruci' class='btnNaruci' value='Naruci'/></form>";

        }

        echo "</div>";

    }

} else{

    echo "<span id='obavestenjePretraga'>Nema prikaza po zadatom kriterijumu</span>";

}

?>

```

Autor.php

```

<div id="autor">

    <?php

        if (isset($_GET['autor']) && $_GET['autor']) {

            ?>

            <h3>Nemanja Savić 21/12 internet tehnologije</h3>

            <p>Rođen 13.11.1993. godine. Završio srednju tehničku školu 17.
septembar u Lajkovcu. 2012. godine upisao višu <a id="linkJ" target="_blank"
href="http://ict.edu.rs/">ICT školu</a>, na smeru internet tehnologije.</p>

            <?php

                }

            ?>

        </div>

```

Artikl.php

```

<?php

    include("konekcija.inc");

```

```

if (isset($_GET['id_artikl'])) {

    $id_a = $_GET['id_artikl'];

    $upitArtikl = "select * from proizvojac p inner join model m on
p.id_proizvojac=m.id_proizvojac where m.id_model = $id_a;";

    $rezArtikl = izvrsiUpitPrikaz($upitArtikl,$kon);

    if (gettype($rezArtikl) != "array") {

        $redA = mysql_fetch_array($rezArtikl);

        $artiklOpis = explode(" ", $redA['opis']);

        echo "<div class='telefon'>";

        $slikeArtikl = "select * from slika where id_model=$id_a";
        $rezSlikeArtikl = izvrsiUpitPrikaz($slikeArtikl,$kon);

        if(gettype($rezSlikeArtikl) != "array"){

            echo "<div id='slikaArtikli'>";

            while ($redSlikaArtikl = mysql_fetch_array($rezSlikeArtikl)) {

                echo "<div class='slika'><a
href='".$redSlikaArtikl['putanjaV']."'><img src='".$redSlikaArtikl['putanjaM']."'
alt='".$redSlikaArtikl['alt']."'></a></div>";

            }

            echo "</div>";

        }

    }
}

```



```

        echo "<div class='ime'><h4>".$redA['naziv_proizvodjac'].
".$redA['naziv_model']. "</h4></div>";

        echo "<div class='opis'>";

        echo
        "<h5>Kamera</h5>".$artiklOpis[0]. "<br/><h5>Procesor</h5>".$artiklOpis[1]. "<br/><h5>Mem
        orija</h5>".$artiklOpis[2]. "<br/><h5>Wi-
        fi/Bluetooth</h5>".$artiklOpis[3]. "<br/><h5>Boja</h5>".$artiklOpis[4];

        echo "</div>";

        echo "<span
        class='cena'><h3>Cena</h3><b>".$redA['cena']. "&euro;</b></span>";

        if ($redA['kolicina'] == 0) {

            echo "<span class='obavestenje'>Trenutno nema</span>";

        }

        if (isset($_SESSION['id_korisnik'])) {

            echo "<form method='action=' name='formaKupi'><input
            type='hidden' name='tIdModel' class='tIdModel' value='".$redA['id_model']. "' /><input
            type='button' _naziv='".$redA['naziv_model']. "' _cena='".$redA['cena']. "'
            _idmodel='".$redA['id_model']. "' name='btnNaruci' class='btnNaruci' value='Naruci' /></form>";

            }

        }

    }

?>

```

Korisnik.php

```

<div id="korisnik">

    <div id="podaciKorisnika">

        <div id="slikaKorisnik">

            );"/>

```

</div>

<div id="korisnikForma">

<form action="" method="POST" name="formaKorisnik">

<table>

<tr>

<td><label class="labela"
for="tbImePrezimeKor">Ime i prezime</label></td>

<td><input type="text" id="tbImePrezimeKor"
name="tbImePrezimeKor" class="tbText" disabled /></td>

</tr>

<tr>

<td><label class="labela"
for="tbUsernameKor">Username</label></td>

<td><input type="text" id="tbUsernameKor"
name="tbUsernameKor" class="tbText" /></td>

</tr>

<tr>

<td><label class="labela"
for="tbEmailKor">Email</label></td>

<td><input type="text" id="tbEmailKor"
name="tbEmailKor" class="tbText" /></td>

</tr>

<tr>

<td><label class="labela"
for="tbPasswordKor">Password</label></td>

<td><input type="password" id="tbPasswordKor"
name="tbPasswordKor" class="tbText" /></td>

</tr>

```

<tr>

<td><label class="labela"
for="ddlGradKor">Grad</label></td>

<td>

<select name="ddlGradKor"
id="ddlGradKor">

<option
value="0">Izaberite</option>

<?php
$upitGr = "select * from
grad;";

$rezGr =

if (gettype($rezGr) !=
"array") {

while ($nizGr =
mysql_fetch_array($rezGr)) {

echo "<option
value='".$nizGr['id_grad']."'>".$nizGr['ime_grad']."</option>";

}

}

?>

</select>

</td>

</tr>

<tr>

<td><label class="labela"
for="tbAdresaKor">Adresa</label></td>

```

```

                                <td><input type="text" id="tbAdresaKor"
name="tbAdresaKor" class="tbText" /></td>

                                </tr>

                                <tr>

                                <td colspan="2" align="center"><input
type="submit" class="korisnikDugme" name="btnIzmenaKor" value="Izmenite"/><input
type="reset" class="korisnikDugme" name="btnPonisti" value="Ponisti"/></td>

                                </tr>

                                </table>

                                </form>

                                </div>

                                </div>

                                <?php
                                if (isset($_POST['btnIzmenaKor'])) {

                                    $usernameKor = $_POST['tbUsernameKor'];

                                    $emailKor = $_POST['tbEmailKor'];

                                    $passKor = $_POST['tbPasswordKor'];

                                    $gradKor = $_POST['ddlGradKor'];

                                    $adresaKor = $_POST['tbAdresaKor'];

                                    $IDK = $_SESSION['id_korisnik'];

                                    $regUsernameKor = "/^(\w)+(\d)*$/";

                                    $regEmailKor = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";

                                    $regPasswordKor = "/^[A-Za-z0-9]{6,10}$/";

                                    $regAdresaKor = "/^[A-Z][a-z]+\s([A-Z]([a-z])+\s)*[0-9]{1,3}$/";

```

```
$greskeIzmenaKor = array();

if (!preg_match($regUsernameKor, $usernameKor) ||
strlen($usernameKor) > 20) {

    $greskeIzmenaKor[] = "Username nije u dobrom formatu.";

}

if (!preg_match($regEmailKor, $emailKor) || strlen($emailKor) > 50) {

    $greskeIzmenaKor[] = "Email nije u dobrom formatu.";

}

if (!preg_match($regPasswordKor, $passKor)) {

    $greskeIzmenaKor[] = "Password nije u dobrom formatu.";

}

if (!preg_match($regAdresaKor, $adresaKor) || strlen($adresaKor) > 30) {

    $greskeIzmenaKor[] = "Adresa nije u dobrom formatu.";

}

if ($gradKor == 0) {

    $greskeIzmenaKor[] = "Niste izabrali grad.";

}


if (count($greskeIzmenaKor) == 0) {

    $usernameKor = zastita($usernameKor);

    $emailKor = zastita($emailKor);

    $adresaKor = zastita($adresaKor);


    $passKor = md5($passKor);
```

```
        $upitIzmenaKor = "update korisnik set username=$usernameKor,  
email=$emailKor, password=$passKor, adresa=$adresaKor where id_korisnik=$IDK";
```

```
        $izmenaKor =  
izvrsiUpitBrisanjeUpdateUpis($upitIzmenaKor,$kon);  
  
        if ($izmenaKor) {  
  
            $_SESSION['username'] = $usernameKor;  
  
        }  
  
        else{  
  
            echo "Doslo je do greske pri izmeni podataka o korisniku";  
  
        }  
  
    }  
  
    else{  
  
        foreach ($greskeIzmenaKor as $greskaKor) {  
  
            echo $greskaKor."<br/>";  
  
        }  
  
    }  
  
    }  
  
    ?>
```

</div>

Futer.php

<div class="okvir">

<div class="red">

<div class="kolona">

<h3>Linkovi</h3>

```

<?php

$upitLinkovi = "select * from meni order by pozicija asc;";

$rezLinkovi = izvrsiUpitPrikaz($upitLinkovi,$kon);

if (gettype($rezLinkovi) == "array") {

    foreach($rezLinkovi as $re){

        echo $re."<br/>";

    }

}

else{

    $broj = mysql_num_rows($rezLinkovi);

    $i=0;

    echo "<ul>";

    while ($redLink = mysql_fetch_array($rezLinkovi)) {

        if ($i < $broj) {

            echo "<li><a
href='".$redLink['link'].$redLink['id_meni']."'>".$redLink['naziv_meni']."</a></li><hr/>";

        }else{

            echo "<li><a
href='".$redLink['link'].$redLink['id_meni']."'>".$redLink['naziv_meni']."</a></li>";

        }

        $i++;

    }

    echo "</ul>";

}

?>

</div>

```

```

<div class="kolona">

    <h3>O sajtu i autoru</h3>

    <ul>

        <li><a href="doc/dokumentacija.pdf"
target="_blank">Dokumentacija</a></li>

        <li><a href="sitemap.xml">Mapa sajta</a></li>

        <li><a href="index.php?autor=1">O autoru</a></li>

    </ul>

</div>

<div class="kolona">

    <h3>Pratite nas:</h3>

    <a href="www.facebook.com" target="_blank">

    </a>

    <a href="www.twitter.com" target="_blank">

    </a>

</div>

</div>

<div class="cisti"></div>

<div class="red">

    <div class="kolona" id="prvaKolona">

        <b>&copy;WEB programiranje PHP1 2017 <br/> Nemanja Savic
21/12</b>

    </div>

    <div class="kolona">

```


Sajt je uradjen u svrhu polaganja predispozitivnih obaveza.

</div>

</div>

</div>

Glasanje.php

<?php

```
if (isset($_GET['id_odg']) && isset($_GET['id_a'])) {
```

```
    $idOdg = $_GET['id_odg'];
```

```
    $id_Ankete = $_GET['id_a'];
```

```
    include("konekcija.inc");
```

```
    include("funkcije.inc");
```

```
    $prikazRezultata = "select * from rezultat where id_odgovor=$idOdg and  
id_anketa=$id_Ankete";
```

```
    $rezGlas = izvrsiUpitPrikaz($prikazRezultata,$kon);
```

```
if (gettype($rezGlas) == "array") {
```

```
    $supisRez = "insert into rezultat values(',$id_Ankete,$idOdg,1)";
```

```
    $izvršenUpit = izvrsiUpitBrisanjeUpdateUpis($supisRez,$kon);
```

```
    if ($izvršenUpit) {
```

```
        echo "Uspesno ste glasali";
```

```
    }
```

```
    else{
```

```
        echo "Glasanje nije uspelo";
```

```
    }
```

```

    }else{

        $upitGlas = "update rezultat set rezultat=rezultat+1 where
id_odgovor=$idOdg and id_anketa=$id_Ankete;";

        $glas = izvrsiUpitBrisanjeUpdateUpis($upitGlas,$kon);

        if ($glas) {

            echo "Uspesno ste glasali";

        }

        else{

            echo "Glasanje nije uspelo";

        }

    }

}

?>

```

Pretraga.php

```

<?php

    session_start();

    $pretragaModel = $_POST['model'];

    $pretragaProizvodjaci = $_POST['proizvodjac'];

    $cenaOd = $_POST['cenaOd'];

    $cenaDo = $_POST['cenaDo'];


    $pModel = "";

    $pProizvodjac = "";

    $pCenaOd = "";

```

```
$pCenaDo = "";
```

```
$br = 0;
```

```
if ($pretragaProizvodjaci != 0) {
```

```
    if ($br == 0) {
```

```
        $pProizvodjac.= " p.id_proizvodjac=$pretragaProizvodjaci";
```

```
        $br++;
```

```
    }
```

```
    else{
```

```
        $pProizvodjac.= " and p.id_proizvodjac=$pretragaProizvodjaci";
```

```
    }
```

```
}
```

```
if ($pretragaModel != 0) {
```

```
    if ($br == 0) {
```

```
        $pModel.= " m.id_model=$pretragaModel";
```

```
        $br++;
```

```
    }
```

```
    else{
```

```
        $pModel.= " and m.id_model=$pretragaModel";
```

```
    }
```

```
}
```

```
if ($cenaOd != "") {
```

```
    if ($br == 0) {
```

```
        $pCenaOd.= " cena>$cenaOd";
```

```
        $br++;
```

```

    }
    else{
        $pCenaOd.= " and cena>$cenaOd";
    }
}

if ($cenaDo != "") {
    if ($br == 0) {
        $pCenaDo.=" cena<$cenaDo";
        $br++;
    }
    else{
        $pCenaDo.= " and cena<$cenaDo";
    }
}

include("konekcija.inc");
include("funkcije.inc");

$pSve = $pProizvodjac.$pModel.$pCenaOd.$pCenaDo;

if ($pSve != "") {
    $upitPretraga = "select * from model m inner join proizvodjac p on
m.id_proizvodjac=p.id_proizvodjac inner join slika s on m.id_model=s.id_model
where ".$pSve." group by s.id_model;";
}
else
{

```

```
$upitPretraga = "select * from model m inner join proizvođjac p on  
m.id_proizvođjac=p.id_proizvođjac inner join slika s on m.id_model=s.id_model group by  
s.id_model;";
```

```
}
```

```
$rezSearch = izvrsiUpitPrikaz($upitPretraga,$kon);
```

```
if (gettype($rezSearch) != "array") {
```

```
while ($redPretraga = mysql_fetch_array($rezSearch)) {
```

```
    $nizOpisPr = explode(",", $redPretraga['opis']);
```

```
    echo "<div class='telefon'><a  
href='index.php?id_artikl=".$redPretraga['id_model']."'>";
```

```
    echo "<div class='slika'><img src='".$redPretraga['putanjaM']."'>  
alt='".$redPretraga['alt']."'></div>";
```

```
    echo "<div class='ime'><h4>".$redPretraga['naziv_proizvođjac']."  
".$redPretraga['naziv_model']."</h4></div>";
```

```
    echo "<div class='opis'>";
```

```
    echo  
"<h5>Kamera</h5>".$nizOpisPr[0]."<br/><h5>Procesor</h5>".$nizOpisPr[1]."<br/><h5>Mem  
orija</h5>".$nizOpisPr[2]."<br/><h5>Wi-  
fi/Bluetooth</h5>".$nizOpisPr[3]."<br/><h5>Boja</h5>".$nizOpisPr[4];
```

```
    echo "</a></div>";
```

```
    echo "<span  
class='cena'><h3>Cena</h3><b>".$redPretraga['cena']."&euro;</b></span>";
```

```
    if ($redPretraga['kolicina'] == 0) {
```

```
        echo "<span class='obavestenje'>Trenutno nema</span>";
```

```
    }
```

```

        if (isset($_SESSION['id_korisnik'])) {

            echo "<form method=" action=" name='formaKupi'><input
type='button' name='btnNaruci' class='btnNaruci'
onclick='dodajUKorpu(\".$redPretraga['id_model'].");' value='Naruci'/></form>";

        }

        echo "</div>";

    }

}

else{

    echo "Nema podataka po zadatom kriterijumu!";

}

?>

```

adminSlike.php

```
<div id='prikaz'>
```

```
<?php
```

```

if(isset($_POST['btnUnesi'])){

    $imeSlike = $_FILES['slika']['name'];

    $tmpSlike = $_FILES['slika']['tmp_name'];

    $naziv_slike = time().$imeSlike;

    $idModelSlike = $_POST['ddlModelUnos'];

    $putanjaV = "slike/telefoni/velikeSlike/".$naziv_slike;

    $putanjaM = "slike/telefoni/maleSlike/".$naziv_slike;

    $salt = $_POST['tbAlt'];

    $greskeSlike = array();

```

```

$tipSlike = $_FILES['slika']['type'];

if (($tipSlike == "image/jpg" || $tipSlike == "image/jpeg" || $tipSlike ==
"image/png") && strlen($alt) < 30 && strlen($putanjaV) < 150 && strlen($putanjaM) < 150) {

    if (move_uploaded_file($tmpSlike, $putanjaV)) {

        malaslika($putanjaV,$putanjaM,250,250);

        $upitUpisSlika = "insert into slika
values('$putanjaV','$putanjaM','$alt','$idModelSlike)";

        $rezUnosSlika =
izvrsiUpitBrisanjeUpdateUpis($upitUpisSlika,$kon);

        if (gettype($rezUnosSlika) == "array") {

            $greskeSlike[] = "Slika nije uneta u bazu";

        }

    }

    else{

        $greskeSlike[] = "Slika nije prebacena na server";

    }

}

else{

    $greskeSlike[] = "Tip fajla nije podrzan ili parametri nisu
odgovarajuci";

}

}

if(isset($greskeSlike) && count($greskeSlike) > 0){

    foreach($greskeSlike as $gs){

        echo $gs."<br/>";

    }

}

```

```

    }

?>

<div id="izaberiModel">

    <h3>Prikaz po modelima</h3>

    <hr/>

    <form method='POST' action="" name='formaPrikaz'>

        <table>

            <tr>

                <td><label for="ddlModel"
class="labela">Model</label></td>

                <td>

                    <select name="ddlModel" id="ddlModel">

                        <option value="0">Izaberi</option>

                        <?php
                            $modeli = prikaz($kon,'model');
                            foreach ($modeli as $m) {
                                echo "<option
value='\".$m['id_model'].\"'>\".$m['naziv_model'].\"</option>";
                            }

                        ?>

                    </select>

                </td>

            </tr>

            <tr>

                <td colspan="2" align="center"><input type="submit"
class="dugmePanel" name="btnPrikazi" value="Prikazi"></td>

```



```

        </tr>

    </table>

</form>

</div>

<div id="slikeModela">

    <?php

        if (isset($_POST['btnPrikazi'])) {

            $id_izabranMod = $_POST['ddlModel'];

            $slikeUpit = "select * from slika s inner join model m on
s.id_model=m.id_model where s.id_model=$id_izabranMod;";

            $slikeRez = izvrsiUpitPrikaz($slikeUpit,$skon);

            if (gettype($slikeRez) != "array") {

                while ($redSlika = mysql_fetch_array($slikeRez)) {

                    ?>

                        <div class="malaSlika">

                            <a href="<?php echo
$redSlika['putanjaV']; ?>">" title="<?php echo $redSlika['naziv_model']; ?>"/></a>

                        </div>

                        <?php

                            }

                        }

                    }

                ?>

            </div>

```

</div>

<div id='izmena'>

<h3>Unos slika</h3>

<hr/>

<form method='POST' action="" name='formaUnos' enctype="multipart/form-data">

<table>

<tr>

<td><label for="ddlModelUnos" class="labela">Model</label></td>

<td>

<select name="ddlModelUnos" id="ddlModelUnos">

<option value="0">Izaberi</option>

<?php

\$modeliUnos = prikaz(\$kon,'model');

foreach (\$modeliUnos as \$mu) {
echo "<option
value='".\$mu['id_model']."'>".\$mu['naziv_model']."'</option>";
}

?>

</select>

</td>

</tr>

<tr>

<td><label for="tbAlt" class="labela">Opis</label></td>

<td><input type="text" name="tbAlt" id="tbAlt"/></td>

```

        </tr>

        <tr>

            <td><label for="slika" class="labela">Slika</label></td>

            <td><input type="file" name="slika" id="slika"/></td>

        </tr>

        <tr>

            <td colspan="2" align="center"><input type="submit"
class="dugmePanel" name="btnUnesi" value="Unesi"></td>

        </tr>

    </table>

</form>

</div>

adminUloge.php

<div id='prikaz'>

    <?php

        if(isset($_POST['btnIzmeni'])){

            $usernameUloga = $_POST['ddlUsername'];

            $ulogaDodela = $_POST['ddlUloga'];

            if ($usernameUloga != 0 && $ulogaDodela != 0) {

                $upitUlogeKorisnika = "select * from korisnik_uloga where
id_korisnik=$usernameUloga and id_uloga=$ulogaDodela;";

                $rezKorisnikUloga = izvrsiUpitPrikaz($upitUlogeKorisnika,$kon);

                if (gettype($rezKorisnikUloga) == "array") {

```

```

$upisUloge = "insert into korisnik_uloga
values('$usernameUloga,$ulogaDodela)";

$dodelaUloge =
izvrsiUpitBrisanjeUpdateUpis($upisUloge,$kon);

if ($dodelaUloge) {
    echo "Uspesno ste dodelili ulogu";
}
else{
    echo "Dodela uloge nije uspela";
}

}else{

$updateUlogeKorisnika = "update korisnik_uloga set
id_korisnik=$usernameUloga, id_uloga=$ulogaDodela where id_korisnik=$usernameUloga and
id_uloga=$ulogaDodela";

$updateKor =
izvrsiUpitBrisanjeUpdateUpis($updateUlogeKorisnika,$kon);

if ($updateKor) {
    echo "Uspesno ste dodelili ulogu";
}
else{
    echo "Dodela uloge nije uspela";
}

}

}

else {

    echo "Izaberite korisnika i ulogu";
}

```

```

        }
    }
?>

<form method='POST' action="" name='formaIzmena'>

    <table>

        <tr>

            <td>Username</td>

            <td>Uloga</td>

        </tr>

        <?php

            $upitKorUloga = "select * from korisnik k inner join
korisnik_uloga ku on k.id_korisnik=ku.id_korisnik inner join uloga u on
ku.id_uloga=u.id_uloga;";

            $rezPrikazKorUloga = izvrsiUpitPrikaz($upitKorUloga,$kon);

            if (gettype($rezPrikazKorUloga != "array")) {

                while ($redUlogaKor =
mysql_fetch_array($rezPrikazKorUloga)) {

                    echo
" <tr><td>".$redUlogaKor['username']. "</td><td>".$redUlogaKor['naziv_uloga']. "</td></tr>";

                }

            }

        ?>

    </table>

</form>

</div>

<div id='izmena'>

    <form action="" method="POST" name="formaPromeni">

```

```

<table>

    <tr>

        <td><label class='labela'
for='tbUsernameDodela'>Username</label></td>

        <td>

            <select name="ddlUsername" id="ddlUsername">

                <option value="0">Izaberi</option>

                <?php
                    $users = prikaz($kon,'korisnik');
                    foreach ($users as $user) {
                        echo "<option
value='".$user['id_korisnik']."'>".$user['username']."</option>";
                    }
                ?>

            </select>

        </td>

    </tr>

    <tr>

        <td><label for='tbUloga' class='labela'>Uloga</label></td>

        <td>

            <select name="ddlUloga" id="ddlUloga">

                <option value="0">Izaberi</option>

                <?php
                    $uloge = prikaz($kon,'uloga');
                    foreach ($uloge as $uloga) {

```

```

                                echo "<option
value='".$$uloga['id_uloga']."'>".$$uloga['naziv_uloga']."</option>";

                                }

                                ?>

                                </select>

                                </td>

                                </tr>

                                <tr>

                                <td colspan="2" align="center"><input type='submit'
class="dugmePanel" name='btnIzmeni' value='Dodeli'/><input type="reset" class="dugmePanel"
name="btnPonisti" value="Ponisti" /></td>

                                </tr>

                                </table>

                                </form>

                                </div>

                                adminGrad.php

                                <div id='prikaz'>

                                <?php

                                if(isset($_POST['btnIzmeni'])) {

                                $nazivGrad = $_POST['tbImeGrada'];

                                $posbr = $_POST['tbPosBr'];

                                $idGrad = $_POST['sakriveniIdGrad'];

                                $nazivGrad = zastita($nazivGrad);

                                if (strlen($nazivGrad) < 30 && isset($posbr)) {

                                $upitIzmenaGrad = "update grad set ime_grad='".$$nazivGrad."',
pos_br='".$$posbr."' where id_grad=$idGrad;";

```

```

        $rezPromenaGrad =
izvrsiUpitBrisanjeUpdateUpis($upitIzmenaGrad,$kon);

        if ($rezPromenaGrad) {

            echo "Uspesno ste izmenili podatke za grad";

        }

        else{

            echo "Podaci za grad nisu izmenjeni";

        }

    }

    else {

        echo "Prevelik broj karaktera ili niste uneli postanski broj";

    }

}

else if (isset($_POST['btnUpisi'])) {

    $imeGrad = $_POST['tbImeGrada'];

    $PosBr = $_POST['tbPosBr'];

    $imeGrad = zastita($imeGrad);

    if (strlen($imeGrad) < 30 && isset($PosBr)) {

        $upitUnosGrad = "insert into grad values('$imeGrad',$PosBr)";

        $rezUpisGrad =
izvrsiUpitBrisanjeUpdateUpis($upitUnosGrad,$kon);

        if ($rezUpisGrad) {

            echo "Uspesno ste uneli grad";

        }

        else{

```



```

        echo "Grad nije unet";

    }

}

else {

    echo "Prevelik broj karaktera ili niste uneli postanski broj";

}

}

?>

<form method='POST' action="" name='formaIzmena'>

    <table>

        <tr>

            <td>Grad</td>

            <td>Postanski broj</td>

            <td>Izmeni</td>

        </tr>

        <?php

            $gradovi = prikaz($kon,"grad");

            foreach ($gradovi as $g) {

                echo

                "<tr><td>".stripslashes($g['ime_grad'])."</td><td>".stripslashes($g['pos_br'])."</td><td><img

                src='slike/ikonice/edit.png' alt='izmeni' onclick='promenaGrad(\".$g['id_grad'].\")';></td></tr>";

            }

        ?>

    </table>

</form>

</div>

```

```

<div id='izmena'>

    <form action="" method="POST" name="formaPromeni">

        <table>

            <tr>

                <td><label class='labela' for='tbImeGrada'>Ime
grada</label></td>

                <td><input type='text' class='tbText' id='tbImeGrada'
name='tbImeGrada' /></td>

            </tr>

            <tr>

                <td><label for='tbPosBr' class='labela'>Postanski
broj</label></td>

                <td>

                    <input type='text' class='tbText' name='tbPosBr'
id='tbPosBr' />

                    <input type="hidden" name="sakriveniIdGrad"
id="sakriveniIdGrad" value=""/>

                </td>

            </tr>

            <tr>

                <td colspan="2" align="center"><input type='submit'
class="dugmePanel" name='btnIzmeni' value='Izmeni' /><input type='submit'
class="dugmePanel" name='btnUpisi' value='Upisi' /></td>

            </tr>

        </table>

    </form>

</div>

adminAnketa.php

```

```
<div id='prikaz'>

    <?php

        if(isset($_POST['btnIzmeni'])) {

            $pitanjeIzmena = $_POST['taPitanje'];

            @$aktivnaIzmena = $_POST['rbAktivna'];

            $idanketa = $_POST['sakriveniIdAnketa'];

            $pitanjeIzmena = zastita($pitanjeIzmena);


            if (strlen($pitanjeIzmena) > 0 && isset($aktivnaIzmena)) {

                $supitIzmenaAnketa = "update anketa set
pitanje=" . $pitanjeIzmena . ", aktivna=" . $aktivnaIzmena . " where id_anketa=$idanketa;";

                $rezIzmenaAnketa =
izvrsiUpitBrisanjeUpdateUpis($supitIzmenaAnketa,$kon);

                if ($rezIzmenaAnketa) {

                    echo "Uspesno ste izmenili anketu";

                }

                else {

                    echo "Anketa nije izmenjena";

                }

            }

            else {

                echo "Unesite pitanje i izaberite status ankete";

            }

        }

        else if (isset($_POST['btnUpisi'])) {
```

```
$pitanje = $_POST['taPitanje'];

@$aktivna = $_POST['rbAktivna'];

$pitanje = zastita($pitanje);

if (strlen($pitanje) > 0 && isset($aktivna)) {

    $upitUnosAnketa = "insert into anketa
values('$pitanje',$aktivna)";

    $rezUnosAnketa =
izvrsiUpitBrisanjeUpdateUpis($upitUnosAnketa,$kon);

    if ($rezUnosAnketa) {

        echo "Uspesno ste uneli anketu";

    }

    else{

        echo "Anketa nije uneta";

    }

}

else {

    echo "Niste upisali pitanje ili odgovor";

}

}

else if (isset($_POST['btnUpisiOdgovor'])) {

    $idPitanje = $_POST['ddlPitanje'];

    $odgovor = $_POST['taOdgovor'];

    $odgovor = zastita($odgovor);
```

```

        if (strlen($odgovor) > 0 && $idPitanje != 0 ) {

            $upitOdgovor = "insert into odgovori
values('$odgovor',$idPitanje)";

            $rezUnosOdgovor =
izvrsiUpitBrisanjeUpdateUpis($upitOdgovor,$kon);

            if ($rezUnosOdgovor) {

                echo "Uspesno ste uneli odgovor";

            }

            else

            {

                echo "Odgovor nije unet";

            }

        }

        else{

            echo "Unesite odgovor i izaberite pitanje na koje se odgovor
odnosi";

        }

    }

?>

<h3>Anketa</h3>

<hr/>

<form method='POST' action="" name='formaIzmena'>

    <table>

        <tr>

```

```

        <td>Pitanje</td>

        <td>Aktivna</td>

        <td>Izmeni</td>

    </tr>

    <?php
        $anketa = prikaz($kon,"anketa");

        foreach ($anketa as $a) {

            echo
"    <tr><td>".stripslashes($a['pitanje'])."</td><td>".stripslashes($a['aktivna'])."</td><td><img
src='slike/ikonice/edit.png' alt='izmeni'
onclick='promenaAnketa(\".$a['id_anketa'].")'/></td></tr>";

        }

    ?>

</table>

</form>

</div>

<div id='izmena'>

    <div class="izmenaAnketa">

        <h3>Dodaj pitanje</h3>

        <hr/>

        <form action="" method="POST" name="formaPromeni">

            <table>

                <tr>

                    <td><label class='labela'
for='taPitanje'>Pitanje</label></td>

                    <td><textarea id="taPitanje"
name="taPitanje"></textarea></td>

```

```

        </tr>

        <tr>

            <td><label for='tbLink'
class='labela'>Aktivna</label></td>

            <td>

                <input type='radio' name='rbAktivna' id='da'
value="1" />Da<br/>

                <input type='radio' name="rbAktivna" id="ne"
value="0" />Ne

                <input type="hidden" name="sakriveniIdAnketa"
id="sakriveniIdAnketa" value=""/>

            </td>

        </tr>

        <tr>

            <td colspan="2" align="center"><input type='submit'
class="dugmePanel" name='btnIzmeni' value='Izmeni' /><input type='submit'
class="dugmePanel" name='btnUpisi' value='Upisi' /></td>

        </tr>

    </table>

</form>

</div>

<div class="izmenaAnketa">

    <h3>Dodaj odgovor</h3>

    <hr/>

    <form action="" method="POST" name="formaDodajOdgovor">

        <table>

            <tr>

```

```

        <td>

        <label class="labela"
for="ddlPitanje">Pitanje</label>

        </td>

        <td>

        <select name="ddlPitanje" id="ddlPitanje">

            <option value="0">Izaberi</option>

            <?php
                $pitanja = prikaz($kon,'anketa');
                foreach ($pitanja as $pitanje) {
                    echo "<option
value='".$pitanje['id_anketa']."'>".$pitanje['pitanje']."'</option>";

                }

            ?>

        </select>

        </td>

    </tr>

    <tr>

        <td>

        <label class="labela"
for="taOdgovor">Odgovor</label>

        </td>

        <td>

        <textarea id="taOdgovor"
name="taOdgovor"></textarea>

        </td>

    </tr>

```



```
<tr>

        <td colspan="2" align="center"><input type='submit'
class="dugmePanel" name='btnUpisiOdgovor' value='Upisi'/><input type="reset"
class="dugmePanel" name="btnReset" value="Ponisti"/></td>
```

```
</tr>
```

```
</table>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
adminModeliProiyvodjaci.php
```

```
<div id='prikaz'>
```

```
<?php
```

```
if(isset($_POST['btnUpisiModel'])){
```

```
    $nazivModel = $_POST['tbNazivModela'];
```

```
    $proizvodjacId = $_POST['ddlProizvodjac'];
```

```
    $kamera = $_POST['tbKamera'];
```

```
    $procesor = $_POST['tbProcesor'];
```

```
    $memorija = $_POST['tbMemorija'];
```

```
    $wifi = $_POST['tbWiFi'];
```

```
    $boja = $_POST['tbBoja'];
```

```
    $cena = $_POST['tbCena'];
```

```
    $kolicina = $_POST['tbKolicina'];
```

```
    $nizZaOpis = array($kamera,$procesor,$memorija,$wifi,$boja);
```

```
    $upisOpis = implode(", ", $nizZaOpis);
```

```

$nazivModel = zastita($nazivModel);

if (strlen($nazivModel) < 25 && $proizvodjacId != 0){

    $upitUpisModel = "insert into model
values('$nazivModel',$proizvodjacId,'$upisOpis',$scena,$kolicina);";

    $rezUpisModel =
izvrsiUpitBrisanjeUpdateUpis($upitUpisModel,$kon);

    if ($rezUpisModel) {

        echo "Uspesno ste uneli model";

    }

    else{

        echo "Model nije unet";

    }

}

else {

    echo "Prevelik broj karaktera za naziv modela ili niste izabrali
proizvodjaca";

}

}

else if (isset($_POST['btnIzmeniModel'])) {

    $nazivMod = $_POST['tbNazivModela'];

    $pId = $_POST['ddlProizvodjac'];

    $idMod = $_POST['sakriveniIdModela'];

    $kameraa = $_POST['tbKamera'];

    $procesorr = $_POST['tbProcesor'];

    $memorijaa = $_POST['tbMemorija'];

```

```

$wifii = $_POST['tbWiFi'];

$bojaa = $_POST['tbBoja'];

$scenaa = $_POST['tbCena'];

$skolicinaa = $_POST['tbKolicina'];


$nizZaOpiss = array($kameraa,$procesorr,$memorijaa,$wifii,$bojaa);

$supisOpiss = implode(", ", $nizZaOpiss);


$nazivMod = zastita($nazivMod);


if (strlen($nazivMod) < 25 && $pId != 0){

    $supitIzmenaModel = "update model set
naziv_model='".$nazivMod."',id_proizvodjac=$pId, opis='".$supisOpiss."', cena=$scenaa,
kolicina=$skolicinaa where id_model=$idMod;";

    $rezIzmenaModel =
izvrsiUpitBrisanjeUpdateUpis($supitIzmenaModel,$kon);

    if ($rezIzmenaModel) {

        echo "Uspesno ste izmenili podatke za model";

    }

    else{

        echo "Model nije izmenjen";

    }

}

else {

    echo "Prevelik broj karaktera za naziv modela ili niste izabrali
proizvodjaca";

}

```

```

    }

    else if (isset($_POST['btnUpisiProizvodjaca'])) {

        $nazivP = $_POST['tbNazivProizvodjaca'];

        $nazivP = zastita($nazivP);

        if (strlen($nazivP) < 30) {

            $upitUnosProizvodjac = "insert into proizvodjac
values('$nazivP')";

            $rezUpisPr =
izvrsiUpitBrisanjeUpdateUpis($upitUnosProizvodjac,$kon);

            if ($rezUpisPr) {

                echo "Uspesno ste uneli proizvodjaca";

            }

            else{

                echo "Proizvodjac nije unet";

            }

        }

        else {

            echo "Prevelik broj karaktera";

        }

    }else if (isset($_POST['btnIzmeniProizvodjaca'])) {

        $nazivProizvodjac = $_POST['tbNazivProizvodjaca'];

        $idProizvodjac = $_POST['sakriveniIdProizvodjaca'];

        $nazivProizvodjac = zastita($nazivProizvodjac);

```

```
if (strlen($nazivProizvodjac) < 30) {  
  
    $upitIzmenaProizvodjac = "update proizvodjac set  
naziv_proizvodjac='".$nazivProizvodjac.'" where id_proizvodjac=$idProizvodjac";  
  
    $rezIzmenaPr =  
izvrsiUpitBrisanjeUpdateUpis($upitIzmenaProizvodjac,$kon);  
  
    if ($rezIzmenaPr) {  
  
        echo "Uspesno ste promenili podatke za proizvodjaca";  
  
    }  
  
    else{  
  
        echo "Proizvodjac nije izmenjen";  
  
    }  
  
}  
  
else {  
  
    echo "Prevelik broj karaktera";  
  
}  
  
}
```

?>

<div id="proizvodjaci">

<h3>Proizvodjaci</h3>

<hr/>

<form method='POST' action="" name='formaIzmenaProizvodjac'>

<table>

<tr>

<td>Naziv proizvodjaca</td>

<td>Izmeni</td>

```

        </tr>

        <?php
            $proizvodjac = prikaz($kon,"proizvodjac");

            foreach ($proizvodjac as $p) {

                echo
                "<tr><td>".stripslashes($p['naziv_proizvodjac'])."</td><td><img src='slike/ikonice/edit.png'
                alt='izmeni' onclick='promenaProizvodjac(\".$p['id_proizvodjac'].\")'/></td></tr>";

            }

        ?>

    </table>

</form>

</div>

<div id="modeli">

    <h3>Modeli</h3>

    <hr/>

    <form method='POST' action="" name='formaIzmenaModel'>

        <table>

            <tr>

                <td>Naziv modela</td>

                <td>Proizvodjac</td>

                <td>Kamera</td>

                <td>Procesor</td>

                <td>Memorija</td>

                <td>Wi-fi/Bluetooth</td>

                <td>Boja</td>

                <td>Cena</td>

```

```

        <td>Kolicina</td>

        <td>Izmeni</td>

    </tr>

    <?php
        $supitModel = "select * from model m inner join
        proizvodjac p on m.id_proizvodjac=p.id_proizvodjac;";

        $rezModel = izvrsiUpitPrikaz($supitModel,$kon);

        if (gettype($rezModel) != "array") {

            while ($redModel =
mysql_fetch_array($rezModel)) {

                $nizOpis = explode(",", $redModel['opis']);

                echo
" <tr><td>".$redModel['naziv_model']. "</td><td>".$redModel['naziv_proizvodjac']. "</td><td>".
$nizOpis[0]. "</td><td>".$nizOpis

                [1]. "</td><td>".$nizOpis[2]. "</td><td>".$nizOpis[3]. "</td><td>".$nizOpis[4]. "</td><td>
                >".$redModel['cena']. "</td><td>".$redModel['kolicina']. "</td><td><img
                src='slike/ikonice/edit.png' alt='izmeni'
                onclick='promenaModel(\".$redModel['id_model']. "\");'/></td></tr>";

                }

            }

        ?>

    </table>

    </form>

</div>

<div id='izmena'>

    <div id="proizvodjaciIzmena">

```

```

<h3>Proizvodjaci</h3>

<hr/>

<form action="" method="POST" name="formaPromeniProizvodjac">

    <table>

        <tr>

            <td><label class='labela' for='tbNazivProizvodjaca'>Naziv
proizvodjaca</label></td>

            <td>

                <input type='text' class='tbText'
id='tbNazivProizvodjaca' name='tbNazivProizvodjaca' />

                <input type="hidden"
name="sakriveniIdProizvodjaca" id="sakriveniIdProizvodjaca" value=""/>

            </td>

        </tr>

        <tr>

            <td colspan="2" align="center"><input type='submit'
class="dugmePanel" name='btnIzmeniProizvodjaca' value='Izmeni'/><input type='submit'
class="dugmePanel" name='btnUpisiProizvodjaca' value='Upisi'/></td>

        </tr>

    </table>

</form>

</div>

<div id="modelIzmena">

    <h3>Modeli</h3>

    <hr/>

    <form action="" method="POST" name="formaPromeniModel">

        <table>

```



```

        <tr>

            <td><label class='labela' for='tbNazivModela'>Naziv
modela</label></td>

            <td>

                <input type='text' class='tbText' id='tbNazivModela'
name='tbNazivModela' />

                <input type="hidden" name="sakriveniIdModela"
id="sakriveniIdModela" value=""/>

            </td>

        </tr>

        <tr>

            <td><label class='labela'
for='tbProizvodjac'>Proizvodjac</label></td>

            <td>

                <select name="ddlProizvodjac"
id="ddlProizvodjac">

                    <option value="0">Izaberi</option>

                    <?php
                        $pro = prikaz($kon,"proizvodjac");
                        foreach ($pro as $pr) {
                            echo "<option
value='".$pr['id_proizvodjac']."'>".$pr['naziv_proizvodjac']."'</option>";
                        }
                    ?>

                </select>

            </td>

        </tr>

```

```

        <tr>

            <td><label class='labela'
for='tbKamera'>Kamera</label></td>

            <td>

                <input type='text' class='tbText' id='tbKamera'
name='tbKamera' />

            </td>

        </tr>

        <tr>

            <td><label class='labela'
for='tbProcesor'>Procesor</label></td>

            <td>

                <input type='text' class='tbText' id='tbProcesor'
name='tbProcesor' />

            </td>

        </tr>

        <tr>

            <td><label class='labela'
for='tbMemorija'>Memorija</label></td>

            <td>

                <input type='text' class='tbText' id='tbMemorija'
name='tbMemorija' />

            </td>

        </tr>

        <tr>

            <td><label class='labela' for='tbWiFi'>Wi-
fi/Bluetooth</label></td>

            <td>

```

```

name='tbWiFi' />
        <input type='text' class='tbText' id='tbWiFi'

        </td>

    </tr>

    <tr>

        <td><label class='labela' for='tbBoja'>Boja</label></td>

        <td>

            <input type='text' class='tbText' id='tbBoja'

name='tbBoja' />

            </td>

        </tr>

        <tr>

            <td><label class='labela' for='tbCena'>Cena</label></td>

            <td>

                <input type='text' class='tbText' id='tbCena'

name='tbCena' />

                </td>

            </tr>

            <tr>

                <td><label class='labela'

for='tbKolicina'>Kolicina</label></td>

                <td>

                    <input type='text' class='tbText' id='tbKolicina'

name='tbKolicina' />

                    </td>

                </tr>

                <tr>

```

```
        <td colspan="2" align="center"><input type='submit'  
class="dugmePanel" name='btnIzmeniModel' value='Izmeni'/><input type='submit'  
class="dugmePanel" name='btnUpisiModel' value='Upisi'/></td>
```

```
</tr>
```

```
</table>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
adminMeni.php
```

```
<div id='prikaz'>
```

```
<?php
```

```
    if(isset($_POST['btnIzmeni'])){\
```

```
        $nazivMenu = $_POST['tbNazivMeni'];
```

```
        $linkMenu = $_POST['tbLink'];
```

```
        $idMenu = $_POST['sakriveniIdMeni'];
```

```
        $pozicija = $_POST['tbPozicija'];
```

```
        $nazivMenu = zastita($nazivMenu);
```

```
        $linkMenu = zastita($linkMenu);
```

```
        if (strlen($nazivMenu) < 30 && strlen($linkMenu) < 50) {\
```

```
            $upitIzmenaMeni = "update meni set link='".$linkMenu."',  
naziv_meni='".$nazivMenu."', pozicija=$pozicija where id_meni=$idMenu;";
```

```
            $rezPromenaMeni =  
izvrsiUpitBrisanjeUpdateUpis($upitIzmenaMeni,$kon);
```

```
            if ($rezPromenaMeni) {\
```

```
                echo "Uspesno ste izmenili meni";
```

```
            }
```

```

        else{

            echo "Meni nije izmenjen";

        }

    }

    else {

        echo "Prevelik broj karaktera";

    }

}

else if (isset($_POST['btnUpisi'])) {

    $nazivM = $_POST['tbNazivMeni'];

    $link = $_POST['tbLink'];

    $pozicijaM = $_POST['tbPozicija'];

    $nazivM = zastita($nazivM);

    $link = zastita($link);

    if (strlen($nazivM) < 30 && strlen($link) < 50) {

        $upitUnosMeni = "insert into meni
values('$link','$nazivM','$pozicijaM');";

        $rezUpis = izvrsiUpitBrisanjeUpdateUpis($upitUnosMeni,$kon);

        if ($rezUpis) {

            echo "Uspesno ste uneli meni";

        }

        else{

            echo "Meni nije unet";

        }

    }

}

```

```

        }

        else {

            echo "Prevelik broj karaktera";

        }

    }

?>

<form method='POST' action="" name='formaIzmena'>

    <table>

        <tr>

            <td>Naziv menija</td>

            <td>Link</td>

            <td>Pozicija</td>

            <td>Izmeni</td>

        </tr>

        <?php

            $meni = prikaz($kon,"meni");

            foreach ($meni as $m) {

                echo

                "<tr><td>".stripslashes($m['naziv_meni'])."</td><td>".stripslashes($m['link'])."</td><td>".$m['
                pozicija'].</td><td><img src='slike/ikonice/edit.png' alt='izmeni'
                onclick='promenaMeni(\".$m['id_meni'].")>'/></td></tr>";

            }

        ?>

    </table>

</form>

</div>

```

```

<div id='izmena'>

    <form action="" method="POST" name="formaPromeni">

        <table>

            <tr>

                <td><label class='labela' for='tbNazivMeni'>Naziv
meni</label></td>

                <td><input type='text' class='tbText' id='tbNazivMeni'
name='tbNazivMeni' onblur="ispisiLink();" /></td>

            </tr>

            <tr>

                <td><label for='tbLink' class='labela'>Link</label></td>

                <td>

                    <input type='text' class='tbText' name='tbLink' id='tbLink'

/>

                    <input type="hidden" name="sakriveniIdMeni"

id="sakriveniIdMeni" value="" />

                </td>

            </tr>

            <tr>

                <td><label for="tbPozicija" class="labela">Pozicija</label></td>

                <td><input type="text" name="tbPozicija" id="tbPozicija"/></td>

            </tr>

            <tr>

                <td colspan="2" align="center"><input type='submit'

class="dugmePanel" name="btnIzmeni" value='Izmeni' /><input type='submit'

class="dugmePanel" name="btnUpisi" value='Upisi' /></td>

            </tr>

```

```
</table>
```

```
</form>
```

```
</div>
```

dohvatiMeni.php

```
<?php
```

```
    if (isset($_GET['id_menu'])) {  
        $id = $_GET['id_menu'];  
        include("konekcija.inc");  
        $upitM = "select * from meni where id_meni=$id;";  
        $rezM = mysql_query($upitM,$kon)or die("Upit za dohvananje menija nije  
izvršen".mysql_error());
```

```
        $redM = mysql_fetch_array($rezM);
```

```
        $nizM =  
array($redM['id_meni'],$redM['link'],$redM['naziv_meni'],$redM['pozicija']);
```

```
        echo json_encode($nizM);
```

```
    }
```

```
?>
```

adminKorisnici.php

```
<div id="prikaz">
```

```
<?php
```

```
    if(isset($_POST['btnIzmeni'])){\
```

```
        $imePrezimeK = $_POST['tbImePrezime'];
```

```
        $usernameK = $_POST['tbUsername'];
```



```

$emailK = $_POST['tbEmail'];

$passwordK = $_POST['tbPassword'];

$idSKor = $_POST['sakriveniIdKorisnik'];


$regImePrezimeK = "/^[A-Z][a-z]{2,24}\s[A-Z][a-z]{3,23}$/";
$regUsernameK = "/^(\w)+(\d)*$/";
$regEmailK = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";
$regPasswordK = "/^[A-Za-z0-9]{6,10}$/";


$greskeIzmenaK = array();


if (!preg_match($regImePrezimeK, $imePrezimeK)) {
    $greskeUpisK[] = "Ime i prezime nije u dobrom formatu.";
}

if (!preg_match($regUsernameK, $usernameK) || strlen($usernameK) >
20) {

    $greskeUpisK[] = "Username nije u dobrom formatu.";
}

if (!preg_match($regEmailK, $emailK) || strlen($emailK) > 50) {
    $greskeUpisK[] = "Email nije u dobrom formatu.";
}

if (!preg_match($regPasswordK, $passwordK)) {
    $greskeUpisK[] = "Password nije u dobrom formatu.";
}

```

```

if (count($greskeIzmenaK) == 0) {

    $imePrezimeK = zastita($imePrezimeK);

    $usernameK = zastita($usernameK);

    $emailK = zastita($emailK);


    $passwordK = md5($passwordK);


    $upitPromenaKorisnik = "update korisnik set
ime_prezime='".$imePrezimeK."', username='".$usernameK."', password='".$passwordK."',
email='".$emailK.'" where id_korisnik=$idSKor;";

    $rezIzmenaKorisnik =
izvrsiUpitBrisanjeUpdateUpis($upitPromenaKorisnik,$kon);


    if ($rezIzmenaKorisnik) {

        echo "Uspesno ste promenili podatke za korisnika";

    }

    else{

        echo "Podaci za korisnika nisu promenjeni";

    }

} else {

    foreach ($greskeIzmenaK as $gik) {

        echo $gik."<br/>";

    }

}

}

else if (isset($_POST['btnUpisi'])) {

```

```
$imePrezime = $_POST['tbImePrezime'];

$username = $_POST['tbUsername'];

$email = $_POST['tbEmail'];

$password = $_POST['tbPassword'];


$regImePrezime = "/^[A-Z][a-z]{2,24}\s[A-Z][a-z]{3,23}$/";

$regUsername = "/^(\w)+(\d)*$/";

$regEmail = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";

$regPassword = "/^[A-Za-z0-9]{6,10}$/";


$greskeUpisK = array();


if (!preg_match($regImePrezime, $imePrezime)) {

    $greskeUpisK[] = "Ime i prezime nije u dobrom formatu.";

}

if (!preg_match($regUsername, $username) || strlen($username) > 20) {

    $greskeUpisK[] = "Username nije u dobrom formatu.";

}

if (!preg_match($regEmail, $email) || strlen($email) > 50) {

    $greskeUpisK[] = "Email nije u dobrom formatu.";

}

if (!preg_match($regPassword, $password)) {

    $greskeUpis[] = "Password nije u dobrom formatu.";

}
```

?>

```

<form method='POST' action="" name='formaIzmena'>

    <table>

        <tr>

            <td>Ime i prezime</td>

            <td>Username</td>

            <td>Email</td>

            <td>Izmeni</td>

        </tr>

        <?php

            $rezKorisnici = prikaz($kon,'korisnik');

            foreach ($rezKorisnici as $korisnik) {

                echo

                "<tr><td>".stripslashes($korisnik['ime_prezime'])."</td><td>".stripslashes($korisnik['username'])
                )."</td><td>".stripslashes($korisnik['email'])."</td><td><img src='slike/ikonice/edit.png'
                alt='izmeni' onclick='promenaKorisnik(\".$korisnik['id_korisnik'].")'/></td></tr>";

            }

        ?>

    </table>

</form>

</div>

<div id="izmena">

    <form action="" method="POST" name="formaPromeni">

        <table>

            <tr>

                <td><label class='labela' for='tbImePrezime'>Ime i
                prezime</label></td>

```

```

        <td><input type='text' class='tbText' id='tbImePrezime'
name='tbImePrezime'/></td>

    </tr>

    <tr>

        <td><label for='tbUsername'
class='labela'>Username</label></td>

        <td><input type='text' class='tbText' name='tbUsername'
id='tbUsername' /></td>

    </tr>

    <tr>

        <td><label class='labela' for='tbEmail'>Email</label></td>

        <td><input type='text' class='tbText' id='tbEmail'
name='tbEmail'/></td>

    </tr>

    <tr>

        <td><label class='labela' for='tbPassword'>Password</label></td>

        <td>

            <input type='password' class='tbText' id='tbPassword'
name='tbPassword'/>

            <input type="hidden" name="sakriveniIdKorisnik"
id="sakriveniIdKorisnik" value=""/>

        </td>

    </tr>

    <tr>

        <td colspan="2" align="center"><input type='submit'
class="dugmePanel" name='btnIzmeni' value='Izmeni'/><input type='submit'
class="dugmePanel" name='btnUpisi' value='Upisi'/></td>

    </tr>

```

```
</table>

</form>

</div>

Admin.php

<?php

    include("konekcija.inc");

?>

<div id="meniAdmin">

    <div id="sadrzajAdminMeni">

        <ul>

            <li><a href="index.php?a=1">Unos i izmena</a></li>

            <li><a href="index.php?a=2">Brisanje</a></li>

        </ul>

    </div>

</div>

</div>

<div id="panelSadrzaj">

    <div id="levo">

        <div id="podmeni">

            <h3>Admin panel</h3>

            <hr/>

            <ul>

                <?php

                    if (isset($_GET['a']) && $_GET['a'] == 1) {

                        $a = $_GET['a'];
```

```

                                echo "<li><a
href='index.php?a=".$a."&y=1'>Meni</a></li>

                                <li><a
href='index.php?a=".$a."&y=2'>Korisnici</a></li>

                                <li><a href='index.php?a=".$a."&y=3'>Modeli i
proizvodjaci</a></li>

                                <li><a
href='index.php?a=".$a."&y=4'>Anketa</a></li>

                                <li><a
href='index.php?a=".$a."&y=5'>Gradovi</a></li>

                                <li><a href='index.php?a=".$a."&y=6'>Slike
modela</a></li>

                                <li><a href='index.php?a=".$a."&y=7'>Uloge
korisnika</a></li>";

                                }

                                else if (isset($_GET['a']) && $_GET['a'] == 2) {

                                $a = $_GET['a'];

                                echo "<li><a
href='index.php?a=".$a."&b=1'>Meni</a></li>

                                <li><a
href='index.php?a=".$a."&b=2'>Korisnici</a></li>

                                <li><a href='index.php?a=".$a."&b=3'>Modeli i
proizvodjaci</a></li>

                                <li><a
href='index.php?a=".$a."&b=4'>Anketa</a></li>

                                <li><a
href='index.php?a=".$a."&b=5'>Gradovi</a></li>

                                <li><a href='index.php?a=".$a."&b=6'>Slike
modela</a></li>

```



```

                                <li><a href='index.php?a=".$a."&b=7'>Uloge
korisnika</a></li>";

                                }

                                ?>

                                </ul>

                                </div>

                                </div>

                                <div id="desno">

                                <?php

                                if (isset($_GET['a']) && $_GET['a'] == 1 && isset($_GET['y']) && $_GET['y']

== 1) {

                                include("adminMeni.php");

                                }

                                else if (isset($_GET['a']) && $_GET['a'] == 1 && isset($_GET['y']) &&

$_GET['y'] == 2) {

                                include("adminKorisnici.php");

                                }

                                else if (isset($_GET['a']) && $_GET['a'] == 1 && isset($_GET['y']) &&

$_GET['y'] == 3) {

                                include("adminModeliProizvodjaci.php");

                                }

                                else if (isset($_GET['a']) && $_GET['a'] == 1 && isset($_GET['y']) &&

$_GET['y'] == 4) {

                                include("adminAnketa.php");

                                }

                                else if (isset($_GET['a']) && $_GET['a'] == 1 && isset($_GET['y']) &&

$_GET['y'] == 5) {

```

```

        include("adminGrad.php");
    }

    else if (isset($_GET['a']) && $_GET['a'] == 1 && isset($_GET['y']) &&
$_GET['y'] == 6) {

        include("adminSlike.php");

    }

    else if(isset($_GET['a']) && $_GET['a'] == 1 && isset($_GET['y']) &&
$_GET['y'] == 7){

        include("adminUloge.php");

    }

    else if (isset($_GET['a']) && $_GET['a'] == 2) {

        include("adminBrisanje.php");

    }

?>

</div>

</div>

adminBrisanje.php

<div id="brisanje">

    <?php

        if (isset($_POST['btnIzbrisi']) && isset($_GET['b']) && $_GET['b'] == 1) {

            $idMeniZaBrisanje = $_POST['izbrisi'];

            foreach($idMeniZaBrisanje as $i){

                $upitBrisanjeMeni = "delete from meni where id_meni = ".$i;

                $rezBrisanje =
izvrsiUpitBrisanjeUpdateUpis($upitBrisanjeMeni,$kon);

```

```

        if(gettype($rezBrisanje) != "array"){
            echo "Meni koji ima ID=$i je obrisan!<br/>";
        }
        else
        {
            echo "Greska pri brisanju menija sa ID-jem $i!<br/>";
        }
    }
}

else if (isset($_POST['btnIzbrisi']) && isset($_GET['b']) && $_GET['b'] == 2) {
    $idKorZaBrisanje = $_POST['izbrisi'];

    foreach($idKorZaBrisanje as $ikb){
        $upitBrisanjeKorisnik = "delete from korisnik where id_korisnik
        =".$ikb;

        $rezBrisanjeKorisik =
        izvrsiUpitBrisanjeUpdateUpis($upitBrisanjeKorisnik,$kon);

        if(gettype($rezBrisanjeKorisik) != "array"){
            echo "Korisnik koji ima ID=$ikb je obrisan!<br/>";
        }
        else
        {
            echo "Greska pri brisanju korisnika sa ID-jem $ikb!<br/>";
        }
    }
}
}

```

```

else if (isset($_POST['btnIzbrisi']) && isset($_GET['b']) && $_GET['b'] == 3) {

    $idModZaBrisanje = $_POST['izbrisi'];

    foreach($idModZaBrisanje as $imb){

        $upitBrisanjeModel = "delete from model where id_model
= ".$imb;

        $rezBrisanjeModel =
izvrsiUpitBrisanjeUpdateUpis($upitBrisanjeModel,$kon);

        if(gettype($rezBrisanjeModel) != "array"){

            echo "Model koji ima ID=$imb je obrisani!<br/>";

        }
        else
        {

            echo "Greska pri brisanju modela sa ID-jem $imb!<br/>";

        }

    }

}

else if (isset($_POST['btnIzbrisi']) && isset($_GET['b']) && $_GET['b'] == 4) {

    $idAnketaZaBrisanje = $_POST['izbrisi'];

    foreach($idAnketaZaBrisanje as $iab){

        $upitBrisanjeAnketa = "delete from anketa where id_anketa
= ".$iab;

        $rezBrisanjeAnketa =
izvrsiUpitBrisanjeUpdateUpis($upitBrisanjeAnketa,$kon);

        if(gettype($rezBrisanjeAnketa) != "array"){

            echo "Anketa koja ima ID=$iab je obrisana!<br/>";

```

```

    }
    else
    {
        echo "Greska pri brisanju ankete sa ID-jem $iab!<br/>";
    }
}

}

else if (isset($_POST['btnIzbrisi']) && isset($_GET['b']) && $_GET['b'] == 5) {
    $idGradZaBrisanje = $_POST['izbrisi'];

    foreach($idGradZaBrisanje as $igb){
        $upitBrisanjeGrad = "delete from grad where id_grad = ".$igb;

        $rezBrisanjeGrad =
izvrsiUpitBrisanjeUpdateUpis($upitBrisanjeGrad,$kon);

        if(gettype($rezBrisanjeGrad) != "array"){
            echo "Grad koji ima ID=$igb je obrisan!<br/>";
        }
        else
        {
            echo "Greska pri brisanju grada sa ID-jem $igb!<br/>";
        }
    }
}

}

else if (isset($_POST['btnIzbrisi']) && isset($_GET['b']) && $_GET['b'] == 6) {
    $idSlikeZaBrisanje = $_POST['izbrisi'];

```

```

        foreach($idSlikeZaBrisanje as $isb){

            $upitBrisanjeSlike = "delete from slika where id_slika =" . $isb;

            $rezBrisanjeSlike =
izvrsiUpitBrisanjeUpdateUpis($upitBrisanjeSlike,$kon);

            if(gettype($rezBrisanjeSlike) != "array"){

                echo "Slika koji ima ID=$isb je obrisana!<br/>";

            }

            else

            {

                echo "Greska pri brisanju slike sa ID-jem $isb!<br/>";

            }

        }

    }

    else if (isset($_POST['btnIzbrisi']) && isset($_GET['b']) && $_GET['b'] == 7) {

        $idKUZaBrisanje = $_POST['izbrisi'];

        foreach($idKUZaBrisanje as $ikub){

            $upitBrisanjeKU = "delete from korisnik_uloga where id_ku
=" . $ikub;

            $rezBrisanjeKU =
izvrsiUpitBrisanjeUpdateUpis($upitBrisanjeKU,$kon);

            if(gettype($rezBrisanjeKU) != "array"){

                echo "Uloga korisnika je obrisana!<br/>";

            }

            else

```

```

        {
            echo "Greska pri brisanju uloge korisnika!<br/>";
        }
    }
}

?>

<form action="" method="POST">

    <table>

        <?php

            if (isset($_GET['b']) && $_GET['b'] == 1) {

                echo "<tr><td>Naziv
menija</td><td>Link</td><td>Izbrisi</td></tr>";

                $brisanjeMeni = prikaz($kon,'meni');

                foreach ($brisanjeMeni as $bMeni) {

                    echo
"<tr><td>".stripslashes($bMeni['naziv_meni'])."</td><td>".stripslashes($bMeni['link'])."</td><t
d><input type='checkbox' name='izbrisi[]' value='".$bMeni['id_meni']."'></td></tr>";

                }

            }

            else if (isset($_GET['b']) && $_GET['b'] == 2) {

                echo "<tr><td>Ime i
prezime</td><td>Username</td><td>Email</td><td>Izbrisi</td></tr>";

                $brisanjeKor = prikaz($kon,'korisnik');

                foreach ($brisanjeKor as $bKor) {

                    echo
"<tr><td>".stripslashes($bKor['ime_prezime'])."</td><td>".stripslashes($bKor['username'])."</t
d><td>".stripslashes($bKor['email'])."</td><td><input type='checkbox' name='izbrisi[]'
value='".$bKor['id_korisnik']."'></td></tr>";

```

```

    }

}

else if (isset($_GET['b']) && $_GET['b'] == 3) {

    echo "<tr><td>Proizvodjac</td><td>Naziv
modela</td><td>Cena</td><td>Izbrisi</td></tr>";

    $upitPrikazModela = "select * from model m inner join
proizvodjac p on m.id_proizvodjac=p.id_proizvodjac;";

    $reModel = izvrsiUpitPrikaz($upitPrikazModela,$kon);

    if (gettype($reModel) != "array") {

        while ($redModel = mysql_fetch_array($reModel)) {

            echo
"<tr><td>".stripslashes($redModel['naziv_proizvodjac'])."</td><td>".stripslashes($redModel['na
ziv_model'])."</td><td>".stripslashes($redModel['cena'])."</td><td><input type='checkbox'
name='izbrisi[]' value='". $redModel['id_model']. "'/></td></tr>";

        }

    }

}

else if (isset($_GET['b']) && $_GET['b'] == 4) {

    echo
"<tr><td>Pitanje</td><td>Aktivna</td><td>Izbrisi</td></tr>";

    $brisanjeAnketa = prikaz($kon,'anketa');

    foreach ($brisanjeAnketa as $bAnketa) {

        echo
"<tr><td>".stripslashes($bAnketa['pitanje'])."</td><td>". $bAnketa['aktivna']. "</td><td><input
type='checkbox' name='izbrisi[]' value='". $bAnketa['id_anketa']. "'/></td></tr>";

    }

}

```



```

else if (isset($_GET['b']) && $_GET['b'] == 5) {

    echo "<tr><td>Grad</td><td>Postanski
broj</td><td>Izbrisi</td></tr>";

    $brisanjeGrad = prikaz($kon,'grad');

    foreach ($brisanjeGrad as $bGrad) {

        echo
"<tr><td>".stripslashes($bGrad['ime_grad'])."</td><td>".$bGrad['pos_br']."</td><td><input
type='checkbox' name='izbrisi[]' value='".$bGrad['id_grad']."'></td></tr>";

    }

}

else if (isset($_GET['b']) && $_GET['b'] == 6) {

    echo "<tr><td>Slika</td><td>Opis
slike</td><td>Model</td><td>Izbrisi</td></tr>";

    $prikazSlika = "select * from slika s inner join model m on
s.id_model=m.id_model;";

    $rezPrikazSlika = izvrsiUpitPrikaz($prikazSlika,$kon);

    if (gettype($rezPrikazSlika) != "array") {

        while ($redSlike = mysql_fetch_array($rezPrikazSlika)) {

            echo "<tr><td><img src='".$redSlike['putanjaM']."'
alt='".$redSlike['alt']."'></td><td>".$redSlike['alt']."</td><td>".$redSlike['naziv_model']."</td>
<td><input type='checkbox' name='izbrisi[]' value='".$redSlike['id_slika']."'></td></tr>";

        }

    }

}

else if (isset($_GET['b']) && $_GET['b'] == 7) {

    echo
"<tr><td>username</td><td>Uloga</td><td>Izbrisi</td></tr>";

```

```

        $upitPrikazKorUloga = "select * from korisnik k inner join
korisnik_uloza ku on k.id_korisnik=ku.id_korisnik inner join uloga u on
ku.id_uloza=u.id_uloza;";

        $rezPrikazKorUlogaa =
izvrsiUpitPrikaz($upitPrikazKorUloga,$kon);

        if (gettype($rezPrikazKorUlogaa != "array")) {

                while ($redUK =
mysql_fetch_array($rezPrikazKorUlogaa)) {

                        echo
" <tr><td>". $redUK['username']. "</td><td>". $redUK['naziv_uloza']. "</td><td><input
type='checkbox' name='izbrisi[]' value='". $redUK['id_ku']. "' /></td></tr>";

                                }

                        }

                }

?>

<tr>

        <td colspan="2" align="center">

                <input type="submit" class="dugmePanel" name="btnIzbrisi"
value="Izbrisi" />

                <input type="reset" class="dugmePanel" name="btnReset"
value="Ponisti" />

        </td>

</tr>

</table>

</form>

</div>

Funkcije.inc

<?php

```

```

function izvrsiUpitBrisanjeUpdateUpis($upit,$konekcija){

    $error = array();

    $rez = mysql_query($upit,$konekcija) or die("Greska pri izvrsavanju upita za
brisanje i update!".mysql_error());

    if (!$rez) {

        $error[] = "Zao nam je. Akcija nije uspesno izvrшена!";

        return $error;

    }

    else{

        return $rez;

    }

}

function izvrsiUpitPrikaz($u,$con){

    $err = array();

    $r = mysql_query($u,$con) or die("Greska pri izvrsavanju upita za ispis
podataka!".mysql_error());

    if (mysql_num_rows($r) == 0) {

        $err[] = "Zao nam je. Trenutno nema podataka po zadatim
kriterijumima.";

        return $err;

    }

    else{

        return $r;

    }

}

function prikaz($conn,$ime_tabele){

```

```

$nizPrikaz = array();

if($conn){

    $upitPrikaz = "select * from $ime_tabele";

    $rezultat = mysql_query($upitPrikaz);

    while($red = mysql_fetch_array($rezultat)){

        $nizPrikaz[] = $red;

    }

}

return $nizPrikaz;

}

function zastita($prom){

    $p = trim($prom);

    $p = addslashes($prom);

    return $p;

}

function malaslika($name,$filename,$new_w,$new_h){

    $system=explode('.', $name);

    if (preg_match('/jpg|jpeg/i',$system[1])){

        $src_img=imagecreatefromjpeg($name);

    }

    if (preg_match('/png/i',$system[1])){

        $src_img=imagecreatefrompng($name);

    }

    $old_x=imageSX($src_img);

```

```

Sold_y=imageSY($src_img);
if ($Sold_x > $Sold_y) {
    $thumb_w=$new_w;
    $thumb_h=$Sold_y*($new_h/$Sold_x);
}
if ($Sold_x < $Sold_y) {
    $thumb_w=$Sold_x*($new_w/$Sold_y);
    $thumb_h=$new_h;
}
if ($Sold_x == $Sold_y) {
    $thumb_w=$new_w;
    $thumb_h=$new_h;
}

$dst_img=imagecreatetruecolor($thumb_w,$thumb_h);
imagecopyresampled($dst_img,$src_img,0,0,0,0,$thumb_w,$thumb_h,$Sold_x,$Sold_y);

if (preg_match("/png/i",$system[1])){
    imagepng($dst_img,$filename);
} else {
    imagejpeg($dst_img,$filename);
}

imagedestroy($dst_img);
imagedestroy($src_img);

```

```
}
```

```
?>
```

Konekcija.inc

```
<?php
```

```
    $greske = array();
```

```
    $host = "sql204.byethost.com";
```

```
    $korisnik = "b7_19822947";
```

```
    $lozinka = "13.11.savic";
```

```
    @$kon = mysql_connect($host,$korisnik,$lozinka);
```

```
    $ime_baze = "b7_19822947_prodavnica";
```

```
    @$baza = mysql_select_db($ime_baze,$kon);
```

```
    if (!$kon) {
```

```
        $greske[] = "Zao nam je. Problem sa serverom baze podataka!";
```

```
    }
```

```
    if (!$baza) {
```

```
        $greske[] = "Zao nam je. Problem sa bazom podataka!";
```

```
    }
```

```
?>
```

2.CSS

Stil.css

```
*
```

```
{
```

```
    margin: 0;
```

```
padding: 0;

font-family: Arial, Helvetica, sans-serif;

}

h1{

font-size: 40px;

margin-top:10px;

}

h3{

margin-bottom: 5px;

font-size: 20px;

}

h5{

font-size: 12px;

}

h6{

float: left;

margin-top: 5px;

}

.telefon h4{

font-size: 15px;

}

.telefon h5{

font-style: italic;

}

#meni{
```

```
width: 100%;  
height: 100px;  
position: fixed;  
top: 0px;  
left: 0px;  
background: #f5f5f5;  
}  
#zaglavlje{  
width: 100%;  
height: 250px;  
margin-top: 120px;  
background: #dae3e7;  
}  
#sadrzaj{  
width: 1024px;  
margin: 0 auto;  
}  
#futer{  
width: 100%;  
height: 150px;  
margin-top: 15px;  
background: #32383e;  
color: #a1aab4;  
padding: 10px;  
}
```



```
#vrh{
    height: 25px;
    padding: 10px;
    position: fixed;
    bottom: 100px;
    right: 100px;
    display: none;
}

.okvir{
    width: 1024px;
    margin: 0 auto;
}

#naslov{
    float: left;
    text-transform: uppercase;
    height: 100px;
    padding: 10px;
    margin-right: 5px;
}

#naslov h1 a{
    text-decoration: none;
    color: #49515a;
}

#okvirMeni{
    float: left;
```

```
        height: 100px;
        font-size: 15px;
    }
    #pretraga{
        float: left;
        height: 100px;
        width: 200px;
        padding: 10px;
    }
    #pretraga input{
        float: left;
    }
    #pretraga #tbPretraga{
        height: 20px;
        width: 60%;
        padding: 3px;
    }
    .dugmePretraga{
        background: url('../slike/ikonice/search.png') no-repeat;
        width: 32px;
        height: 32px;
        border: none;
        margin-left: 5px;
    }
    #okvirLogovanje{
```

```
        float: left;

        height: 100px;

        width: 200px;

        text-align: center;
    }

    #okvirLogovanje a{

        text-decoration: none;

        float: left;

        width: 40%;

        margin-top: 20px;

    }

    #okvirLogovanje #formaLogout{

        float: left;

        width: 40%;

        margin-top: 20px;

    }

    .dugme{

        padding: 3px;

    }

    #logovanje{

        width: 80%;

        margin: 10px auto;

    }

    .tbLogin{

        height: 20px;
```

```
        margin:2px;
        width: 80%;
    }
    #logovanje .dugme{
        float: left;
        margin:2px;
        padding: 2px;
    }
    #korpa{
        float: left;
        height: 70px;
        padding: 5px;
        margin-top: 10px;
    }
    #slike{
        width:1024px;
        height: 250px;
    }
    #slike img{
        display: none;
        width: 90%;
        height: 250px;
    }
    #slike .prikazana{
        display: inline;
```

```
}  
  
#snizenje{  
    width: 64px;  
    position: relative;  
    top: -250px;  
    right: -800px;  
}  
  
.sadrzajRed{  
    width: 1000px;  
    margin: 0 auto;  
    margin-top: 10px;  
}  
  
.sadrzajKolona{  
    width: 400px;  
    float: left;  
    margin : 0 auto;  
    margin-top: 20px;  
}  
  
#blokPretraga{  
    width: 200px;  
    margin: 0 auto;  
    margin-top: 50px;  
}  
  
#blokPretraga h5{  
    margin-bottom: 5px;
```

```
        margin-top: 5px;
    }
#blokPretraga input{
    margin-top: 3px;
    margin-bottom: 3px;
    width: 60%;
    margin-left: 5px;
}
#blokPretraga select{
    margin-top: 3px;
    margin-bottom: 3px;
    width: 60%;
}
#navigacija{
    width: 50%;
    margin: 0 auto;
    margin-top: 25px;
}
#navigacija span{
    width: 40%;
    text-transform: uppercase;
    margin-right: 20px;
}
#navigacija span a{
    text-decoration: none;
```

```
}  
.telefon{  
    width: 100%;  
    float: left;  
    margin-top: 40px;  
    padding: 10px;  
}  
.telefon a{  
    text-decoration: none;  
    color: black;  
}  
.telefon .slika {  
    width: 30%;  
    float: left;  
}  
.telefon .slika img{  
    height: 120px;  
}  
.telefon .ime{  
    width: 60%;  
    float: left;  
    margin-left: 10px;  
}  
.telefon .opis{  
    width: 60%;
```

```
float: left;

margin-left: 10px;

font-size: 13px;

}
```

```
.telefon .cena{

float: right;

width: 20%;

}
```

```
.telefon .btnNaruci{

padding: 5px;

}
```

```
.anketa{

width: 80%;

margin: 0 auto;

margin-top: 20px;

font-style: italic;

}
```

```
.dugmeAnketa{

padding: 3px;

margin-left: 5px;

}
```

```
.rezultatAnkete{

margin-top: 20px;

width: 80%;

font-style: italic;
```



```
}  
.red{  
    width: 1000px;  
    margin: 0 auto;  
    margin-top: 10px;  
}  
.red .kolona{  
    width : 30%;  
    margin: 0 auto;  
    float:left;  
    text-align:center;  
}  
.red .kolona ul{  
    list-style: none;  
}  
.red .kolona li{  
    margin-bottom: 3px;  
}  
.red .kolona a{  
    text-decoration: none;  
    font-size: 15px;  
    color: #fff;  
}  
#prvaKolona{  
    border-right: 2px solid #000;
```

```
}  
  
#meniAdmin{  
    width: 1000px;  
    margin: 0 auto;  
}  
  
#sadrzajAdminMeni{  
    width: 90%;  
    float: left;  
}  
  
#sadrzajAdminMeni ul{  
    list-style: none;  
    padding-top: 20px;  
}  
  
#sadrzajAdminMeni ul li{  
    float: left;  
    padding-right: 20px;  
}  
  
#sadrzajAdminMeni ul li a{  
    text-decoration: none;  
    text-transform: uppercase;  
    color: #49515a;  
}  
  
#panelSadrzaj{  
    width: 1000px;  
    margin: 0 auto;
```

```
}

#panelSadrzaj #levo{

    width: 40%;

    float: left;

}

#panelSadrzaj #desno{

    width: 50%;

    float: left;

    margin: 0 auto;

}

#podmeni{

    width: 80%;

    margin: 0 auto;

    margin-top: 20px;

}

#podmeni ul{

    list-style: none;

}

#podmeni ul li{

    margin-top: 10px;

}

#podmeni ul li a{

    text-decoration: none;

    color: #49515a;

}
```

```
#desno #prikaz{  
    width: 80%;  
    margin: 0 auto;  
    margin-top:20px;  
}
```

```
#desno #izmena{  
    width: 80%;  
    margin: 0 auto;  
    margin-top: 50px;  
}
```

```
#desno #prikaz #proizvodjaci{  
    width: 90%;  
    margin: 10px auto;  
}
```

```
#desno #prikaz #modeli{  
    width: 90%;  
    margin: 10px auto;  
}
```

```
#desno #izmena #proizvodjaciIzmena{  
    width: 90%;  
    margin: 10px auto;  
}
```

```
#desno #izmena #modelIzmena{  
    width: 90%;  
    margin: 10px auto;
```

```
}
```

```
.cisti
```

```
{
```

```
clear: both;
```

```
}
```

```
#okvirMeni ul
```

```
{
```

```
list-style: none;
```

```
padding-top: 20px;
```

```
}
```

```
#okvirMeni ul li
```

```
{
```

```
float: left;
```

```
padding-right: 20px;
```

```
}
```

```
#okvirMeni ul li a
```

```
{
```

```
text-decoration: none;
```

```
text-transform: uppercase;
```

```
color: #778492;
```

```
}
```

```
#korisnik{
```

```
width: 80%;
```

```
margin:20px auto;
```

```
}
```

```
#podaciKorisnika{
    width: 90%;
}

#slikaKorisnik img{
    width: 80%;
    margin:0 auto;
}

#podaciKorisnika #korisnikForma{
    margin-top:20px;
}

#korisnikForma .korisnikDugme{
    margin-left: 3px;
    margin-top:3px;
}

#korisnikForma table tr td{
    padding: 3px;
}

#korisnikForma input{
    padding: 3px;
}

#desno #prikaz table tr td{
    padding: 3px;
    border-bottom: 1px solid #000;
    text-align: center;
}
```

```
#desno #prikaz table tr td img{
```

```
    width: 32px;
```

```
    height: 32px;
```

```
}
```

```
.dugmePanel{
```

```
    margin-left: 3px;
```

```
    padding: 3px;
```

```
}
```

```
#desno #izmena .tbText{
```

```
    margin: 2px;
```

```
    padding: 2px;
```

```
}
```

```
#desno #izmena table tr td{
```

```
    padding: 3px;
```

```
    text-align: center;
```

```
}
```

```
#desno #prikaz #modeli table {
```

```
    font-size: 12px;
```

```
}
```

```
#desno #izmena #modelIzmena #ddlProizvodjac{
```

```
    width: 80%;
```

```
}
```

```
#izmena .izmenaAnketa{
```

```
    margin-top: 10px;
```

```
}
```

```
#desno #izaberiModel table tr td{  
    border:none;  
}
```

```
#slikeModela .malaSlika{  
    margin-top: 10px;  
    margin-bottom: 10px;  
}
```

```
#izmena table tr td #ddlUsername{  
    width: 80%;  
}
```

```
#izmena table tr td #ddlUloga{  
    width: 80%;  
}
```

```
#brisanje{  
    width: 70%;  
    margin: 20px auto;  
}
```

```
#desno #brisanje table tr td{  
    padding: 3px;  
    text-align: center;  
}
```

```
#desno #brisanje table tr td img {  
    width:80%;  
    height: 80%;  
}
```



```
#prikazKorpa{  
    position: absolute;  
    z-index: 2;  
    right: 65px;  
    top: 13px;  
    display: block;  
    position: relative;  
    top: 0px;  
    right: 0px;  
    width: 220px;  
    height:300px;  
    background-color: #f5f5f5;  
    border-top: 2px solid blue;  
    overflow-y: auto;  
    z-index: 3;  
}
```

```
#prikazKorpa .model{  
    background-color: #32383e;  
    width: 218px;  
    height: 30px;  
    position: relative;  
    border:1px solid blue;  
}
```

```
#prikazKorpa .model #nazivModel{  
    float: left;width: 175px;
```

```
        height: 27px;
        padding-left: 5px;
        padding-top: 3px;
        font-size: 16px;
        color: black;
        z-index: 4;
    }

    #prikazKorpa .model #cena{
        float: right;
        font-size: 14px;
        height: 27px;
        padding-top: 3px;
    }

    #futerKorpa{
        width: 220px;
        height: 40px;
        background-color: white;
        z-index: 3;
        position: relative;
        top: 0px;
        right: 0px;
    }

    #korpaUkupno{
        position: relative;
        top: 5px;
```

```
    left:15px;
    font-size: 18px;
}
```

```
#ukupnaCena{
    background-color: black;
    width: 65px;
    height: 25px;
    position: relative;
    top: -23px;
    left: 115px;
    z-index: 4;
    color:white;
    padding-top: 5px;
    padding-left: 5px;
}
```

```
#okvirKorpa{
    display: none;
    position: absolute;
    top: 100px;
    right: 200px;
    width: 220px;
    height: 340px;
    z-index:3;
}
```

```
#slikeArtikli{
```

```
        float: right;
    }
    .obavestenje{
        color: red;
        font-size: 20px;
        font-weight: bold;
    }
    .labela{
        font-size: 15px;
        font-style: italic;
    }
    h2{
        font-size: 25px;
        font-style: italic;
    }
    h2 a{
        text-decoration: none;
        color: blue;
    }
```

3.JavaScript I JQuery

Script.js

```
function napraviKanal(){
    var k = null;
    if (window.XMLHttpRequest) {
        k = new XMLHttpRequest();
```

```

    }
    else{
        k = new ActiveXObject("Microsoft.XMLHTTP");
    }
    if (k!=null) {
        return k;
    }
}

```

```

function ispisiLink(){
    document.getElementById('tbLink').value = "index.php?x=";
}

```

```

function adresa(){
    var request = napraviKanal();

    var grad =
document.getElementById('ddlGrad').options[document.getElementById('ddlGrad').selectedIndex].value;

    request.open("GET","gradovi.php?g="+grad,true);
    request.onreadystatechange = ispisi;
    request.send();
}

```

```

function ispisi(){
    if (request.readyState == 4) {
        document.formaRegistracija.tbPosBr.value = request.responseText;
    }
}

```

```
    }  
}
```

```
function promenaMeni(id_meni){  
    var request = napraviKanal();  
    request.open("GET","dohvatiMeni.php?id_menu="+id_meni,true);  
    request.onreadystatechange = ispisiMeni;  
    request.send();  
  
    function ispisiMeni(){  
        if (request.readyState == 4) {  
            var response = eval("(" + request.responseText + ")");  
            document.getElementById('tbNazivMeni').value = response[2];  
            document.getElementById('tbLink').value = response[1];  
            document.getElementById('tbPozicija').value = response[3];  
            document.getElementById('sakriveniIdMeni').value = response[0];  
        }  
    }  
}
```

```
function promenaKorisnik(id_korisnik){  
    var request = napraviKanal();  
    request.open("GET","dohvatiKorisnika.php?id_kor="+id_korisnik,true);  
    request.onreadystatechange = ispisiKorisnika;  
    request.send();  
}
```

```

function ispisiKorisnika(){
    if (request.readyState == 4) {
        var response = eval("(" + request.responseText + ")");
        document.getElementById('tbImePrezime').value = response[1];
        document.getElementById('tbUsername').value = response[2];
        document.getElementById('tbEmail').value = response[4];
        document.getElementById('tbPassword').value = response[3];
        document.getElementById('sakriveniIdKorisnik').value = response[0];
    }
}

```

```

function promenaProizvodjac(id_proizvodjac){
    var request = napraviKanal();
    request.open("GET", "dohvatiProizvodjaca.php?id_proizvodjaca="+id_proizvodjac,true);
    request.onreadystatechange = ispisiProizvodjaca;
    request.send();
}

```

```

function ispisiProizvodjaca(){
    if (request.readyState == 4) {
        var response = eval("(" + request.responseText + ")");
        document.getElementById('sakriveniIdProizvodjaca').value = response[0];
        document.getElementById('tbNazivProizvodjaca').value = response[1];
    }
}

```

```

    }
}

function promenaModel(id_model){
    var request = napraviKanal();
    request.open("GET","dohvatiModel.php?id_model="+id_model,true);
    request.onreadystatechange = ispisiModel;
    request.send();

    function ispisiModel(){
        if (request.readyState == 4) {
            var response = eval("(" + request.responseText + ")");
            document.getElementById('tbNazivModela').value = response[1];
            document.getElementById('tbCena').value = response[7];
            document.getElementById('tbKamera').value = response[2];
            document.getElementById('tbProcesor').value = response[3];
            document.getElementById('tbMemorija').value = response[4];
            document.getElementById('tbWiFi').value = response[5];
            document.getElementById('tbBoja').value = response[6];
            document.getElementById('tbKolicina').value = response[8];
            document.getElementById('sakriveniIdModela').value = response[0];
        }
    }
}

```



```
function promenaAnketa(id_anketa){  
    var request = napraviKanal();  
    request.open("GET","dohvatiAnketu.php?id_anketa="+id_anketa,true);  
    request.onreadystatechange = ispisiAnketu;  
    request.send();  
  
    function ispisiAnketu(){  
        if (request.readyState == 4) {  
            var response = eval("(" + request.responseText + ")");  
            document.getElementById('taPitanje').value = response[1];  
            if (response[2] == 1) {  
                document.getElementById('da').checked;  
            }  
            else{  
                document.getElementById('ne').checked;  
            }  
            document.getElementById('sakriveniIdAnketa').value = response[0];  
        }  
    }  
}
```

```
function promenaGrad(id_grad){  
    var request = napraviKanal();  
    request.open("GET","dohvatiGrad.php?id_grada="+id_grad,true);  
    request.onreadystatechange = ispisiGrad;
```

```

request.send();

function ispisiGrad(){
    if (request.readyState == 4) {
        var response = eval("(" + request.responseText + ")");
        document.getElementById('tbImeGrada').value = response[1];
        document.getElementById('tbPosBr').value = response[2];
        document.getElementById('sakriveniIdGrad').value = response[0];
    }
}

function ispisiKorisnika(id_kor){
    var request = napraviKanal();
    request.open("GET", "dohvatiKorisnika.php?id_kor="+id_kor, true);
    request.onreadystatechange = ispisiKor;
    request.send();

    function ispisiKor(){
        if (request.readyState == 4) {
            var response = eval("(" + request.responseText + ")");
            document.getElementById('tbImePrezimeKor').value = response[1];
            document.getElementById('tbUsernameKor').value = response[2];
            document.getElementById('tbEmailKor').value = response[4];
            document.getElementById('tbPasswordKor').value = response[3];
        }
    }
}

```

```

        document.getElementById('tbAdresaKor').value = response[5];
    }
}
}

```

```

function anketa(){
    var request = napraviKanal();

    idAnketa = document.getElementById('anketaSakriveno').value;
    id_odg = document.getElementsByName('rbAnketa');

    var glas = "";

    for(var i=0;i<id_odg.length;i++){
        if(id_odg[i].checked){
            glas = id_odg[i].value;
            break;
        }
    }

    request.open("GET","glasanje.php?id_odg="+glas+"&id_a="+idAnketa,true);
    request.onreadystatechange = upisiGlas;
    request.send();

    function upisiGlas(){
        if (request.readyState == 4) {
            document.getElementById('glas').innerHTML = request.responseText;
        }
    }
}

```

```
    }  
  }  
}
```

```
function izbrisiKorpu(id_korpe){  
    var request = napraviKanal();  
    request.open("GET","izbrisiKorpu.php?id_korpa="+id_korpe,true);  
    request.onreadystatechange = izbrisisadrzajKorpe;  
    request.send();  
  
    function izbrisisadrzajKorpe(){  
        if (request.readyState == 4) {  
            document.getElementById('nazivModel').innerHTML = "";  
            document.getElementById('cenaModel').innerHTML = "";  
            document.getElementById('korpaRemove').innerHTML = "";  
        }  
    }  
}
```

```
function proveraLog(){  
    var greskeLog = new Array();  
    var logUser = document.getElementById('tbLoginUsername').value;  
    var logPass = document.getElementById('tbLoginPassword').value;  
  
    var regLogUser = /^(w)+(\d)*$/;
```

```
var ragLogPass = /^[A-Za-z0-9]{6,10}$/;

if (!regLogUser.test(logUser)) {
    greskeLog.push("Username nije u dobrom formatu.");
    document.getElementById('tbLoginUsername').style.border = '1px solid #ff0000';
}

if (!ragLogPass.test(logPass)) {
    greskeLog.push("Password nije u dobrom formatu.");
    document.getElementById('tbLoginPassword').style.border = '1px solid #ff0000';
}

if (greskeLog.length == 0) {
    return true;
}
else
{
    return false;
}
}

function proveraRegistracija(){
    var greske = new Array();

    var imePrezime = document.getElementById('tbImePrezime').value;
    var username = document.getElementById('tbUsername').value;
```

```

var email = document.getElementById('tbEmail').value;

var password = document.getElementById('tbPassword').value;

var grad =
document.getElementById('ddlGrad').options[document.getElementById('ddlGrad').selectedIndex].value;

var posBr = document.getElementById('tbPosBr').value;

var adresa = document.getElementById('tbAdresa').value;


var regImePrezime = /^[A-Z][a-z]{2,24}\s[A-Z][a-z]{3,23}$/;
var regUsername = /^(\\w)+(\\d)*$/;
var regEmail = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*\\.\\w{2,3}+$/;
var regPassword = /^[A-Za-z0-9]{6,10}$/;
var regPosBr = /^[0-9]{5}$/;
var regAdresa = /^[A-Z][a-z]+\\s([A-Z]([a-z])+\\s)*[0-9]{1,3}$/;


if (!regImePrezime.test(imePrezime)) {
    greske.push("Ime i prezime nije u dobrom formatu.");
    document.getElementById('tbImePrezime').style.border = '1px solid #ff0000';
}

if (!regUsername.test(username) || username.length > 20) {
    greske.push("Username nije u dobrom formatu.");
    document.getElementById('tbUsername').style.border = '1px solid #ff0000';
}

if (!regEmail.test(email) || email.length > 50) {
    greske.push("Email nije u dobrom formatu.");
    document.getElementById('tbEmail').style.border = '1px solid #ff0000';
}

```

```
}  
  
if (!regPassword.test(password)) {  
    greske.push("Password nije u dobrom formatu.");  
    document.getElementById('tbPassword').style.border = '1px solid #ff0000';  
}  
  
if (grad == 0) {  
    greske.push("Niste izabrali grad.");  
    document.getElementById('ddlGrad').style.border = '1px solid #ff0000';  
}  
  
if (!regPosBr.test(posBr)) {  
    greske.push("Postanski broj nije odgovarajuci");  
    document.getElementById('tbPosBr').style.border = '1px solid #ff0000';  
}  
  
if (!regAdresa.test(adresa) || adresa.length > 30) {  
    greske.push("Adresa nije u dobrom formatu.");  
    document.getElementById('tbAdresa').style.border = '1px solid #ff0000';  
}  
  
if (greske.length == 0) {  
    return true;  
}  
  
else  
{  
    return false;  
}
```

```
}  
  
function proveraCenaOd(){  
    var pCenaOd = document.getElementById('tbCenaOd').value;  
  
    var regCenaOd = /^(\\d)+$/;  
  
    var greskeCena = new Array();  
  
    if (!regCenaOd.test(pCenaOd)) {  
        greskeCena.push("Cena nije u dobrom formatu.");  
        document.getElementById('tbCenaOd').style.border = '1px solid #ff0000';  
    }  
  
    if (greskeCena.length == 0) {  
  
        document.getElementById('tbCenaOd').style.border = '1px solid #00ff00';  
    }  
}
```

```
function proveraCenaDo(){  
    var pCenaDo = document.getElementById('tbCenaDo').value;  
  
    var regCenaDo = /^(\\d)+$/;  
  
    var greskeCenaDo = new Array();
```



```

    if (!regCenaDo.test(pCenaDo)) {

        greskeCenaDo.push("Cena nije u dobrom formatu.");

        document.getElementById('tbCenaDo').style.border = '1px solid #ff0000';

    }

    if (greskeCenaDo.length == 0) {

        document.getElementById('tbCenaDo').style.border = '1px solid #00ff00';

    }

}

jQuery – kod se nalazi u head sekciji index.php fajla

$(document).ready(function(){

    $('#btnFinaPretraga').click(function(){

        var pretragaProizvodjaci =
document.getElementById('ddlProizvodjaciPretraga').options[document.getElementById('ddlPro
izvodjaciPretraga').selectedIndex].value;

        var pretragaModeli =
document.getElementById('ddlModeliPretraga').options[document.getElementById('ddlModeliP
retraga').selectedIndex].value;

        var cenaOd = document.getElementById('tbCenaOd').value;

        var cenaDo = document.getElementById('tbCenaDo').value;

        $.ajax({

            type: 'POST',

            url: 'pretraga.php',

            data: {

                proizvodjac: pretragaProizvodjaci,

```

```

        model: pretragaModeli,
        cenaOd: cenaOd,
        cenaDo: cenaDo
    },
    success: function(dobijeniPodaci){
        $("#sadrzajKolonaPrikaz").html(dobijeniPodaci);
    }
});
});

```

```

$('.btnNaruci').click(function(){
    var imeModel = $(this).attr("_naziv");
    var cenaModel = $(this).attr("_cena");

    var br = 0;

    var model = "<div class='model'><span
id='nazivModel'>"+imeModel+"&nbsp;</span><span id='cena'>"+cenaModel+"
&euro;</span></div>";

```

```

$("#prikazKorpa").html($("#prikazKorpa").html()+ model);

```

```

var total = 0;

```

```

var cenaU="";

```

```

$(".model #cena").each(function() {

```

```

    var cenaSum = parseInt($(this).html());

```

```
        total += cenaSum;

        br++;

    });

    $("#futerKorpa #ukupnaCena").html(total+"&nbsp;&euro;");

    $("#korpa #brModelaUKorpi").html(br);

});
```

```
function slideShow() {

    var trenutna = $('#slike .prikazana');

    var sledeca = trenutna.next().length ? trenutna.next() :
trenutna.parent().children(':first');

    trenutna.hide().removeClass('prikazana');

    sledeca.fadeIn().addClass('prikazana');

    setTimeout(slideShow, 5000);

}

slideShow();
```

```
$("#korpa").click(function(){

    $("#okvirKorpa").slideToggle('slow');

});
```

```
$(".dugmePretraga").click(function(){

    var podaci = $("#tbPretraga").serialize();
```

```
$.post("pretragaModel.php", podaci, function(podaci){  
    $("#sadrzajKolonaPrikaz").html(podaci);  
});  
return false;  
});
```

```
$(window).scroll(function(){  
    if ($(this).scrollTop() > 220) {  
        $('#vrh').fadeIn();  
    } else {  
        $('#vrh').fadeOut();  
    }  
});
```

```
$('#vrh a[href=#]').click(function(){  
    $.scrollTo(0,'slow');  
    return false;  
});  
});
```

.htaccess

ErrorDocument 404 404.php

ErrorDocument 403 404.php

4.Dizajn baze

Server: 127.0.0.1 Database: prodavnica

Structure SQL Search Query Export Import Operations Privileges Routines

Table	Action	Rows	Type	Collation	Size	Overhead
anketa	Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_unicode_ci	16 K	18
grad	Browse Structure Search Insert Empty Drop	3	InnoDB	utf8_unicode_ci	16 K	18
korisnik	Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_unicode_ci	16 K	18
korisnik_uloga	Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_unicode_ci	16 K	18
meni	Browse Structure Search Insert Empty Drop	3	InnoDB	utf8_unicode_ci	16 K	18
model	Browse Structure Search Insert Empty Drop	6	InnoDB	utf8_unicode_ci	16 K	18
odgovori	Browse Structure Search Insert Empty Drop	5	InnoDB	utf8_unicode_ci	16 K	18
proizvodjac	Browse Structure Search Insert Empty Drop	3	InnoDB	utf8_unicode_ci	16 K	18
rezultat	Browse Structure Search Insert Empty Drop	4	InnoDB	utf8_unicode_ci	16 K	18
slika	Browse Structure Search Insert Empty Drop	18	InnoDB	utf8_unicode_ci	16 K	18
uloga	Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_unicode_ci	16 K	18

← Server: 127.0.0.1 » Database: prodavnica » Table: anketa

Browse

Structure

SQL

Search

Insert

Export

Import

Table structure

Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
<input type="checkbox"/>	1	id_anketa	int(255)		No	None		AUTO_INCREMENT
<input type="checkbox"/>	2	pitanje	text	utf8_unicode_ci	No	None		
<input type="checkbox"/>	3	aktivna	int(1)		No	None		

Server: 127.0.0.1 » Database: prodavnica » Table: grad

Browse

Structure

SQL

Search

Insert

Export

Import

Table structure

Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
<input type="checkbox"/>	1	id_grad	int(255)		No	None		AUTO_INCREMENT
<input type="checkbox"/>	2	ime_grad	varchar(30) utf8_unicode_ci		No	None		
<input type="checkbox"/>	3	pos_br	int(10)		No	None		

Server: 127.0.0.1 » Database: prodavnica » Table: korisnik_uloza

Browse

Structure

SQL

Search

Insert

Export

Import

Table structure

Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	
<input type="checkbox"/>	1 id_ku	int(255)			No	None		AUTO_INCREMENT	
<input type="checkbox"/>	2 id_korisnik	int(255)			No	None			
<input type="checkbox"/>	3 id_uloza	int(255)			No	None			

↑

☐ Check all

With selected:

Browse

Change

Drop

Primary

Un

Server: 127.0.0.1 »
Database: prodavnica »
Table: korisnik

Browse
Structure
SQL
Search
Insert
Export
Import
Priv

Table structure
Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	
<input type="checkbox"/>	1	id_korisnik	int(255)		No	None		AUTO_INCREMENT	
<input type="checkbox"/>	2	ime_prezime	varchar(50) utf8_unicode_ci		No	None			
<input type="checkbox"/>	3	username	varchar(20) utf8_unicode_ci		No	None			
<input type="checkbox"/>	4	password	varchar(50) utf8_unicode_ci		No	None			
<input type="checkbox"/>	5	email	varchar(50) utf8_unicode_ci		No	None			
<input type="checkbox"/>	6	id_grad	int(255)		No	None			
<input type="checkbox"/>	7	adresa	varchar(30) utf8_unicode_ci		No	None			

↑
☐ Check all
With selected:
Browse
Change
Drop
Primary
Unique
In

Server: 127.0.0.1 » Database: prodavnica » Table: meni

Browse

Structure

SQL

Search

Insert

Export

Import

Table structure

Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
<input type="checkbox"/>	1 id_meni	int(255)			No	None		AUTO_INCREMENT
<input type="checkbox"/>	2 link	varchar(50)	utf8_unicode_ci		No	None		
<input type="checkbox"/>	3 naziv_meni	varchar(30)	utf8_unicode_ci		No	None		
<input type="checkbox"/>	4 pozicija	int(2)			No	None		

Server: 127.0.0.1 » Database: prodavnica » Table: model							
BrowseStructureSQLSearchInsertExportImportPrivileges							
Table structureRelation view							
#	Name	Type	Collation	Attributes	Null	Default	Comments Extra
<input type="checkbox"/>	1 id_model	int(255)			No	None	AUTO_INCREMENT
<input type="checkbox"/>	2 naziv_model	varchar(25)	utf8_unicode_ci		No	None	
<input type="checkbox"/>	3 id_proizvodjac	int(255)			No	None	
<input type="checkbox"/>	4 opis	text	utf8_unicode_ci		No	None	
<input type="checkbox"/>	5 cena	double			No	None	
<input type="checkbox"/>	6 kolicina	int(10)			No	None	

Server: 127.0.0.1Database: prodavnicaTable: odgovori

Browse

Structure

SQL

Search

Insert

Export

Import

Table structure

Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id_odgovor	int(255)			No	None		AUTO_INCREMENT
2	odgovor	text	utf8_unicode_ci		No	None		
3	id_anketa	int(255)			No	None		

Check all

With selected:

Browse

Change

Drop

Primary

Unique

Print

Propose table structure

Track table

Move columns

Improve table structure

Server: 127.0.0.1 » Database: prodavnica » Table: proizvodjac

Browse

Structure

SQL

Search

Insert

Export

Import

Privileges

Table structure

Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id_proizvodjac	int(255)			No	None		AUTO_INCREMENT
2	naziv_proizvodjac	varchar(30)	utf8_unicode_ci		No	None		

↑

☐ Check all

With selected:

Browse

Change

Drop

Primary

Unique

Index

Print

Prognose table structure

Track table

Move columns

Improve table structure

Server: 127.0.0.1 » Database: prodavnica » Table: rezultat							
Browse		Structure	SQL	Search	Insert	Export	Import
Table structure		Relation view					
#	Name	Type	Collation	Attributes	Null	Default	Comments Extra
<input type="checkbox"/>	1 id_rezultat	int(255)			No	None	AUTO_INCREMENT
<input type="checkbox"/>	2 id_anketa	int(255)			No	None	
<input type="checkbox"/>	3 id_odgovor	int(255)			No	None	
<input type="checkbox"/>	4 rezultat	int(10)			No	None	

Server: 127.0.0.1 » Database: prodavnica » Table: uloga

Browse

Structure

SQL

Search

Insert

Export

Import

Table structure

Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	id_uloga	int(255)			No	None		AUTO_INCREMENT
2	naziv_uloga	varchar(15)	utf8_unicode_ci		No	None		

↑

☐ Check all

With selected:

Browse

Change

Drop

Primary

Unique

Print

Propose table structure

Track table

Move columns

Improve table structure

Server: 127.0.0.1 » Database: prodavnica » Table: slika

Browse
Structure
SQL
Search
Insert
Export
Import
P

Table structure
Relation view

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
<input type="checkbox"/>	1	id_slika	int(255)		No	None		AUTO_INCREMENT
<input type="checkbox"/>	2	putanjaV	varchar(150) utf8_unicode_ci		No	None		
<input type="checkbox"/>	3	putanjaM	varchar(150) utf8_unicode_ci		No	None		
<input type="checkbox"/>	4	alt	varchar(30) utf8_unicode_ci		No	None		
<input type="checkbox"/>	5	id_model	int(255)		Yes	NULL		

☐ Check all
With selected:
Browse
Change
Drop
Primary
Unique

Print
Prikaži strukturu tabele
Track table
Prikaži tablicu
Move column
Promeni tablicu