



Practical-2 "Set & Map"

• Code.

```
class Student:
```

```
    def __init__(self, name, rollno, m1, m2):
```

```
        self.rollno = rollno
```

```
        self.name = name
```

```
        self.m1 = m1
```

```
        self.m2 = m2
```

```
Is = []
```

```
def accept (name, rollno, marks1, mark2):
```

```
    ob = Student (name, rollno, marks1, marks2)
```

```
    Is.append(ob)
```

```
def display (ob):
```

```
    print ("Name : ", ob.name)
```

```
    print ("RollNO : ", ob.rollno)
```

```
    print ("Marks1 : ", ob.mark1)
```

```
    print ("Marks2 : ", ob.mark2)
```

```
    print ()
```

```
def serch (rn):
```

```
    for i in range(len(Is)):
```

```
        if Is[i].rollno == rn:
```

```
            return i
```

```
    return -1
```



```
def delete(crn):  
    i = search(crn)  
    if i != -1:  
        del IS[i]  
  
    else:  
        print("Student not found")
```

```
def update(crn, new_rollno):  
    i = search(crn)  
    if i != -1:  
        IS[i].rollno = new_rollno  
    else:  
        print("student not found")
```

```
print("\n Operation Used: ")  
print("1. Accept student details")  
print("2. Display student details")  
print("3. Search student by Roll No")  
print("4. Delete student by Roll No")  
print("5. Update student Roll No")  
print("6. Exit")
```

```
accept("A", 1, 100, 100)  
accept("B", 2, 90, 90)  
accept("C", 3, 80, 80)
```

```
print("\n List of student: \n")  
for i in range(len(IS)):  
    display(IS[i])
```



```
print ("In Searching for student with Rollno 2")  
s = search (2)
```

```
if s != -1:
```

```
    print ("student Found: \n")  
    display (l[s[5]])
```

```
else:
```

```
    print ("student not Found: \n")
```

```
print ("Deleting student with RollNo 2...")  
delete (2)
```

```
print ("\n List after Deletion: \n")  
for i in range (len(l)):  
    display (l[i])
```

```
print ("Updating RollNo of student with Roll  
no 3 to 2")  
update (3, 2)
```

```
print ("\n List after Updation: \n")
```