

* Practical - 7 *

- * Android Service Develop an android service that shows a message at specific interval of time. Also provide features to start and stop the service.

* activity_main.xml

```
<?xml version='1.0' encoding="utf-8"?>
```

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
```

```
    android:layout_width="match-parent"
```

```
    android:layout_height="match-parent"
```

```
    android:orientation="vertical"
```

```
    android:gravity="center"
```

```
    android:padding="20dp">
```

```
    <Button
```

```
        android:id="@+id/btnPlay"
```

```
        android:layout_width="wrap-content"
```

```
        android:layout_height="wrap-content"
```

```
        android:text="Play Music"/>
```

```
    <Button
```

```
        android:id="@+id/btnStop"
```

```
        android:layout_width="wrap-content"
```

```
        android:layout_height="wrap-content"
```

```
android:text = "Stop Music"  
android:layout_marginTop = "20dp" />
```

```
</LinearLayout>
```

* MainActivity.java

```
package com.example.services;  
  
import android.content.Intent;  
import android.os.Bundle;  
import android.view.View;  
import android.widget.Button;  
import androidx.appcompat.app.AppCompatActivity;  
  
public class MainActivity extends AppCompatActivity {  
    Button btnPlay, btnStop;
```

⑨ Override

```
protected void onCreate (Bundle savedInstanceState) {  
    super.onCreate (savedInstanceState);  
    setContentView (R.layout.activity_main);
```

```
    btnPlay = findViewById (R.id.btnPlay);  
    btnStop = findViewById (R.id.btnStop);
```

```
    btnPlay.setOnClickListener (new View.OnClickListener () {
```

⑨ Override

```
        public void onClick (View view) {
```



```

        StartService (new Intent (MainActivity.
                                this, MyMusicService.class));
    }
}

btnStop.setOnClickListener (new View.OnClickListener() {
    @Override
    public void onClick (View view) {
        StopService (new Intent (MainActivity.
                                this, MyMusicService.class));
    }
});
}
}

```

* MyMusicService.java

```

package com.example.services;

import android.app.Services;
import android.content.Intent;
import android.media.MediaPlayer;
import android.os.IBinder;

public class MyMusicService extends Service {

    MediaPlayer player;

    @Override
    public void onCreate () {
        super.onCreate();
    }
}

```

```
player = MediaPlayer.create (this,  
R.raw.music);  
player.setLooping (true);
```

⑨ Override

```
public int onStartCommand (Intent intent,  
int flags, int startId) {  
    player.start ();  
    return START_STICKY;  
}
```

⑨ Override

```
public void onDestroy () {  
    player.stop ();  
    player.release ();  
    super.onDestroy ();  
}
```

⑨ Override

```
public IBinder onBind (Intent intent) {  
    return null;  
}
```

}

** Output **