


```
Source History [Icons]
1  import java.rmi.server.UnicastRemoteObject;
2  import java.rmi.RemoteException;
3  import java.sql.*;
4
5  public class DatabaseServiceImpl extends UnicastRemoteObject implements DatabaseService {
6      Connection conn;
7
8      protected DatabaseServiceImpl() throws RemoteException {
9          try {
10             conn = DriverManager.getConnection("jdbc:mysql://localhost:3307/fsw", "root", "");
11          } catch (SQLException e) {
12             e.printStackTrace();
13          }
14      }
15
16      public String getStudentName(int rollNo) throws RemoteException {
17          try {
18             PreparedStatement ps = conn.prepareStatement("SELECT name FROM students WHERE roll_no=?");
19             ps.setInt(1, rollNo);
20             ResultSet rs = ps.executeQuery();
21             if (rs.next()) return rs.getString("name");
22          } catch (SQLException e) {
23             e.printStackTrace();
24          }
25          return "Not Found";
26      }
27  }
28
```

RMIServer.java


```
RMIServer.java RMIServer.java RMIServer.java RMIServer.java RMIServer.java
Source History [Icons]
1  import java.rmi.*;
2  import java.rmi.registry.*;
3
4  public class RMIServer {
5      public static void main(String args[]) {
6          try {
7              DatabaseServiceImpl obj = new DatabaseServiceImpl();
8              // LocateRegistry.createRegistry(1099);
9              Naming.rebind("DBService", obj);
10             System.out.println("RMI Server is ready.");
11         } catch (Exception e) {
12             e.printStackTrace();
13         }
14     }
15 }
16
```

RMIClient.java



```
1 import java.rmi.*;
2
3 public class RMIClient {
4     public static void main(String[] args) {
5         try {
6             DatabaseService stub = (DatabaseService) Naming.lookup("rmi://localhost/DBService");
7             System.out.println("Student Name: " + stub.getStudentName(120));
8         } catch (Exception e) {
9             e.printStackTrace();
10        }
11    }
12 }
13
```

DatabaseService.java



```
1 import java.rmi.*;
2
3 public interface DatabaseService extends Remote {
4     String getStudentName(int rollNo) throws RemoteException;
5 }
```

Output

Output ×

RMISStudentDB (run) × RMISStudentDB (run) #2 × RMISStudentDB (run) #3 × RMISStudentDB (run) #4 ×

run:
RMI Server is ready.
|

RMISStudentDB (run) #3 running... × (2 more...) 1

Output ×

RMISStudentDB (run) × RMISStudentDB (run) #2 × RMISStudentDB (run) #3 × RMISStudentDB (run) #4 ×

run:
Student Name: Khushbutara
BUILD SUCCESSFUL (total time: 0 seconds)

RMISStudentDB (run) #3 running... × (2 more...) 1