



Parul[®]
University

NAAC **A++**
ACCREDITED UNIVERSITY

Pg. No. :75.....

Date :

* Practical-13 *

PU VAULT

* User.java

```
package com.example.userregistration;
```

```
public class User {  
    String name;  
    String email;  
    String password;
```

```
    public User (String name, String email,  
                String password) {  
        this.name = name;  
        this.email = email;  
        this.password = password;  
    }
```

② Override

```
    public String toString() {  
        return name + "," + email + "," +  
                password;  
    }
```

```
    public static User fromString (String line) {  
        String[] parts = line.split(",");  
        if (parts.length == 3) {  
            return new User (parts[0],  
                             parts[1],  
                             parts[2]);  
        }  
        return null;  
    }  
}
```


* UserAdapter.java

```
package com.example.userregistration;
```

```
public class UserAdapter extends RecyclerView.  
    Adapter < UserAdapter.ViewHolder > {
```

```
    Context context;
```

```
    ArrayList < User > userList;
```

```
    UserActionListener listener;
```

```
    public interface UserActionListener {
```

```
        void onDelete (User user);
```

```
        void onEdit (User user, int position);
```

```
    }
```

```
    public UserAdapter (Context context, Context
```

```
        ArrayList < User > userList,
```

```
        UserActionListener listener) {
```

```
        this.context = context;
```

```
        this.userList = userList;
```

```
        this.listener = listener;
```

```
    }
```

```
    @NonNull
```

```
    @Override
```

```
    public ViewHolder onCreateViewHolder (@NonNull
```

```
        ViewGroup parent,
```

```
        int viewType) {
```




```
View v = LayoutInflater.from(Context).inflate(
    R.layout.user_item, parent, false);
return new ViewHolder(v);
}
```

③ Override

```
public void onBindViewHolder (@NonNull ViewHolder
    holder, int position) {
```

```
User user = userList.get(position);
holder.txtName.setText(user.name);
holder.txtEmail.setText(user.email);
holder.txtPassword.setText(user.password);
```

```
holder.btnDelete.setOnClickListener(v -> {
    new AlertDialog.Builder(context)
        .setTitle("Delete User")
        .setMessage("Are you sure you want
            / to delete this user?")
        .setPositiveButton("Yes", (dialog, which)
            -> listener.onDelete
                (user))
        .setNegativeButton("No", null)
        .show();
});
```

```
}
```

```
holder.btnEdit.setOnClickListener(v -> listener
    onEdit(user, position));
```

```
}
```

④ Override

```
public int getItemCount() {
    return userList.size();
}
```




}

```
public static class ViewHolder extends
RecyclerView.ViewHolder {
    TextView txtName, txtEmail, txtPassword;
    Button btnDelete, btnEdit;
```

```
public ViewHolder (Context context, View itemView) {
    super (itemView);
    txtName = itemView.findViewById (R.id.txtName);
    txtEmail = itemView.findViewById (R.id.txtEmail);
    txtPassword = itemView.findViewById (R.id.txtPassword);
    btnDelete = itemView.findViewById (R.id.btnDelete);
    btnEdit = itemView.findViewById (R.id.btnEdit);
}
```

}

}

}

* MainActivity.java

```
package com.example.userregistration;
```

```
public class MainActivity extends AppCompatActivity
    implements UserAdapter.UserActionListener {
```

```
    EditText editTextName, editTextEmail, editTextPassword;
    Button btnRegister;
    RecyclerView recyclerViewUsers;
```

```
    String fileName = "user_data.txt";
```




```
ArrayList<User> userList;
UserAdapter adapter;
```

```
int editPosition = -1;
```

⑨ Override

```
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
```

```
    editTextName = findViewById(R.id.editTextName);
    editTextEmail = findViewById(R.id.editTextEmail);
    editTextPassword = findViewById(R.id.editTextPassword);
    btnRegister = findViewById(R.id.btnRegister);
    recyclerViewUsers = findViewById(R.id.recyclerView);
```

```
    userList = new ArrayList<>();
    adapter = new UserAdapter(this, userList, this);
    recyclerViewUsers.setLayoutManager(new LinearLayoutManager(
        this));
    recyclerViewUsers.setAdapter(adapter);
```

```
    loadUsersFromFile();
```

```
    btnRegister.setOnClickListener(v -> saveUserData());
}
```

```
private void saveUserData() {
    String name = editTextName.getText().toString().trim();
    String email = editTextEmail.getText().toString().trim();
    String password = editTextPassword.getText().toString().trim();
```




```
if (C.name.isEmpty() || email.isEmpty() ||  
    password.isEmpty()) {  
    Toast.makeText(this, "Please fill all fields",  
        Toast.LENGTH_SHORT).show();  
    return;  
}
```

```
User newUser = new User(C.name, email, password);  
  
if (C.editPosition == -1) {  
    usersList.add(newUser);  
    Toast.makeText(this, "User registered successfully!",  
        Toast.LENGTH_SHORT).show();  
} else {  
    usersList.set(C.editPosition, newUser);  
    editPosition = -1;  
    Toast.makeText(this, "User updated successfully!",  
        Toast.LENGTH_SHORT).show();  
}
```

```
adapter.notifyDataSetChanged();  
saveAllUsersToFile();
```

```
editTextName.setText("");  
editTextEmail.setText("");  
editTextPassword.setText("");  
}
```



Parul[®]
University

NAAC  **A++**
ASSOCIATION OF AMERICAN UNIVERSITIES

Pg. No. :82.....

Date :

* Output *

PU VAULT