

* Practical - 14 *



* MainActivity.java

```
package com.example.sharedpreferencesapp;  
  
public class MainActivity extends AppCompatActivity {  
  
    private LinearLayout mainLayout;  
    private Button btnRed, btnGreen, btnBlue;  
  
    private SharedPreferences sharedPreferences;  
  
    private static final String PREF_NAME = "ColorPref";  
    private static final String KEY_COLOR = "bgColor";  
  
    ④ Override  
    protected void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);  
        setContentView(R.layout.activity_main);  
  
        mainLayout = findViewById(R.id.mainLayout);  
        btnRed = findViewById(R.id.btnRed);  
        btnGreen = findViewById(R.id.btnGreen);  
        btnBlue = findViewById(R.id.btnBlue);  
  
        sharedPreferences = getSharedPreferences(  
            PREF_NAME, MODE_PRIVATE);  
  
        String savedColor = sharedPreferences.getString(  
            KEY_COLOR, "WHITE");  
        applyColor(savedColor);  
    }  
}
```




```
btnRed.setOnClickListener Cv -> saveAndApplyColor  
    ("RED");  
btnGreen.setOnClickListener Cv -> saveAndApplyColor  
    ("GREEN");  
btnBlue.setOnClickListener Cv -> saveAndApplyColor  
    ("BLUE");  
}
```

```
private void saveAndApplyColor (String color) {  
    SharedPreferences.edit()  
        .putString (KEY_COLOUR, color)  
        .apply();  
    applyColor (color);  
}
```

```
private void applyColor (String color) {  
    int bgColor;  
    switch (color) {  
        case "RED":  
            bgColor = Color.RED;  
            break;  
        case "GREEN":  
            bgColor = Color.GREEN;  
            break;  
        case "BLUE":  
            bgColor = Color.BLUE;  
            break;  
        default:  
            bgColor = Color.WHITE;  
    }
```

```
    mainLayout.setBackgroundColor(bgColor);  
}
```



Parul[®]
University

NAAC A++

Pg. No. : ...86
Date :

* Output *

PU VAULT