



Practical - 18

* Default.aspx

```
<%@ Page Language = "C#" AutoEventWireup = "true"
    CodeBehind = "Default.aspx.cs"
    Inherits = "WebApplication17.Default"%>
```

```
<html>
```

```
  <head runat = "server">
```

```
    <title> XML Read and Write Deme </title>
```

```
  </head>
```

```
  <body>
```

```
    <form id = "form1" runat = "server">
```

```
      <div style = "margin : 20px">
```

```
        <h3> Enter Student Details </h3>
```

```
        <asp:TextBox
```

```
          ID = "txtName"
```

```
          runat = "server"
```

```
          Placeholder = "Enter Name" >
```

```
        </asp:TextBox>
```

```
        <br /> <br />
```

```
        <asp:TextBox
```

```
          ID = "txtAge"
```

```
          runat = "server"
```

```
          Placeholder = "Enter Age" >
```

```
        </asp:TextBox>
```

```
        <br /> <br />
```



```
<asp:Button
    ID = "btnWrite"
    Text = "Write to XML"
    runat = "server"
    OnClick = "btnWrite_Click" />
<br/> <br/>
```

```
<asp:Button
    ID = "btnRead"
    Text = "Read From XML"
    runat = "server"
    OnClick = "btnRead_Click" />
<br/> <br/>
```

```
<asp:Label ID = "lblOutput" runat = "server"
    ForeColor = "Green" >
```

```
</asp:Label>
```

```
</div>
```

```
</form>
```

```
</body>
```

```
</html>
```

* Default.aspx.cs

```
using System;
using System.Data;
using System.Xml;
```




```
public partial class - Default : System.Web.UI.Page
{
    string path = @"D:\student.xml";

    protected void btnWrite_Click(object sender,
                                   EventArgs e)
    {
        XmlDocument doc = new XmlDocument();
        doc.Load(path);

        XmlElement student = doc.CreateElement
                               ("Student");

        XmlElement name = doc.CreateElement("Name");
        name.InnerText = txtName.Text;

        XmlElement age = doc.CreateElement("Age");
        age.InnerText = txtAge.Text;

        student.AppendChild(name);
        student.AppendChild(age);

        doc.DocumentElement.AppendChild(student);
        doc.Save(path);

        lblOutput.Text = "Data written
                          Successfully!";
    }
}
```



```
protected void btnRecd_Click (Object sender,  
                                EventArgs e)  
{  
    DataSet ds = new DataSet();  
    ds.ReadXml (path);  
  
    lblOutput.Text = "Students:<br/>";  
    foreach (DataRow row in ds.Tables [0].Rows)  
    {  
        lblOutput.Text += row ["Name"] + " - "  
                        + row ["Age"] + "<br/>";  
    }  
}
```

* Students.xml

```
<Students>  
  <Student>  
    <Name>Rahul</Name>  
    <Age>21</Age>  
  </Student>  
</Students>
```




Parul[®]
University

NAAC A++
ACCREDITED UNIVERSITY

Pg. No. : 71
Date :

PU VAULT