

Practical -19

* Index.cshtml

@model IEnumerable<Book>

<h2>Book List </h2>

<form method="get" action="/Book/Search">

<input type="text" name="name"

placeholder="Search by name" />

<input type="submit" value="Search" />

</form>

<table border="1">

<tr>

<th>ID </th>

<th>Name </th>

<th>Author </th>

<th>Price </th>

<th>Action </th>

</tr>

@foreach (var item in Model)

{

<tr>

<td> @item.book_id </td>

<td> @item.book_name </td>

<td> @item.author </td>

<td> @item.price </td>



```
<td>
    <a href="/Book/Edit/@item.book-id">
        Edit </a>
    <a href="/Book/Delete/@item.book-id">
        Delete </a>
</td>
</tr>
}
</table>
```

```
<a href="/Book/Create">Add New Book </a>
```

* BookController.cs

```
using System.Linq;
using System.Web.Mvc;

public class BookController : Controller
{
    BookDbContext db = new BookDbContext();

    public ActionResult Index()
    {
        return View(db.Books.ToList());
    }

    public ActionResult Create() => View();

    [HttpPost]
    public ActionResult Create (Book b)
    {

```



```
        if CModelState.IsValid
        {
            db.Books.Add(cb);
            ds.SaveChanges();
            return RedirectToAction("Index");
        }
        return View(cb);
    }
```

```
    public ActionResult Search (string name)
    {
        var result = db.Books Where (x => x.book_name
                                Contains (name)).
                                ToList();
        return View ("Index", result);
    }
```

```
    public ActionResult Edit (int id)
    {
        return View (db.Books.Find (id));
    }
```

```
    [HttpPost]
    public ActionResult Edit (Book b)
    {
        if CModelState.IsValid
        {
            db.Entry (b).State = System.Data.Entity.
                                EntityState.Modified;
            db.SaveChanges();
            return RedirectToAction ("Index");
        }
    }
```



```
        return ViewCb();  
    }  
}
```

```
public ActionResult DeleteCint id  
{  
    var b = db.Books.FindCid();  
    db.Books.RemoveCb();  
    db.SaveChanges();  
    return RedirectToAction("Index");  
}
```

```
}
```

* Book.cs

```
using System.ComponentModel.DataAnnotations;
```

```
public class Book  
{
```

```
    public int book_id {get; set;}
```

```
[Required(ErrorMessage = "Book name is required")]  
    public string book_name {get; set;}
```

```
[Required(ErrorMessage = "Author is required")]  
    public string author {get; set;}
```

```
[Range(1, 9999, ErrorMessage = "Enter valid price")]  
    public decimal price {get; set;}
```

```
}
```