

Practical - 4

"Use of Radio Button"

* Objective :-

- > To create a web page using ASP.NET Web Forms that takes gender input using two radio buttons. When the user selects a gender and clicks a button, the selected gender is displayed on the page.

* Code :-

* ~~Default.aspx.net~~

* Default.aspx

```
<%@ Page Language="C#" AutoEventWireup="true"
    CodeBehind="Default.aspx.cs"
    Inherits="GenderApp.Default"
```

```
<html>
```

```
  <head runat="server">
```

```
    <title>Gender Selection </title>
```

```
  </head>
```

```
  <body>
```

```
    <form id="form1" runat="server">
```

```
      <h3>Select Gender: </h3>
```

```
      <asp:RadioButton
```

```
        ID="rbMale"
```

```
        runat="server"
```

```
Groupname = "Gender"
Text = "Male"
/>
<asp:RadioButton
    ID = "rbFemale"
    runat = "server"
    GroupName = "Gender"
    Text = "Female"
/>
<br/> <br/>
<asp:Button
    ID = "btnShowGender"
    runat = "server"
    Text = "Show Gender"
    OnClick = "btnShowGender_Click"
/>
<br/> <br/>
<asp:Label
    ID = "lblGender"
    runat = "server"
    Font-Bold = "True"
    ForeColor = "Blue"
> </asp:Label>
</form>
</body>
</html>
```

* Default.aspx.cs

```
using System;  
namespace GenderApp  
{
```

```
    public partial class Default : System.Web.UI.Page  
    {
```

```
        protected void btnShowGender_Click  
        (Object sender, EventArgs e)  
        {
```

```
            if CmbMale.Checked
```

```
                lblGender.Text = "Selected Gender:  
                Male";
```

```
            else if CmbFemale.Checked
```

```
                lblGender.Text = "Selected Gender:  
                Female";
```

```
            else
```

```
                lblGender.Text = "Please select a  
                gender.";
```

```
        }
```

```
    }
```

```
}
```


* Output *