







Practical- 3





Practical – 2



Practical-1

```

vicky@vicky: ~
File Actions Edit View Help
All 1000 scanned ports on 192.168.1.1 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap done: 1 IP address (1 host up) scanned in 4.25 seconds

(vicky@vicky)-[~]
$ nmap -A 192.168.1.1
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-07-31 05:49 CDT
Nmap scan report for 192.168.1.1
Host is up (0.0031s latency).
All 1000 scanned ports on 192.168.1.1 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Aggressive OS guesses: 3Com 4500G switch (92%), H3C Comware 5.20 (92%), Huawei VRP 8.100 (92%), Microsoft Windows Server 2003 SP1 (92%), Oracle Virtualbox (92%), QEMU user mode network gateway (92%), AXIS 2100 Network Camera (92%), D-Link DP-300U, DP-G310, or Hamlet HPS01UU print server (92%), HP Tru64 UNIX 5.1 A (92%), Sanyo PLC-XU88 digital video projector (92%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 1 hop

TRACEROUTE (using port 80/tcp)
HOP RTT ADDRESS
1 3.40 ms 192.168.1.1

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 18.60 seconds

(vicky@vicky)-[~]
$

```

```

vicky@vicky: ~
File Actions Edit View Help
(vicky@vicky)-[~]
$ nmap -sS 192.168.1.1
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-07-31 05:31 CDT
Nmap scan report for 192.168.1.1
Host is up (0.0017s latency).
All 1000 scanned ports on 192.168.1.1 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap done: 1 IP address (1 host up) scanned in 4.49 seconds

(vicky@vicky)-[~]
$ nmap -O 192.168.1.1
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-07-31 05:32 CDT
Nmap scan report for 192.168.1.1
Host is up (0.0050s latency).
All 1000 scanned ports on 192.168.1.1 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Aggressive OS guesses: 3Com 4500G switch (92%), H3C Comware 5.20 (92%), Huawei VRP 8.100 (92%), Microsoft Windows Server 2003 SP1 (92%), Oracle Virtualbox (92%), QEMU user mode network gateway (92%), AXIS 2100 Network Camera (92%), D-Link DP-300U, DP-G310, or Hamlet HPS01UU print server (92%), HP Tru64 UNIX 5.1 A (92%), Sanyo PLC-XU88 digital video projector (92%)
No exact OS matches for host (test conditions non-ideal).

OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 6.65 seconds

(vicky@vicky)-[~]
$

```

```
vicky@vicky: ~  
$ nmap -sn 192.168.56.1  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-07-31 05:27 CDT  
Nmap scan report for 192.168.56.1  
Host is up (0.0031s latency).  
Nmap done: 1 IP address (1 host up) scanned in 0.16 seconds  
  
vicky@vicky: ~  
$ nmap -sn 192.168.1.0/24  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-07-31 05:28 CDT  
Nmap scan report for 192.168.1.0  
Host is up (0.0028s latency).  
Nmap scan report for 192.168.1.1  
Host is up (0.0026s latency).  
Nmap scan report for 192.168.1.2  
Host is up (0.0022s latency).  
Nmap scan report for 192.168.1.3  
Host is up (0.0023s latency).  
Nmap scan report for 192.168.1.4  
Host is up (0.0039s latency).  
Nmap scan report for 192.168.1.5  
Host is up (0.0038s latency).  
Nmap scan report for 192.168.1.6  
Host is up (0.0038s latency).  
Nmap scan report for 192.168.1.7  
Host is up (0.0035s latency).  
Nmap scan report for 192.168.1.8  
Host is up (0.0033s latency).  
Nmap scan report for 192.168.1.9
```