



* Practical 10 *

* activity-main.xml

```
<LinearLayout xmlns:android="http://schemas.  
android.com/apk/  
res/android"
```

```
    android:layout_width="match-parent"  
    android:layout_height="match-parent"  
    android:gravity="center"  
    android:orientation="vertical"  
    android:padding="20dp">
```

```
<EditText
```

```
    android:id="@+id/etNumber"  
    android:layout_width="match-parent"  
    android:layout_height="wrap-content"  
    android:hint="Enter a number"  
    android:inputType="number"/>
```

```
<Button
```

```
    android:id="@+id/btnGenerate"  
    android:layout_width="wrap-content"  
    android:layout_height="wrap-content"  
    android:text="Generate List"/>
```

```
</LinearLayout>
```



* activity_second.xml

```
<ScrollView xmlns:
```

```
    android="http://schemas.android.com/apk/res/  
        android"
```

```
    android:layout_width="match-parent"
```

```
    android:layout_height="match-parent">
```

```
    <LinearLayout
```

```
        android:id="@+id/Container"
```

```
        android:layout_width="match-parent"
```

```
        android:layout_height="wrap-content"
```

```
        android:orientation="vertical"
```

```
        android:padding="16dp"/>
```

```
</ScrollView>
```

* MainActivity.java

```
package com.example.myapplication;
```

```
public class MainActivity extends AppCompatActivity {
```

```
    EditText etNumber;
```

```
    Button btnGenerate;
```

```
    @Override
```

```
    protected void onCreate(Bundle savedInstanceState) {
```

```
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_main);
```




```
etNumber = findViewById(R.id.etNumber);  
btnGenerate = findViewById(R.id.btnGenerate);
```

```
btnGenerate.setOnClickListener(new View.OnClickListener() {
```

```
    @Override
```

```
    public void onClick(View v) {
```

```
        String numStr = etNumber.getText().  
            toString().  
            trim();
```

```
        if (!numStr.isEmpty()) {
```

```
            int num = Integer.parseInt(numStr);
```

```
            Intent intent = new Intent(MainActivity.this,  
                SecondActivity.class);
```

```
            intent.putExtra("count", num);  
            startActivity(intent);
```

```
        }
```

```
    }
```

```
}
```

```
}
```

```
}
```

* SecondActivity.java

```
package com.example.myapplication;
```

```
import static com.example.myapplication.R.layout.  
    activity_second;
```

```
import android.os.Bundle;
```

```
import android.widget.LinearLayout;
```



```
import android.widget.TextView;

import androidx.appcompat.app.AppCompatActivity;

public class SecondActivity extends AppCompatActivity {

    LinearLayout container;
```

⑨ Override

```
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.second);
```

```
    container = findViewById(R.id.container);
```

```
    int count = getIntent().getExtras()
        .getInt("count", 0);
```

```
    for (int i = 1; i <= count; i++) {
        TextView tv = new TextView(this);
        tv.setText("Item" + i);
        tv.setTextSize(18f);
        tv.setPadding(10, 10, 10, 10);
        container.addView(tv);
    }
```

```
    }
```



Parul[®]
University

NAAC 
ACCREDITED UNIVERSITY

Pg. No. : 63

Date :

* Output *

PU VAULT