



* Practical - 8 *

* activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/main"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/white"
    tools:context=".MainActivity">
    <Button
        android:id="@+id/btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Send Notification"
        android:backgroundTint="@android:color/black"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
```



* activity-after_notification.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
    xmlns:android="
"http://schemas.android.com/apk/res/android"
    xmlns:tools="
"http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:gravity="center"
    android:background="@color/white"
    tools:context=".AfterNotification">

    <TextView
        android:id="@+id/textView"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text=
"Welcome To Parul University"
        android:textSize="15sp"
        android:textStyle="bold" />
</LinearLayout>
```


* MainActivity.java

```
package com.example.myapplication;
```

```
import android.Manifest;
```

```
import android.annotation.SuppressLint;
```

```
public class MainActivity extends AppCompatActivity {
```

```
    private final String channelId = "i.apps.notifications";
```

```
    private final String description = "Test notification";
```

```
    private final int notificationId = 1234;
```

```
    @Override
```

```
    protected void onCreate(Bundle savedInstanceState) {
```

```
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_main);
```

```
        Button btn = findViewById(R.id.btn);
```

```
        createNotificationChannel();
```

```
        btn.setOnClickListener(v -> {
```

```
            if (Build.VERSION.SDK_INT >=
```

```
                Build.VERSION_CODES.TIRAMISU) {
```

```
                if (ActivityCompat.checkSelfPermission(this,
```

```
                    Manifest.permission.POST_NOTIFICATIONS)
```

```
                        != PackageManager.PERMISSION_GRANTED) {
```

```
                    ActivityCompat.requestPermission(C
```



```

        this,
        new String[] { Manifest.permission.
                        POST_NOTIFICATIONS,
                        101
        };
        return;
    }
}
sendNotification();
});
}

private void createNotificationChannel() {
    if (Build.VERSION.SDK_INT >= Build.VERSION_CODES.
        O) {
        NotificationChannel notificationChannel =
            new NotificationChannel (
                channelId,
                description,
                NotificationManager.IMPORTANCE_HIGH
            );
        notificationChannel.enableLights(true);
        notificationChannel.setLightColor(Color.GREEN);
        notificationChannel.enableVibration(true);
        NotificationManager notificationManager =
            (NotificationManager) getSystemService (
                Context.NOTIFICATION_SERVICE);
        if (notificationManager != null) {
            notificationManager.createNotificationChannel (
                notificationChannel);
        }
    }
}
}
}

```




⑨ Suppress Lint ("MissingPermission")
private void sendNotification() {

Intent intent = new Intent(this, AfterNotification.
class);

Intent.setFlags(Intent.FLAG_ACTIVITY_NEW_TASK |
Intent.FLAG_ACTIVITY_CLEAR_TASK);

PendingIntent pendingIntent = PendingIntent.getActivity(
this, 0, intent, PendingIntent.FLAG_UPDATE_CURRENT
| PendingIntent.FLAG_IMMUTABLE

);

NotificationCompat.Builder builder = new Notification.
Compat.Builder(this, channelId)

.setSmallIcon(R.drawable.ic_launcher_foreground)

.setContentTitle("Hello")

.setContentText("Welcome to Parul University")

.setContentIntent(pendingIntent)

.setAutoCancel(true)

.setPriority(NotificationCompat.PRIORITY_HIGH)

NotificationManagerCompat notificationManager =
NotificationManagerCompat.from(this);

notificationManager.notify(notificationId, builder.
build());

}

}



Parul[®]
University

NAAC **A++**
ACCREDITED UNIVERSITY

Pg. No. : 53

Date :

* Output *

