

Practical - 6

"Registration Page"

* Registration.aspx

```
<%@ Page Language = "C#" AutoEventWireup = "true"
    CodeBehind = "WebForm1.aspx.cs"
    Inherits = "WebApplication4.Registration"%>

<html> <head runat="server">
    <title>Registration Form Filling </title>
</head>
<body>
    <form id = "Form1" runat = "server">
        <h2>Registration Form </h2>
        <table>
            <tr>
                <td class = "label">Name: </td>
                <td><asp:TextBox ID = "txtName"
                    runat = "server" CssClass = "input"/></td>
            </tr>
            <tr>
                <td class = "label">Date of Birth: </td>
                <td>
                    <asp:TextBox
                        ID = "txtDOB"
                        runat = "server"
                        TextMode = "Date"
                        CssClass = "input"
                    />
                </td>
            </tr>
        </table>
    </form>
</body>
</html>
```

```

<tr>
    <td class="label">Gender: </td>
    <td>
        <asp:RadioButtonList
            ID="rblGender"
            runat="server"
            RepeatDirection="Horizontal"
            CssClass="aspNetRadioButtonList"
        >
            <asp:ListItem Text="Male" Value="Male"/>
            <asp:ListItem Text="Female" Value="Female"/>
        </asp:RadioButtonList>
    </td>
</tr>
    
```

```

<tr>
    <td class="label">Email ID: </td>
    <td>
        <asp:TextBox
            ID="txtEmail"
            runat="server"
            TextMode="Email"
            CssClass="input"
        />
    </td>
</tr>
    
```




```
<tr>
  <td class="label">Contact No: </td>
  <td>
    <asp:TextBox ID="txtContact"
      runat="server"
      CssClass="input" />
  </td>
</tr>
```

```
<tr>
  <td class="label">Address: </td>
  <td>
    <asp:TextBox
      ID="txtAddress"
      runat="server"
      TextMode="Multiline"
      Rows="3"
      CssClass="input"
    />
  </td>
</tr>
```

```
<tr>
  <td class="label">City: </td>
  <td> <asp:TextBox ID="txtCity"
      runat="server"
      CssClass="input" /> </td>
</tr>
```

<tr>

<td class="label">Pin Code: </td>

<td><asp:TextBox ID="txtPin"

runat="server"

Css Class="input" /> </td>

</tr>

<tr>

<td class="label">Hobbies: </td>

<td>

<asp:CheckBoxList

ID="cblHobbies"

runat="server"

RepeatDirection="Horizontal"

Css Class="aspNetCheckBoxList"

>

<asp:ListItem Text="Reading" Value="Reading"/>

<asp:ListItem Text="Sports" Value="Sports"/>

<asp:ListItem Text="Music" Value="Music"/>

<asp:ListItem Text="Traveling" Value="Traveling"/>

</asp:CheckBoxList>

</td>

</tr>

<tr>

<td class="aspNetButton">

<asp:Button

ID="btnSubmit"

runat="server"

Text="Submit"

onClick="btnSubmit_Click"

/>

</td>

</tr>


```

</table>

<asp:Panel
  ID = "pnlResult"
  runat = "server"
  Visible = "false"
  CssClass = "result"
>
  <h3>Entered Information: </h3>
  <asp:Label ID="lblResult" runat="server"
    Text = " " />
</asp:Panel>
</form>
</body>
</html>

```

* Registration.aspx.cs

```

using System;
using System.Text;
using System.Xml.Linq;

namespace WebApplication4
{
    public partial class Registration : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }
    }
}

```

```
protected void btnSubmit_Click(object sender,
    EventArgs e)
```

```
{
```

```
    StringBuilder sb = new StringBuilder();
```

```
    sb.Append("<b>Name: </b>" +
        txtName.Text + "<br/>");
```

```
    sb.Append("<b>Date of Birth: </b>" +
        txtDOB.Text + "<br/>");
```

```
    sb.Append("<b>Gender: </b>" +
        rblGender.SelectedValue + "<br/>");
```

```
    sb.Append("<b>Email: </b>" +
        txtEmail.Text + "<br/>");
```

```
    sb.Append("<b>Contact: </b>" +
        txtContact.Text + "<br/>");
```

```
    sb.Append("<b>Address: </b>" +
        txtAddress.Text + "<br/>");
```

```
    sb.Append("<b>City: </b>" +
        txtCity.Text + "<br/>");
```

```
    sb.Append("<b>Pin Code: </b>" +
        txtPin.Text + "<br/>");
```

```
    sb.Append("<b>Hobbies: </b>");
```

```
    foreach (var item in cbHobbies.Items)
```

```
{
```

```
    var listItem = (System.Web.UI.WebControls.
        ListItem) item;
```

```
    if (listItem.Selected)
```

```
{
```

```
        sb.Append(listItem.Text + " ");
```

```
}
```

```
} lblResult.Text = sb.ToString();
```

```
}
```

```
}
```

```
}
```