



* Practical - 11 *

* activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<LinearLayout xmlns:android="http://schemas.  
android.com/apk/  
res/android"
```

```
    android:orientation="vertical"
```

```
    android:gravity="center"
```

```
    android:padding="20dp"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent">
```

```
    <EditText
```

```
        android:id="@+id/editTextNumber"
```

```
        android:hint="Enter Mobile Number"
```

```
        android:inputType="phone"
```

```
        android:layout_width="match_parent"
```

```
        android:layout_height="wrap_content"/>
```

```
    <Button
```

```
        android:id="@+id/btnCall"
```

```
        android:text="Make Call"
```

```
        android:layout_width="wrap_content"
```

```
        android:layout_height="wrap_content"
```

```
        android:layout_marginTop="20dp"/>
```

```
</LinearLayout>
```



* MainActivity.java

```
package com.example.myapplication;
```

```
public class MainActivity extends AppCompatActivity {
```

```
    private EditText editTextNumber;
```

```
    private Button btnCall;
```

```
    private static final int REQUEST_CALL = 1;
```

④ Override

```
    protected void onCreate(Bundle savedInstanceState) {
```

```
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_main);
```

```
        editTextNumber = findViewById(R.id.editTextNumber);
```

```
        btnCall = findViewById(R.id.btnCall);
```

```
        btnCall.setOnClickListener(new View.OnClickListener() {
```

④ Override

```
            public void onClick(View v) {
```

```
                makePhoneCall();
```

```
            }
```

```
        });
```

```
    }
```



```

private void makePhoneCall() {
    String number = editTextNumber.getText().toString().trim();

    if (number.length() > 0) {
        if (ContextCompat.checkSelfPermission(
            MainActivity.this, Manifest.permission.
            CALL_PHONE) != PackageManager.
            PERMISSION_GRANTED) {

            ActivityCompat.requestPermissions(MainActivity.
            this,
                new String[] {Manifest.permission.
                CALL_PHONE, REQUEST_CALL});
        }
        else {
            String dial = "tel:" + number;
            startActivity(new Intent(Intent.ACTION_CALL,
                Uri.parse(dial)));
        }
    }
    else {
        Toast.makeText(this, "Enter a valid phone
            number",
            Toast.LENGTH_SHORT).
            show();
    }
}
}

```

⑨ Override

```

public void onRequestPermissionsResult (int
requestCode, String[] permissions, int[] grantResults) {

```



```
if (requestCode == REQUEST_CALL) {  
    if (grantResults.length > 0 &&  
        grantResults[0] == PackageManager.  
            PERMISSION_GRANTED) {  
        makePhoneCall();  
    } else {  
        Toast.makeText(this, "Permission DENIED",  
            Toast.LENGTH_SHORT).show();  
    }  
}  
}
```

* AndroidManifest.xml

```
<uses-permission  
    android:name="android.permission.CALL_PHONE"  
    tools:ignore="PermissionImpliesUnsupportedChromeOsHardware"/>
```



Parul[®]
University

NAAC⁺⁺

Pg. No. : 68

Date :

* Output *

PU VAULT