

jQuery Effects - Hide and Show

Previous

Next >

Hide, Show, Toggle, Slide, Fade, and Animate. WOW!

Click to show/hide panel

Examples

<u>jQuery hide()</u>

Demonstrates a simple jQuery hide() method.

<u>jQuery hide()</u>

Another hide() demonstration. How to hide parts of text.

jQuery hide() and show()

With jQuery, you can hide and show HTML elements with the hide() and show()
methods:

Example

```
$("#hide").click(function(){
  $("p").hide();
```

Try it Yourself »

Syntax:

```
$(selector).hide(speed,callback);
$(selector).show(speed,callback);
```

The optional speed parameter specifies the speed of the hiding/showing, and can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after the hide() or show() method completes (you will learn more about callback functions in a later chapter).

The following example demonstrates the speed parameter with hide():

Example

```
$("button").click(function(){
   $("p").hide(1000);
});
```

Try it Yourself »

ADVERTISEMENT



jQuery toggle()

You can also toggle between hiding and showing an element with the toggle() method.

Shown elements are hidden and hidden elements are shown:

Example

```
$("button").click(function(){
   $("p").toggle();
});
```

Try it Yourself »

Syntax:

```
$(selector).toggle(speed,callback);
```

The optional speed parameter can take the following values: "slow", "fast", or milliseconds.

The optional callback parameter is a function to be executed after toggle() completes.



Test Yourself With Exercises

Exercise:

Use a jQuery method to **hide** a element when it is clicked on.

```
$("p").click(function(){
    $(this). ();
});
```

Submit Answer »

Start the Exercise

jQuery Effects Reference

For a complete overview of all jQuery effects, please go to our <u>jQuery Effect Reference</u>.

Previous

Next >

W3schools Pathfinder
Track your progress - it's free!

Sign Up Log in



ADVERTISEMENT



COLOR PICKER





ADVERTISEMENT

ADVERTISEMENT

ADVERTISEMENT



Tutorials ▼ Exercises ▼

Services **▼**

Q

Sign Up Log in

CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

(

schools

SPACES

UPGRADE

AD-FREE

NEWSLETTER

GET CERTIFIED

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
jQuery Tutorial

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate



Tutorials **▼**

Exercises **▼**

Services **▼**



0

Sign Up

Log in

CSS **JAVASCRIPT** SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS











FORUM ABOUT CLASSROOM

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.