edsmsm (WKND) Multi-Site - Admin Guide

Config Service, Permissions, Multi-Site Manager and Admin Operations

Date: October 19, 2026

Adobe

Table of Contents

edsmsm (WKND) Multi-Site - Admin Guide 3
- Quick Reference 3
- Current Delivery State (edsmsm) 4
- Authentication 4
- User Management 5
- Multi-Site Manager (MSM) 6
- Content Operations 7
- Code Operations 8
- Project-Specific Configuration 9
- Open Owner Decisions 9
- Common Tasks 9
- Troubleshooting 10
- Resources 10

edsmsm (WKND) Multi-Site - Admin Guide

Complete administration guide for managing the `savitaagre` AEM Edge Delivery Services organization: the base site `edsmsm` and its two Multi-Site Manager (MSM) satellites, `ema` and `savisite`. All values below were read from the Config Service and Document Authoring (DA) admin APIs on October 19, 2026.

Quick Reference

Organization

Item	Value
Config Service org	`savitaagre`
Config Service	https://admin.hlx.page/config/savitaagre/
Sites list	https://admin.hlx.page/config/savitaagre/sites.json
Org DA config	https://da.live/config#/savitaagre/
Org admin (Config Service user)	sagre@adobe.com (role `admin`)
Setup type	Multi-site org: three sites, each bound to its own GitHub repository

Sites

Site	Code (GitHub)	Content source	MSM role
edsmsm	savitaagre/edsmsm	https://content.da.live/savitaagre/edsmsm	Base
ema	savitaagre/ema	https://content.da.live/savitaagre/ema	Satellite
savisite	savitaagre/savisite	https://content.da.live/savitaagre/savisite/	Satellite

URLs per site

Site	Login	Preview	Live
edsmsm	https://admin.hlx.page/login/savitaagre/edsmsm	https://main--edsmsm--savitaagre.aem.page/	https://main--edsmsm--savitaagre.aem.live/
ema	https://admin.hlx.page/login/savitaagre/ema	https://main--ema--savitaagre.aem.page/	https://main--ema--savitaagre.aem.live/
savisite	https://admin.hlx.page/login/savitaagre/savisite	https://main--savisite--savitaagre.aem.page/	https://main--savisite--savitaagre.aem.live/

Authoring entry points

Purpose	URL
DA editor (edsmsm)	https://da.live/#/savitaagre/edsmsm
DA editor (ema)	https://da.live/#/savitaagre/ema
DA editor (savisite)	https://da.live/#/savitaagre/savisite

Purpose	URL
Multi-Site Manager app	https://da.live/app/adobe-rnd/aem-apps/tools/apps/msm/msm

Content Bus IDs (current)

The content bus ID identifies each site's delivery storage. Record these before any content-source change (see "Multi-Site Manager - Pending Switch").

Site	contentBusId
edsmsm	`e15e9ad821ecb31eb40c177d4421317a865410471e5be18dfc26f9cc0d5`
ema	`4c51ad1b7109fc2d04edaee6c78d4c5cae8a2128a431eab989447a11f04`
savisite	`ace05f701805c48634880efed6be33cabbd11a4ec179e4f9f481641188b`

Current Delivery State (edsmsm)

Path	Preview	Live	Notes
`/us/en`	Previewed	Published	Home page (WKND replica)
`/nav`	Previewed	Published	Global navigation fragment
`/footer`	Previewed	Published	Global footer fragment
`/drafts/wknd-shell`	Previewed	Not published	Preview only, by design
21 adventure / magazine documents	Never previewed	Not published	Exist in DA for edsmsm, not yet previewed on this site

Code: merged to `main` via PR #1 (merge commit `71d7e86`). Code sync serves `main`; the feature branch was deleted after the merge, so only `main--edsmsm--savitaagre` URLs are current.

Authentication

Login

1. Open the login URL for the site, e.g. https://admin.hlx.page/login/savitaagre/edsmsm
2. Sign in with your Adobe ID (the account must hold a role in the org or site config).
3. For scripted Admin API calls, obtain an auth token from your signed-in session and export it as `AUTH_TOKEN`. Never paste tokens into tickets, chat, or committed files.

Logout

```
curl -X POST \
  -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/logout/savitaagre/edsmsm/main"
```

User Management

Access is controlled at three layers. Check all three when someone reports they "cannot publish" or "cannot edit".

Layer	Where	Current state
Config Service org users	`GET /config/savitaagre.json (users)`	sagre@adobe.com, role `admin`
Config Service site access	`GET /config/savitaagre/sites/{site}/access.json`	edsmsm, ema: no named roles, `requireAuth: auto`; savisite: `admin` = sagre@adobe.com, `requireAuth: auto`
DA permissions (authoring)	https://da.live/config#/savitaagre/ > `permissions` tab	`CONFIG` write and `/ + **` write for sagre@adobe.com

View current access

```
# Org users
curl -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/config/savitaagre.json"

# Site access (repeat for ema, savisite)
curl -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/config/savitaagre/sites/edsmsm/access.json"
```

Add or change a site role

Site access is a single JSON document. Always read it first, edit it, and post the full document back, so you do not drop existing roles.

```
# 1. Read
curl -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/config/savitaagre/sites/edsmsm/access.json" > access.json

# 2. Edit access.json, e.g.
# {"admin":{"role":{"admin":["sagre@adobe.com"],
#   "author":["new.author@example.com"]},"requireAuth":"auto"}}

# 3. Write back
curl -X POST \
  -H "x-auth-token: $AUTH_TOKEN" \
  -H "Content-Type: application/json" \
  --data @access.json \
  "https://admin.hlx.page/config/savitaagre/sites/edsmsm/access.json"
```

Role	Typical use
`admin`	Config changes, user management, all content and code operations
`publish`	Preview and publish content
`author`	Preview content

Remove a user

Remove the email from the relevant role array in `access.json` (read, edit, post back as above). To remove an org user, edit the `users` list of the org config the same way.

DA authoring permissions

Authors also need DA permission to edit documents. Manage this at https://da.live/config#/savitaagre/ on the `permissions` tab. Each row is `path`, `groups` (emails or IMS groups), `actions` (`read` / `write`). Today only sagre@adobe.com has write access, both to `CONFIG` and to all content (`/ + **`). Add rows for every new author before handover.

Multi-Site Manager (MSM)

Configuration in place

Item	Location	Value
`msm` tab	Org DA config (https://da.live/config#/savitaagre/)	base `edsmsm` (title `edsmsm`); satellites `ema` (title `ema`) and `savisite` (title `savisite`)
`prepare` row	Site DA config of edsmsm, ema, savisite	Multi-site Manager plugin: https://main--aem-apps--adobe-rnd.aem.page/tools/plugins/msm/msm.html
`apps` row	Site DA config of edsmsm, ema, savisite	MSM app: https://da.live/app/adobe-rnd/aem-apps/tools/apps/msm/msm
Org `data` tab	Org DA config	Present, empty

Authors open a document in DA and use the **Multi-site Manager** entry in the prepare menu to see and manage inheritance from `edsmsm` to the satellites, or open the MSM app for a site-wide view.

PENDING: satellite content-source switch

The satellites (`ema`, `savisite`) still use `content.da.live` as their content source. For inherited content to be delivered, each satellite must be switched to the MSM content provider:

```
https://da-msm.adobeaem.workers.dev/savitaagre/<site>/   (type: markup)
```

The switch is a `POST https://admin.hlx.page/config/savitaagre/sites/<site>/content.json`. **Read this before doing it:**

Fact	Consequence
The switch assigns a **new** `contentBusId`	Delivery storage is empty. Every previewed and published page on that satellite stops serving until it is re-previewed and re-published.
Reverting the source URL to `content.da.live`	Restores the original `contentBusId` (values in the Quick Reference table) and the existing delivery.
Automated preview through the MSM provider returned **401** ("error from content-bus")	The attempted switch was reverted. A signed-in author must re-preview and re-publish from da.live immediately after switching.
savisite pages `/code`, `/search`, `/deletedoc`, `/redirect.json`	Published, but have no DA source anymore. They **will be lost** on the switch unless recreated in DA first.

Fact	Consequence
Inventory at the time of the attempt	ema: 24 resources; savisite: 19 resources

Recommended switch runbook (per satellite, in a maintenance window):

1. Export the current site config: `GET /config/savitaagre/sites/<site>.json` and keep it.
2. Recreate or consciously retire any published page without a DA source (savisite: the four paths above).
3. Have a signed-in author ready in da.live.
4. `POST /config/savitaagre/sites/<site>/content.json` with `{"source":{"url":"https://da-msm.adobeaem.workers.dev/savitaagre/<site>/","type":"markup"}}`.
5. The author previews, then publishes, every page from da.live (or via the bulk endpoints with a valid author token).
6. Verify the satellite preview and live URLs. If previews fail with 401, revert step 4 by posting the original `content.da.live` URL; the original `contentBusId` and delivery return.

Backups: every configuration touched during the MSM work is saved in `stardust/.work/msm-backup-20261019T072721Z/` in the project working copy. This folder is gitignored and exists **only locally**; copy it to a safe location before the working copy is discarded.

Content Operations

All endpoints are relative to `https://admin.hlx.page` and require `-H "x-auth-token: $AUTH_TOKEN"`. Replace `edsmsm` with `ema` or `savisite` as needed.

Status

Operation	Endpoint
Page status (preview, live, edit)	`GET /status/savitaagre/edsmsm/main/{path}`

Preview

Operation	Endpoint
Single page	`POST /preview/savitaagre/edsmsm/main/{path}`
Bulk preview	`POST /preview/savitaagre/edsmsm/main/*` with body `{"paths":["/us/en/*"]}`

Publish

Operation	Endpoint
Single page	`POST /live/savitaagre/edsmsm/main/{path}`
Bulk publish	`POST /live/savitaagre/edsmsm/main/*` with body `{"paths":[...]}`
Unpublish	`DELETE /live/savitaagre/edsmsm/main/{path}`

Example, preview then publish the edsmsm home page:

```
curl -X POST -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/preview/savitaagre/edsmsm/main/us/en"
curl -X POST -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/live/savitaagre/edsmsm/main/us/en"
```

Cache

Operation	Endpoint
Purge path	`POST /cache/savitaagre/edsmsm/main/{path}`
Purge all	`POST /cache/savitaagre/edsmsm/main/*`

Content publishing is independent of code deployment: merging to `main` ships code, but content only changes on the live site when it is published.

Code Operations

Repositories and deployment

Site	Repository	Branch served
edsmsm	https://github.com/savitaagre/edsmsm	`main` (PR #1 merged, `71d7e86`)
ema	https://github.com/savitaagre/ema	`main`
savisite	https://github.com/savitaagre/savisite	`main`

Code sync (the AEM Code Sync GitHub App) deploys each push automatically. Feature branches are reachable at `https://{branch}--edsmsm--savitaagre.aem.page/{path}`; pull requests must include such a link for review.

Manual code sync

```
curl -X POST \
  -H "x-auth-token: $AUTH_TOKEN" \
  "https://admin.hlx.page/code/savitaagre/edsmsm/main/*"
```

Project rules for code changes

- `scripts/aem.js` is vendored; do not edit it.
- There is no build step; only devDependencies are used.
- Every committed file is served unless listed in `.hlxignore` (which currently excludes `stardust/`, `*.md`, dotfiles, tests, and tooling files).
- `fstab.yaml`, `helix-query.yaml` and `paths.json` are retired; configuration lives in the Config Service (tools.aem.live).

Project-Specific Configuration

Config	edsmsm	ema	savisite
Custom headers (`/headers.json`)	Not configured	Not configured	Not configured
CDN / production domain (`/cdn.json`)	Not configured	Not configured	Not configured
Public / metadata configs	Not configured	Not configured	Not configured
API keys	None	None	None

No production CDN is attached to any site yet; delivery is on the `aem.live` origin. Configure `cdn.json` (and push invalidation credentials) before go-live on a custom domain.

Open Owner Decisions

Decision	Status	Impact
Sign In backend	Not decided	The Sign In entry in the header has no backend wired.
Analytics tags	Not decided; Adobe Launch is not shipped	No analytics or tag manager runs on any page.
Locale trees	Not decided	Only `/us/en` exists; additional locale folders and their nav/footer fragments must be planned.
MSM satellite switch	Pending (see MSM section)	Satellites do not yet deliver inherited content.

Common Tasks

Task	Steps
Add a new admin	Read, edit and post back `/config/savitaagre/sites/{site}/access.json` (add email to `admin`); add a DA `permissions` row if they author too
Give an author edit access	Add a row in DA org config `permissions` tab; add to `author` or `publish` in site `access.json`
Publish the 21 adventure/magazine docs on edsmsm	Bulk preview `POST /preview/savitaagre/edsmsm/main/*` with their paths, review, then bulk publish via `/live/...`
Republish a site	`POST /preview/savitaagre/{site}/main/*` then `POST /live/savitaagre/{site}/main/*`
Clear all cache	`POST /cache/savitaagre/{site}/main/*`
Deploy code changes	Merge to `main`; if not picked up, `POST /code/savitaagre/{site}/main/*`
Switch a satellite to MSM	Follow the runbook in "PENDING: satellite content-source switch"

Troubleshooting

Issue	Solution
401 Unauthorized	Token expired or missing; log in again at the site login URL
401 “error from content-bus” when previewing through the MSM provider	Preview from da.live as a signed-in author; if it still fails, revert the satellite content source to `content.da.live`
403 Forbidden	Account lacks a role; check org users, site `access.json`, and DA permissions
404 Not Found	Check org/site/path spelling; check the page exists in DA and has been previewed
Pages vanished after a content-source change	A new `contentBusId` was assigned; re-preview and re-publish, or revert the source URL
429 Rate Limited	Wait and retry; batch bulk jobs
Cache not clearing	Purge the path again; confirm the page was actually re-published
Code not syncing	Confirm the AEM Code Sync app is installed on the repo; manual sync via `/code/...`
Branch URL returns 404	The branch was deleted after merge; use `main--edsmsm--savitaagre`

Resources

Resource	URL
Admin API docs	https://www.aem.live/docs/admin.html
Config Service setup	https://www.aem.live/docs/config-service-setup
Document Authoring	https://da.live/docs
Org DA config	https://da.live/config#/savitaagre/