

1. Post – entering data

The screenshot shows a REST client interface with a POST request to `localhost:8282/api`. The request body is a JSON object with the following fields: `id` (5), `firstname` (aditi), `lastname` (baghel), `emailid` (aditi@gmail.com), `mobilen` (7859), `address1` (bhind), and `address2` (mp). The response status is 200 OK, and the response body is empty.

```
1 {
2   "id": 5,
3   "firstname": "aditi",
4   "lastname": "baghel",
5   "emailid": "aditi@gmail.com",
6   "mobilen": 7859,
7   "address1": "bhind",
8   "address2": "mp"
9 }
```

Body Cookies Headers (4) Test Results Status: 200 OK Time: 140 ms Size: 123 B Save Response

Pretty Raw Preview Visualize Text

```
1
```

2. Get –reading data

The screenshot shows a REST client interface with a GET request to `localhost:8282/api`. The response status is 200 OK, and the response body is a JSON array of two objects. The first object has the same fields as the first object in the first screenshot. The second object has the same fields as the first object in the first screenshot.

```
1 {
2   "id": 5,
3   "firstname": "savita",
4   "lastname": "baghel",
5   "emailid": "savita@gmail.com",
6   "mobilen": 7859,
7   "address1": "bhind",
8   "address2": "mp"
9 },
10 {
11   "id": 6,
12   "firstname": "simmi",
13   "lastname": "baghel",
14   "emailid": "simmi@gmail.com",
15   "mobilen": 7859,
16   "address1": "bhind",
17   "address2": "mp"
18 }
19 }
```

localhost:8282/api Save Send

GET localhost:8282/api Status: 200 OK Time: 22 ms Size: 423 B Save Response

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies Beautify


none form-data x-www-form-urlencoded raw binary GraphQL JSON

1

Body Cookies Headers (5) Test Results

Pretty Raw Preview Visualize JSON

3. Delete method – deleting entries



4. Updating existing entries-

Before updating -

localhost:8282/api/7

PUT localhost:8282/api/7

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1
2 {
3   "id": 4,
4   "firstname": "mini",
5   "lastname": "sharma",
6   "emailid": "mini@gmail.com",
7   "mobilenno": 89876,
8   "address1": "bhind",
9   "address2": "mp"
10 }
```

Body Cookies Headers (4) Test Results Status: 200 OK Time: 117 ms Size: 123 B Save Response

Pretty Raw Preview Visualize Text

```
1
```

After updating-

localhost:8282/api

GET localhost:8282/api

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings Cookies Beautify

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1
2 {
3   "id": 5,
4   "firstname": "aditi",
5   "lastname": "baghel",
6   "emailid": "aditi@gmail.com",
7   "mobilenno": 7859,
8   "address1": "bhind",
9   "address2": "mp"
10 },
11 {
12   "id": 7,
13   "firstname": "mini",
14   "lastname": "sharma",
15   "emailid": "mini@gmail.com",
16   "mobilenno": 89876,
17   "address1": "bhind",
18   "address2": "mp"
19 }
20 }
```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 146 ms Size: 420 B Save Response

Pretty Raw Preview Visualize JSON