

Name: Savitha R

Reg.no:192421368

14)Develop a Student Result Analysis System HTML form, CSS table styling, JavaScript arrays, objects, functions, conditional statements, loops, Math.max() and Math.min().

Program:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Student Result Analysis System</title>
```

```
<style>
```

```
body{

    font-family:Arial,sans-serif;

    background:linear-gradient(to right,#36D1DC,#5B86E5);

    padding:30px;

}
```

```
.container{

    width:600px;

    margin:auto;

    background:white;

    padding:25px;

    border-radius:15px;

    box-shadow:0 0 15px gray;

}
```

```
h2{
```

```
text-align:center;
color:#1565c0;
}
```

```
input{
width:100%;
padding:10px;
margin:8px 0;
border:1px solid #999;
border-radius:5px;
font-size:16px;
}
```

```
button{
width:100%;
padding:12px;
background:#1565c0;
color:white;
border:none;
border-radius:5px;
font-size:18px;
cursor:pointer;
}
```

```
table{
width:100%;
margin-top:20px;
border-collapse:collapse;
}
```

```
table,th,td{
```

```
border:1px solid black;
}
```

```
th{
    background:#1565c0;
    color:white;
}
```

```
th,td{
    padding:10px;
    text-align:center;
}
```

```
.result{
    margin-top:20px;
    font-size:18px;
    color:#0d47a1;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<h2>Student Result Analysis System</h2>
```

```
<input type="text" id="name" placeholder="Student Name">
```

```
<input type="number" id="m1" placeholder="HTML Marks">
```

```
<input type="number" id="m2" placeholder="CSS Marks">
```

```
<input type="number" id="m3" placeholder="JavaScript Marks">
```

```
<button onclick="analyze()">Analyze Result</button>
```

```
<table>
```

```
<tr>
```

```
<th>Subject</th>
```

```
<th>Marks</th>
```

```
</tr>
```

```
<tr>
```

```
<td>HTML</td>
```

```
<td id="htmlMark"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>CSS</td>
```

```
<td id="cssMark"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>JavaScript</td>
```

```
<td id="jsMark"></td>
```

```
</tr>
```

```
</table>
```

```
<div class="result" id="output"></div>
```

```
</div>
```

```
<script>
```

```
function analyze(){
```

```
let student={
```

```
name:document.getElementById("name").value,
```

```
marks:[
```

```
Number(document.getElementById("m1").value),
```

```
Number(document.getElementById("m2").value),
```

```
Number(document.getElementById("m3").value)
```

```
]
```

```
};
```

```
document.getElementById("htmlMark").innerHTML=student.marks[0];
```

```
document.getElementById("cssMark").innerHTML=student.marks[1];
```

```
document.getElementById("jsMark").innerHTML=student.marks[2];
```

```
let total=0;
```

```
for(let i=0;i<student.marks.length;i++){
```

```
total+=student.marks[i];
```

```
}
```

```
let average=total/student.marks.length;
```

```
let highest=Math.max(...student.marks);
```

```
let lowest=Math.min(...student.marks);
```

```
let result;
```

```

if(average>=50)
result="PASS";
else
result="FAIL";
document.getElementById("output").innerHTML=
"<b>Name:</b> "+student.name+
"<br><b>Total:</b> "+total+
"<br><b>Average:</b> "+average.toFixed(2)+
"<br><b>Highest Mark:</b> "+highest+
"<br><b>Lowest Mark:</b> "+lowest+
"<br><b>Result:</b> "+result;
}
</script>
</body>
</html>
Output:

```

← ↻ 📄 File E:/Web%20Technology/student%20result%20analysis%20system.html

Student Result Analysis System

Savitha R

-3

-2

1

Analyze Result

Subject	Marks
HTML	-3
CSS	-2
JavaScript	1

Name: Savitha R

Total: -4

Average: -1.33

Highest Mark: 1

Lowest Mark: -3

Result: FAIL

