

Name: Savitha R

Reg.no: 192421368

6) Creating an XHTML-Compliant Web Page

Use lowercase tags, properly closed tags, quoted attributes, properly nested elements, and self-closing empty tags.

Program:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
```

```
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
<title>XHTML Compliant Web Page</title>
```

```
</head>
```

```
<body>
```

```
<h1>Welcome to My XHTML Page</h1>
```

```
<p>This is a simple XHTML-compliant web page.</p>
```

```
<h2>Features</h2>
```

```
<ul>
```

- Lowercase tags
- Properly closed tags
- Quoted attributes
- Properly nested elements
- Self-closing empty tags

<p>

Visit

Example Website.

</p>

<hr />

<p>

Thank you for visiting!



Have a great day.

</p>

</body>

</html>

Output:



[← Instructions and Guides](#)

Example Domains

As described in [RFC 2606](#) and [RFC 6761](#), a number of domains such as `example.com` and `example.org` are maintained for documentation purposes. These domains may be used as illustrative examples in documents without prior coordination with us. They are not available for registration or transfer.

We provide a web service on the example domain hosts to provide basic information on the purpose of the domain. These web services are provided as best effort, but are not designed to support production applications. While incidental traffic for incorrectly configured applications is expected, please do not design applications that require the example domains to have operating HTTP service.

Further Reading

- [IANA-managed Reserved Domains](#)

Last revised 9 years ago.

[Domain Names](#) [Root Zone Registry](#) [.INT Registry](#) [.ARPA Registry](#) [IDN Repository](#)

[Number Resources](#) [Number Registries](#) [RIR Allocation Data](#) [Abuse Information](#)

[Protocols](#) [Protocol Registries](#) [Time Zone Database](#)

[About Us](#) [News](#) [Performance](#) [The Organization](#) [Archive](#) [Contact Us](#)

The IANA functions coordinate the Internet's globally unique identifiers, and are provided by [Public Technical Identifiers](#), an affiliate of ICANN.

[Privacy Policy](#) [Terms of Service](#)