

# Cucumber Report

Jan 10, 2024, 3:48:25 PM

Start : Jan 10, 3:47:49.330 PM

End : Jan 10, 3:48:22.092 PM

Duration : 32.762 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 6  
FAILED - 2  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Authentication tests</u>	32.762 s	2	0	2	0	10	6	2	2


#	Feature Name	Scenario Name
1	<u>User Authentication tests</u>	<u>Login should be success</u>
2		<u>Login should be success</u>

DEVICE	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
iphone	1	0	1	0	1	0	1	0
window	1	0	1	0	1	0	1	0

<b><i>AUTHOR</i></b>	<b><i>Scenario</i></b>				<b><i>Feature</i></b>			
<b><i>Name</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
<i>kisan</i>	1	0	1	0	1	0	1	0
<i>anjali</i>	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>User Authentication tests</u>	2	0	2	0	32.762 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Authentication tests</u>	<u>Login should be success</u>	5	3	1	1	17.006 s
2		<u>Login should be success</u>	5	3	1	1	15.719 s

## User Authentication tests

<b>FAILED</b>	DURATION - 32.762 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 10 Pass - 6 Fail - 2 Skip - 2	
/ 3:47:49.330 PM // 3:48:22.092 PM /					

## Login should be success

<div><div>FAILED</div><div>DURATION - 17.006 s</div></div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:47:49.335 PM // 3:48:06.341 PM /				
User Authentication tests				

#	Step / Hook Details	Status	Duration
1	And User clicks on the login link	PASSED	0.258 s
2	And User enter the username as "ortoni"	PASSED	0.191 s
3	And User enter the password as "Pass1234"	PASSED	0.152 s
4	When User click on the login button  org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: MicrosoftEdge=120.0.2210.121) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [c9d632bcd76ec05579cb7d5e980a2a4e, findElement {using=css selector, value=/button[color='primary']}]) Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:50366}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDataDir: C:\Users\2271259\AppData\Lo..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:50366/devtoo..., se.cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9d632bcd76ec05579cb7d5e980a2a4e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.055 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at net.bookcart.app.pageObject.LoginPage.userClickOnTheLoginButton(LoginPage.java:45) at ?.User click on the login button(file:///C:/Users/2271259/IdeaProjects/cucumber-project/cucumber-bookcart/src/test/resources/features/login.feature:11) * Not displayable characters are replaced by '?'. </pre>		
5	Then Login should be success	SKIPPED	0.001 s
	AFTER - net.bookcart.app.hooks.MyHooks.afterScenario(io.cucumber.java.Scenario)	FAILED	1.815 s
	Info added using adapter		
	<span class='badge white-text red'>FAILED</span>		

### Login should be success

<b>FAILED</b> DURATION - 15.719 s / 3:48:06.373 PM // 3:48:22.092 PM / User Authentication tests		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	And User clicks on the login link	PASSED	0.175 s
2	And User enter the username as "ortoni"	PASSED	0.160 s
3	And User enter the password as "Pass24"	PASSED	0.164 s

#	Step / Hook Details	Status	Duration
4	<p>When User click on the login button</p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: MicrosoftEdge=120.0.2210.121) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [ef90596fa40e903f9875156705057b8d, findElement {using=css selector, value=/button[color='primary']}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:50436}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDataDir: C:\Users\2271259\AppData\Lo..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50436/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ef90596fa40e903f9875156705057b8d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)  at net.bookcart.app.pageObject.LoginPage.userClickOnTheLoginButton(LoginPage.java:45)  at ?.User click on the login button(file:///C:/Users/2271259/IdeaProjects/cucumber-project/cucumber-bookcart/src/test/resources/features/login.feature:18)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.028 s
5	Then Login should fail	SKIPPED	0.000 s
	AFTER - net.bookcart.app.hooks.MyHooks.afterScenario(io.cucumber.java.Scenario)	FAILED	1.722 s
	Info added using adapter		
	<span class='badge white-text red'>FAILED</span>		