

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
User Authentication tests	32.692 s	2	0	2	0	10	6	2	2


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	User Authentication tests	Login should be success
2		Login should be success

DEVICE	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
iphone	1	0	1	0	1	0	1	0	
window	1	0	1	0	1	0	1	0	

AUTHOR	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
kisan	1	0	1	0	1	0	1	0
anjali	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 6 --



#	Feature Name	T	P	F	S	Duration
1	User Authentication tests	2	0	2	0	32.692 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Authentication tests	Login should be success	5	3	1	1	16.601 s
2		Login should be success	5	3	1	1	16.039 s

DETAILED SECTION -- 8 --

## **User Authentication tests**

FAILED	DURATION - 32.692 s	Scenarios		Steps	
		Total - 2		Total - 10	
/ 3:50:00.148 PM // 3	3:50:32.840 PM /	Pass - 0	2	Pass - 6	10
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	


## Login should be success



#	Step / Hook Details	Status	Duration
1	And User clicks on the login link	PASSED	0.144 s
2	And User enter the username as "ortoni"	PASSED	0.154 s
3	And User enter the password as "Pass1234"	PASSED	0.141 s
4	When User click on the login button	FAILED	0.045 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: MicrosoftEdge=120.0.2210.121) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [4cabe2694ea55eeae583c5d8e93d8115, findElement {using=css selector, value=/button[color='primary']}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62223}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02, userDataDir: C:\Users\2271259\AppData\Lo}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62223/devtoo, se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4cabe2694ea55eeae583c5d8e93d8115 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at net.bookcart.app.pageObject.LoginPage.userClickOnTheLoginButton(LoginPage.java:45) at ?.User click on the login button(file:///C:/Users/2271259/IdeaProjects/cucumber-project/cucumber-bookcart/src/test/resources/features/login.feature:11) * Not displayable characters are replaced by '?'.		
5	Then Login should be success	SKIPPED	0.001 s
	AFTER - net.bookcart.app.hooks.MyHooks.afterScenario(io.cucumber.java.Scenario)  Info added using adapter <span class="badge white-text red">FAILED</span>	FAILED	1.658 s

## **Login should be success**



#	Step / Hook Details	Status	Duration
1	And User clicks on the login link	PASSED	0.249 s
2	And User enter the username as "ortoni"	PASSED	0.205 s
3	And User enter the password as "Pass24"	PASSED	0.123 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
4	When User click on the login button	FAILED	0.034 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: MicrosoftEdge=120.0.2210.121) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors://invalid-selector-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [db7c/2a568628/444a/260acbb73fa1a6, findElement (using=css selector, value=/button/color=primary/]] Capabilities (acceptinsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcmaccounts: true-sedgeOptions: (debuggerAddress: localhost:62295), msedge: (msedgedriverVersion: 120.0.2210.121, fedcmaccounts: true-sedgeOptions: (debuggerAddress: localhost:62295), msedge: (msedgedriverVersion: 120.0.2210.121, fedcmicacounts: true-sedgeOptions: (debuggerAddress: localhost:62295), msedge: (msedgedriverVersion: 120.0.2210.121, fedcmicacounts: msedgeOptions: (debuggerAddress: localhost:62295), msedge: (msedgedriverVersion: 120.0.2210.121, setWindowRect: true, strictFielenteratability: false, timeouts: (implicit: 0, pageLoad: 300000, seript: 30000), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy; Pro		
5	* Not displayable characters are replaced by '?'.  Then Login should fail	SKIPPED	0.000 s
	AFTER - net.bookcart.app.hooks.MyHooks.afterScenario(io.cucumber.java.Scenario)	FAILED	1.788 s
	Info added using adapter	.,	100
	<pre><span class="badge white-text red">FAILED</span></pre>	†	
	Span Gass- bauge white-text red SPAILED (Span)		