


Altair AI Studio






Row No.	wickets	match_id	format	opposition	venue_type	innings_no	overs	maidens
1	1	3	T20I	England	Away	1	4	0
2	1	4	Test	West Indies	Away	3	12	4
3	0	6	T20I	South Africa	Neutral	2	4	0
4	0	8	T20I	Sri Lanka	Away	2	4	1
5	1	9	T20I	South Africa	Home	1	3	0
6	0	14	ODI	West Indies	Home	1	8	0
7	0	15	ODI	New Zealand	Away	1	7	0
8	0	17	T20I	Bangladesh	Away	1	2	0
9	2	19	ODI	Afghanistan	Away	1	8	1
10	3	24	Test	Afghanistan	Home	4	21	6
11	1	29	ODI	New Zealand	Away	2	6	0
12	1	30	ODI	England	Home	1	7	0
13	4	32	Test	Pakistan	Neutral	1	21	4

ExampleSet (30 examples,1 special attribute,13 regular attributes)


Process
Process
Process
inp
Read CSV
fil
out
Decision Tree
tra
mod
exa
wei
res
res
res


overs
> 17.500
≤ 17.500
runs_concedec
dot_ball_pc
> 65
> 69.450
≤ 69.450
runs_concedec
runs_concedec
oppositior
≤ 65
> 75.500
≤ 75.500
> 39.500
West Indies
Afghanistan
Australia
Bangladesh
England
New Zealand
Pakistan
South Africa
Sri Lanka
runs_concedec
maidens
match_ic
innings_nc
runs_concedec
runs_concedec
match_id
overs
overs
≤ 0.500
> 0.500
> 50
≤ 50
0.500
venue_type
venue_type
≤ 39.500
match_id
sixes_concede
format
0.000
0.500
> 42.500
match_ic
Neutral
Away
> 69
≤ 69
> 24
≤ 24
≤ 45.500
> 45.500
≤ 0.500
> 0.500
> 7
≤ 7
> 6.500
≤ 42.500
> 2.500
≤ 2.500
1.000
0.000
overs
dot_ball_pc
runs_concedec
match_ic
match_ic
0.000
1.000
0.000
1.000
1.667
venue_type
1.000
> 80.500
≤ 80.500
Away
Home
Neutral
> 82.200
≤ 56
0.000
3.500
5.000
2.500
5.000
6.500
1.500
2.000
> 11
≤ 11
> 41
≤ 41
ODI
T20
Away
Home
1.000
4.500
3.000
4.333
2.000
0.125
1.000
0.500
1.000
0.333
1.000
0.000
0.000
4.000
0.500