


29.04.2014

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C-M Z Magnum


Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
1	1144 020 2610	1	Crankcase, fan side □ 2 - 10		
2	0000 988 8600	2	Sleeve		
3	0000 988 5211	1	Connector		
4	9503 003 6677	1	Grooved ball bearing 6203		
5	9640 003 1560	1	Oil seal 15x22x4		
6	1133 791 5900	1	Stop buffer		
7	0000 350 0533	1	Filler cap □ 8		
8	9645 948 7734	1	Oring 25x3.5		
9	1144 080 1700	2	Grommet		
10	1144 084 7400	1	Grommet		
11	1144 020 2911	1	Crankcase □ 12 - 20		
12	9523 003 4556	1	Grooved ball bearing 17x40x14		
13	9640 003 1850	1	Oil seal 17x32.9x3.6		
14	1128 640 9100	1	Valve		
15	0000 664 2413	2	Collar screw M8		
16	1120 162 5200	1	Pin		
17	1128 162 5200	1	Pin		
18	1121 162 5205	1	Pin		
19	1121 162 5200	1	Pin		
20	0000 974 1200	1	Notched pin 2.6x8		
21	1144 030 0400	1	Crankshaft □ 22	(25.2005)	
22	1120 036 8500	1	Woodruff key 2x3.7		
23	1144 029 0500	1	Gasket		
24	9022 371 1020	6	Spline screw IS-M5x20		
25	1122 647 9400	1	Hose		
26	1117 640 3800	1	Pickup body		
27	1144 021 8101	1	Flange		
28	9022 313 0651	2	Spline screw IS-M4x10		
	1144 007 1600	1	Set of gaskets (B) ☐ 5, 13, 23		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,



Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
1	1144 020 1200	1	Cylinder with piston Ø 56 mm □ 2 - 7		
2	1144 030 2001	1	Piston Ø 56 mm □ 3 - 5		
3	1144 034 3000	2	Piston ring Ø 56x1.2 mm		
4	9463 650 1200	2	Snap ring 12x1		
5	1144 034 1500	1	Piston pin 12x8x35		
6	1135 028 1002	1	Grommet		
7	0000 953 0810	1	Stud M5		
8	9512 003 3286	1	Needle cage 12x17x14,4		
9	1144 029 2300	1	Cylinder gasket		
10	9022 341 1370	4	Spline screw IS-M6x30		
11	1124 020 9401	1	Decompression valve		
12	1144 141 3200	1	Cooling plate		
13	1144 149 0600	1	Muffler gasket		
14	1144 140 0600	1	Muffler (1,2,5) □ 16		
15	1144 140 0601	1	Muffler (3,4,6) USA, CDN, AUS, NZ □ 16, 17		
16	1144 145 0800	1	Exhaust casing		
17	1144 141 9001	1	Screen (3,4,6) USA, CDN, AUS, NZ		
18	1144 149 0500	1	Gasket		
19	9022 341 1070	2	Spline screw IS-M5x30		
20	9022 399 1020	2	Spline screw IS-M5x20		
21	9022 341 0911	2	Spline screw IS-M5x6		
22	1144 140 2500	1	Manifold □ 23		
23	1144 141 2700	1	Washer		
24	9771 021 2620	1	Hose clip Ø 36x5		
25	1122 141 1805	1	Sleeve		
	1144 007 1600	1	Set of gaskets (B) □ 9, 13, 18		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,



166FT007 SC

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,


Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
1	1144 640 3200	1	Oil pump □ 2 8		
2	1144 647 0600	1	Pump piston		
3	0000 958 0611	2	Washer		
4	0000 997 0629	1	Compression spring		
5	1144 641 9400	1	Bearing bushing		
6	9380 620 1090	1	Roll pin 2x10		
7	9646 945 0160	2	O-ring 4x2		
8	1144 647 4800	1	Control bolt		
9	1122 649 5000	1	Sealing ring B4x2		
10	9022 346 0658		Spline screw IS-M4x12		
11	1144 640 7101		Worm		
11	1144 040 7 101	'	□ 12		
12	1122 647 2401	1	Spring		
13	9455 621 1800	1	Circlip 17x1		
	1144 160 2001	1	Clutch □ 14 - 18		
14	1144 162 3200	1	Carrier		
15	0000 162 3001	3	Retainer		
16	1122 162 0802	3	Clutch shoe		
17	0000 997 5520	3	Tension spring		
18	1144 162 1000	1	Cover washer		
19	9512 933 2382	1	Needle cage 10x16x13		
	1122 007 1000	1	Rim sprocket kit 3/8" 7T □ 20 - 23		
20	0000 642 1223	1	Rim sprocket 3/8" 7T		
21		1	Clutch drum (D)		
22	0000 958 1032	1	Washer Ø 27 mm		
23	9460 624 0801	1	E-clip 8x1.3		
	1122 007 1001	1	Rim sprocket kit 3/8" 8T (B) □ 21 - 24		
24	0000 642 1216	1	Rim sprocket 3/8" 8T (B)		
	1122 007 1002	1	Rim sprocket kit 0.404" 7T (B) □ 21 - 23, 25		
25	0000 642 1207	1	Rim sprocket 0.404" 7T (B)		
26	1122 640 2006	1	Chain sprocket 3/8" 7T Picco (B)		
27	1122 640 2001	1	Chain sprocket 0.404" 7T (B)		
28	1122 640 2002	1	Chain sprocket 3/8" 7T (B)		
29	1122 640 2000	1	Chain sprocket 3/8" 8T (B)		
30	0000 958 1029	1	Washer Ø 33 mm (B)		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C-M Z Magnum


Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
1	1128 160 5000	1	Lever		
2	1121 162 5010	1	Lever		
3	0000 997 0628	1	Spring		
4	9460 624 0400	2	E-clip 4		
5	1144 160 5400	1	Brake band		
6	9022 346 0658	1	Spline screw IS-M4x12		
7	1144 160 5500	1	Tension spring □ 8		
8	1144 162 8000	1	Hose		
9	1144 021 1100	1	Cover		
10	9022 313 0660	3	Spline screw IS-M4x12		
11	1125 664 1400	1	Thrust pad		
12	1125 640 1900	1	Tensioner slide		
	1125 007 1021	1	Spur gear / chain adjusting screw kit □ 13 - 15		
13		1	Adjusting screw (D)		
14		1	Spur gear (D)		
15	9646 945 0490	1	O-ring 7x1.5		
16	1122 664 2200	1	Cover plate		
17	9022 313 0633	2	Spline screw IS-M4x8		
18	1122 664 4500	1	Support		
19	1128 664 1001	1	Inner side plate 0.9 mm		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,



Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
	1144 640 1700	1	Chain sprocket cover (1,2,5) □ 1 - 9, 11, 12		
	1144 640 1704	1	Chain sprocket cover (6) USA, CDN □ 1 - 8, 10 - 12		
1	1144 640 1705	1	Chain sprocket cover (1,2,5,6) □ 2 - 4		
	1144 640 1701	1	Chain sprocket cover (3,4) □ 2, 4 - 8, 11 - 15		
2	0000 995 0806	2	Collar nut M8		
3	1135 656 1500	1	Guard (1,2,5,6)		
4	1121 648 6610	2	Bumper strip		
	1122 650 7701	1	Chain catcher □ 5 - 8		
5		1	Collar stud (D)		
6		1	Sleeve (D)		
7	9210 319 0900	1	Hexagon nut M6		
8	9452 621 0140	1	Circlip 5x0.8		
9	1122 664 0504	1	Bumper spike (1,2,5)		
10	1122 664 0510	1	Bumper spike (6) USA, CDN		
11	9008 345 0960	2	Hexagon head screw M5x12		
12	9214 320 0700	2	Lock nut M5		
13	1144 640 1706	1	Chain sprocket cover (3,4) ☐ 2, 4, 15		
14	1144 664 0502	1	Bumper spike (3,4)		
15	1138 656 1500	1	Guard (3,4)		
16	1122 664 0505	1	Bumper spike (1,2,5)		
17	1122 664 0508	1	Bumper spike (6) USA, CDN		
18	1144 664 0503	1	Bumper spike (3,4)		
19	9022 341 0960	1	Spline screw IS-M5x12		
20	9022 341 1019	1	Spline screw IS-M5x20		
21	9214 320 0700	1	Lock nut M5		


⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,



1166FT006.S

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C-M Z Magnum

Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
1	1144 400 1200	1	Flywheel (1,2,4,6)	(25.2005)	
2	1144 400 1220	1	Flywheel (3,5)	(25.2005)	
3	9211 260 1340	1	Hexagon nut M10x1		
4	1144 404 3500	1	Generator (3,5)		
5	9022 313 0658	2	Spline screw IS-M4x12 (3,5)		
6	1138 442 0404	1	Insulating hose 33.5 mm (3,5)		
7	1144 400 1301	1	Ignition module (1) □ 9 - 14		
8	1144 400 4710	1	Control unit (2-6) □ 9 - 14		
9		1	Ignition lead 219 mm (D) (1)		
9		1	Ignition lead 221 mm (D) (2-6)		
	0000 405 0600	1	Ignition lead 1 m (A,B)		
	0000 930 2251	1	Ignition lead 10 m (A,B)		
10	0000 989 1002	1	Grommet		
11	0000 998 0604	1	Torsion spring		
12	1128 405 1000	1	Spark plug boot		
13	1128 084 1400	1	Cover		
14	0000 448 1206	1	Lead retainer		
15	0000 400 7000	1	Spark plug NGK BPMR7A		
16	9022 341 0710	2	Spline screw IS-M4x20		
17	9022 341 0650	1	Spline screw IS-M4x10		
18	1144 440 3000	1	Wiring harness (1)		
19	1144 440 3010	1	Wiring harness (2-6)		
20	9074 478 2970	1	Pan head self-tapping screw IS-P4x10 (2-6)		



⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C-M Z Magnum

Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
	1144 080 2101	1	Fan housing with rewind starter □ 1 - 15		
1	1144 080 1801	1	Fan housing □ 2 - 6		
2	1122 084 6502	1	Axle		
3	1110 084 9102	1	Bushing		
4	0000 958 0607	1	Washer		
5	9416 868 6530	1	Hollow rivet 6.5x0.5x6.8		
6	1144 084 7800	1	Segment		
7	1135 190 0600	1	Rewind spring		
8	1122 195 0400	1	Rope rotor		
9	1124 195 7200	2	Pawl		
10	1119 162 8925	1	Washer Ø 12 mm		
11	1124 195 3500	1	Spring		
12	1122 190 3400	1	Starter grip ElastoStart Ø 4,5 mm □ 13		
13	1122 190 2900	1	Starter rope Ø 4.5 mm		
	0000 930 2268	1	Starter rope Ø 4.5mm / 28 pieces (B)		
14	1144 967 1500	1	Model plate MS 661 (1)		
15	1144 967 1501	1	Model plate MS 661 C (2-6)		
16	9022 371 1020	3	Spline screw IS-M5x20		
17	1144 080 7500	1	Cover plate (B) □ 18		
18	9022 313 0658	2	Spline screw IS-M4x12 (B)		
19	1144 790 9100	1	Hand guard □ 21 - 23		
20	1144 790 9101	1	Hand guard (4,6) USA □ 21 - 24		
21	1124 792 5500	1	Bushing		
22	1124 792 5505	1	Bushing		
23	9022 341 1090	1	Spline screw IS-M5x40		
24	0000 967 3915	1	Instruction label (4,6) USA		


⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,

29.04.2014

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C-M Z Magnum

Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
1	1144 350 0801	1	Tank housing (1,2,4,6) □ 4 - 12		
2	1144 350 0802	1	Tank housing (4,6) USA □ 4 - 14		
3	1144 350 0824	1	Tank housing (3,5) □ 4 - 12		
4	1122 122 6602	2	Collar screw		
5	0000 350 5800	1	Tank vent		
6	1140 358 7706	1	Hose		
7	0000 350 3504	1	Pickup body		
8	1139 122 3900	1	Elbow connector		
9		1	Hose 3.1x5.7x60 mm, R5 (D)		
	0000 937 5004	1	Hose 3.1x5.7 mm x 1 m, R5 (A,B)		
10	0000 350 0533	1	Filler cap □ 11		
11	9645 948 7734	1	Oring 25x3.5		
12	0000 967 3662	1	Warning pictogram MS		
13	0000 967 4067	1	Warning Spark arresting screen (4,6) USA		
14	0000 967 3579	1	Instruction label (4,6) USA		
15	1144 141 8600	1	Impulse hose		
16	1144 989 0800	1	Grommet		
17	1144 123 7500	1	Grommet (1)		
18	1144 123 7510	1	Grommet (2,4,6)		
19	1144 123 7520	1	Grommet (3,5)		
20	1144 351 0900	1	Guard (3,4,6)		
21	9074 478 2970	1	Pan head self-tapping screw IS-P4x10 (3,4,6)		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,




⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,

Throttle control

Pic.	Part Number	Qty.	Part Description	TI	Up To Model
No		,	·		·
1	1144 182 1000	1	Throttle trigger (1)		
2	1144 180 1501	1	Throttle trigger (2-6)		
3	9371 470 2620	1	Cylindrical pin 5x20		
4	1117 182 4500	1	Torsion spring		
5	1141 182 0800	1	Lockout lever		
6	1144 182 1500	1	Throttle rod		
7	1144 182 0700	1	Grommet		
8	1144 185 1900	1	Choke rod (1)		
9	1144 182 2100	1	Retainer (1)		
10	1144 442 1600	1	Contact spring (1)		
11	1144 182 0900	1	Switch shaft (1)		
12	1144 182 2110	1	Retainer (2-6)		
13	1144 442 1610	1	Contact spring (2-6)		
14	1144 182 0910	1	Switch shaft (2-6)		
15	1144 791 0600	1	Handle molding		


⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,



29.04.2014

Pic.	Part Number				
No		Qty.	Part Description	TI	Up To Model
1	1144 140 4400	1	Air filter		
2	1144 140 1000	1	Filter cover (1) □ 5 - 7		
3	1144 140 1010	1	Filter cover (2-6) □ 5 - 7		
4	1144 140 1001	1	Filter cover (4,6) USA □ 5 - 8		
5	1144 141 2300	1	Twist lock		
6	1144 141 4000	1	Slide		
7	1144 141 6300	1	Air baffle		
8	0000 967 7248	1	Warning pictogram Filler cap (4,6) USA		
9	0000 967 1593	1	Model plate Magnum (3,4,6) USA, CDN		
10	1144 129 0900	1	Gasket		
11	1144 121 6900	1	Baffle		
12	9216 261 0700	2	Hexagon nut M5		
13	1144 140 1200	1	Filter base		
14	1124 121 9100	1	Bushing		
15	1144 120 0600	1	Carburetor WJ-135A (1)		
16	1144 120 0610	1	Carburetor WJ-134 (2-6)		
17	1128 121 8600	1	Washer		
18	1144 080 1600	1	Shroud □ 19 - 21		
19	0000 084 7000	1	Slotted nut		
20	0000 084 6900	1	Insulator		
21	1121 084 7100	1	Сар		
22	1135 028 1001	1	Grommet		
23	1144 080 1700	2	Grommet		

MS 661, MS 661 C 29.04.2014




4400000

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C-M Z Magnum


Pic. No		Part Number	Qty.	Part Description	TI	Up To Model
		1144 120 0600	1	Carburetor WJ-135A (1) □ 1 - 25		
	*		1	Carburetor WJ-135 (C) (1)	(35.2013)	
				□ 1 - 22, 25 - 27		
1		1110 121 5100	1	Inlet needle (1)		
2		1117 122 3005	1	Spring (1)		
3		1117 121 5000	1	Inlet control lever (1)		
4		1117 121 9200	1	Spindle (1)		
5		1114 122 7400	1	Round head screw (1)		
6		1116 129 0900	1	Gasket (1)		
7		1144 121 4700	1	Metering diaphragm (1)		
8		1144 121 0800	1	End cover (1)		
9		1121 122 7101	4	Screw (1)		
10		1114 121 7800	1	Strainer (1)		
11		1115 121 4800	1	Pump diaphragm (1)		
12		1115 129 1100	1	Gasket (1)		
13		1144 122 7100	4	Screw (1)		
14		1121 122 7102	1	Round head screw (1)		
15		1123 122 9000	1	E-clip (1)		
16		1117 122 9000	1	E-clip (1)		
17		1144 121 3500	1	Throttle lever (1)		
18		1144 121 6600	1	Lever (1)		
19		1144 121 0801	1	End cover (1)		
20		1144 122 6200	1	Idle speed adjustment screw (1)		
21		1122 121 7700	1	Clamp (1)		
22		1122 122 6800	1	Low speed adjustment screw (1)		
23		1144 122 6700	1	High speed adjustment screw (1)		
24		1123 121 5601	1	Fixed jet 0.61 (1)		
25		4203 121 2700	2	Cap (1)		
26	*	1124 122 6705	1	High speed adjustment screw (1)	(35.2013)	
27	*	1144 121 5600	1	Fixed jet 0.63 (1)	(35.2013)	
		1144 007 1700	1	Set of carburetor parts (B) (1)	, /	

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,




Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
	1144 120 0610	1	Carburetor WJ-134 (2-6) □ 1 - 27		
1	1110 121 5100	1	Inlet needle (2-6)		
2	1117 122 3005	1	Spring (2-6)		
3	1117 121 5000	1	Inlet control lever (2-6)		
4	1117 121 9200	1	Spindle (2-6)		
5	1114 122 7400	1	Round head screw (2-6)		
6	1116 129 0900	1	Gasket (2-6)		
7	1144 121 4700	1	Metering diaphragm (2-6)		
8	1144 121 0800	1	End cover (2-6)		
9	1121 122 7101	4	Screw (2-6)		
10	1114 121 7800	1	Strainer (2-6)		
11	1115 121 4800	1	Pump diaphragm (2-6)		
12	1115 129 1100	1	Gasket (2-6)		
13	1144 122 7100	4	Screw (2-6)		
14	1121 122 7102	1	Round head screw (2-6)		
15	1123 122 9000	1	E-clip (2-6)		
16	1117 122 9000	1	E-clip (2-6)		
17	1144 121 3501	1	Throttle lever (2-6)		
18	1144 121 6601	1	Lever (2-6)		
19	1144 121 0802	1	End cover (2-6)		
20	1144 122 3000	1	Spring (2-6)		
21	1144 121 6602	1	Lever (2-6)		
22	1123 122 9000	1	E-clip (2-6)		
23	0000 120 5110	1	Solenoid valve (2-6)		
24	0000 121 2300	1	Support (2-6)		
25	0000 122 7102	1	Screw (2-6)		
26	1144 430 1010	1	Trigger unit (2-6)		
27	9022 313 0658	2	Spline screw IS-M4x12 (2-6)		
	1144 007 1700	1	Set of carburetor parts (B) (2-6) □ 6, 7, 11, 12		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,




Pic.	Part Number	Qty.	Part Description	TI	Up To Model
No		,			
1	1144 791 3100	1	Spring		
2	1144 790 8100	1	Retainer		
3	1144 792 2901	1	Bearing plug		
4	9074 477 4130	2	Pan head self-tapping screw IS-P5x16		
5	1144 790 8301	1	AV-Spring		
6	9022 341 0983	2	Spline screw IS-M5x16		
7	1144 791 3102	1	Spring (1,2,5)		
8	1144 791 3103	1	Spring (3,4,6)		
9	1144 792 2904	1	Bearing plug		
10	1135 791 2800	1	Annular buffer		
11	1138 791 5903	1	Stop buffer (1,2,5)		
12	1140 791 5901	1	Stop buffer (3,4,6)		
13	1144 790 1700	1	Handlebar (1,2,6) □ 14 - 18		
14	1141 791 6100	1	Collar screw (1,2,4,6)		
15	0000 791 7904	1	Bushing (1,2,4,6)		
16	1141 791 5100	1	Stiffener (1,2,4,6)		
17	1144 791 7500	1	Cover (1,2,6)		
18		1	Handle hose 477 mm / 18 8/16" (D) (1,2,6)		
	0000 791 2009	1	Handle hose Ø 19 mm x 5 m / 3/4x197" (A,B)		
19	1144 790 3700	1	Wrap around handlebar with hose (4) □ 14 - 16, 20 - 24		
20		1	Handle hose 440 mm / 17 11/16" (D) (4)		
21		1	Handle hose 210 mm / 10 6/8" (D) (4)		
22	1144 791 5500	1	Elbow connector (4)		
23	9307 021 0120	1	Washer 5.3 (4)		
24	9022 341 0980	1	Spline screw IS-M5x16 (4)		
25	1144 791 1900	1	Handlebar support (1,2,4,6)		
26	9074 478 4705	4	Pan head self-tapping screw IS-P6x40 (1,2,4,6)		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,




⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C-M Z Magnum

Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
1	1144 790 3720	1	Wrap around handlebar with hose (3) $\Box 3 - 6$		
2	1144 790 1720	1	Handlebar (5) □ 3 - 6		
3	1141 791 6100	1	Collar screw (3,5)		
4	0000 791 7904	1	Bushing (3,5)		
5	1141 791 5100	1	Stiffener (3,5)		
6	0000 937 4048	1	Hose (3,5)		
7	1144 791 5500	1	Elbow connector (3)		
8	9307 021 0120	1	Washer 5.3 (3)		
9	9022 341 0980	1	Spline screw IS-M5x16 (3)		
10	1144 791 7500	1	Cover (5)		
11	1144 791 1900	1	Handlebar support (3,5)		
12	9074 478 4705	4	Pan head self-tapping screw IS-P6x40 (3,5)		
13	1138 448 1202	1	Lead retainer (3,5)		
14	1138 430 0502	1	Switch (3,5)		
15	1144 431 2700	1	Twin connector tag (3,5)		
16	0000 958 1511	1	Washer (3,5)		
17	1128 432 2200	1	Hexagon nut (3,5)		
18	1144 440 3020	1	Wiring harness (3,5)		
19	9074 478 2970	1	Pan head self-tapping screw IS-P4x10 (3,5)		
20	1140 430 6003	1	Heating element (3,5)		
21	1144 440 1920	1	Lead (3,5)		
22	1144 440 1921	1	Lead (3,5)		
23	1121 442 0402	3	Insulating hose 35 mm / 1.4" (3,5)		
24	0000 989 0808	1	Grommet (3,5)		
25	1144 434 5100	1	Heating element (3)		
26	1144 430 0600	1	Switch (3)		




Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
	1144 890 1400	1	Tool kit (1) □ 1 - 4		
	1144 890 1401	1	Tool kit (2-6) □ 1 - 3		
1	1119 890 3405	1	Combination wrench		
2	0812 370 1000	1	Screwdriver T27x120x70		
3	0000 891 0810	1	Tool roll		
4	0000 890 2300	1	Screwdriver (1)		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,



Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
	1144 400 0200	1	2-in-1 laser (B) (1,2,4,6) □ 1 - 6		
1	0000 400 0200	1	Laser (B) (1,2,4,6) □ 2 - 5		
2	0000 430 9900	1	Handle molding, bottom (B) (1,2,4,6) □ 3		
3	0000 967 7307	1	Warning pictogram (B) (1,2,4,6)		
4	9074 478 2967	2	Pan head self-tapping screw IS-P4x10 (B) (1,2,4,6)		
5	0000 491 0100	1	Bag (B) (1,2,4,6)		
6	1144 791 5400	1	Support (B) (1,2,4,6)		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,




(1) MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,

Pic. Part Number Qty. Part Description TI Up To Model No

MS 661, MS 661 C 29.04.2014

¹ Position of serial number (D)


⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C-M Z Magnum



⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,

1 0000 084 7000 1 Slotted nut 2 9022 341 0650 1 Spline screw IS-M4x10 Micro-encapsulated with binding thread 3 9022 341 0710 2 Spline screw IS-M4x20 micro-encapsulated 4 9022 313 0658 2 Spline screw IS-M4x12 micro-encapsulated 5 9211 260 1340 1 Hexagon nut M10x1 6 9022 313 0651 2 Spline screw IS-M4x10 micro-encapsulated 7 0000 400 7000 1 Spark plug NGK BPMR7A 8 0000 953 0810 1 Stud M5 see Service Manual 9 9022 341 1370 4 Spline screw IS-M6x30 Binding thread 10 1124 020 9401 1 Decompression valve 11 9022 341 1070 2 Spline screw IS-M5x30 see Service Manual 12 9022 341 0911 2 Spline screw IS-M5x30 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x20 micro-encapsulated 17 9022 341 0960 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0663 2 Spline screw IS-M5x20 micro-encapsulated 19 0000 664 2413 2 Collar screw IS-M5x20 micro-encapsulated 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 9000 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12 26 1 Collar stud micro-encapsulated	Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
3 9022 341 0710 2 Spline screw IS-M4x20 micro-encapsulated 4 9022 313 0658 2 Spline screw IS-M4x12 micro-encapsulated 5 9211 260 1340 1 Hexagon nut M10x1 6 9022 313 0651 2 Spline screw IS-M4x10 micro-encapsulated 7 0000 400 7000 1 Spark plug NGK BPMR7A 8 0000 953 0810 1 Stud M5 see Service Manual 9 9022 341 1370 4 Spline screw IS-M6x30 Binding thread 10 1124 020 9401 1 Decompression valve 11 9022 341 1070 2 Spline screw IS-M5x30 see Service Manual 12 9022 341 0911 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 15 9214 320 0700 2 Lock nut M5 Binding thread 16 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread <	1	0000 084 7000	1	Slotted nut		
4 9022 313 0658 2 Spline screw IS-M4x12 micro-encapsulated 5 9211 260 1340 1 Hexagon nut M10x1 6 9022 313 0651 2 Spline screw IS-M4x10 micro-encapsulated 7 0000 400 7000 1 Spark plug NGK BPMR7A 8 0000 953 0810 1 Stud M5 see Service Manual 9 9022 341 1370 4 Spline screw IS-M6x30 Binding thread 10 1124 020 9401 1 Decompression valve 11 9022 341 1070 2 Spline screw IS-M5x30 see Service Manual 12 9022 341 0911 2 Spline screw IS-M5x30 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 Binding thread 17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread <t< td=""><td>2</td><td>9022 341 0650</td><td>1</td><td>Spline screw IS-M4x10 Micro-encapsulated with binding thread</td><td></td><td></td></t<>	2	9022 341 0650	1	Spline screw IS-M4x10 Micro-encapsulated with binding thread		
5 9211 260 1340 1 Hexagon nut M10x1 6 9022 313 0651 2 Spline screw IS-M4x10 micro-encapsulated 7 0000 400 7000 1 Spark plug NGK BPMR7A 8 0000 953 0810 1 Stud M5 see Service Manual 9 9022 341 1370 4 Spline screw IS-M6x30 Binding thread 10 1124 020 9401 1 Decompression valve 11 9022 341 1070 2 Spline screw IS-M5x30 see Service Manual 12 9022 341 0911 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x20 micro-encapsulated 17 9022 341 019 1 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200	3	9022 341 0710	2	Spline screw IS-M4x20 micro-encapsulated		
6 9022 313 0651 2 Spline screw IS-M4x10 micro-encapsulated 7 0000 400 7000 1 Spark plug NGK BPMR7A 8 0000 953 0810 1 Stud M5 see Service Manual 9 9022 341 1370 4 Spline screw IS-M6x30 Binding thread 10 1124 020 9401 1 Decompression valve 11 9022 341 1070 2 Spline screw IS-M5x30 see Service Manual 12 9022 341 0911 2 Spline screw IS-M5x6 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0990 1 Spline screw IS-M5x12 Binding thread 17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	4	9022 313 0658	2	Spline screw IS-M4x12 micro-encapsulated		
7 0000 400 7000 1 Spark plug NGK BPMR7A 8 0000 953 0810 1 Stud M5 see Service Manual 9 9022 341 1370 4 Spline screw IS-M6x30 Binding thread 10 1124 020 9401 1 Decompression valve 11 9022 341 1070 2 Spline screw IS-M5x30 see Service Manual 12 9022 341 0911 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x20 micro-encapsulated 17 9022 341 019 1 Spline screw IS-M4x8 Binding thread 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660	5	9211 260 1340	1	Hexagon nut M10x1		
8 0000 953 0810 1 Stud M5 see Service Manual 9 9022 341 1370 4 Spline screw IS-M6x30 Binding thread 10 1124 020 9401 1 Decompression valve 11 9022 341 1070 2 Spline screw IS-M5x30 see Service Manual 12 9022 341 0911 2 Spline screw IS-M5x6 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x20 micro-encapsulated 17 9022 341 1019 1 Spline screw IS-M4x8 Binding thread 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 313 0660 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread <t< td=""><td>6</td><td>9022 313 0651</td><td>2</td><td>Spline screw IS-M4x10 micro-encapsulated</td><td></td><td></td></t<>	6	9022 313 0651	2	Spline screw IS-M4x10 micro-encapsulated		
9 9022 341 1370	7	0000 400 7000	1	Spark plug NGK BPMR7A		
10	8	0000 953 0810	1	Stud M5 see Service Manual		
11 9022 341 1070 2 Spline screw IS-M5x30 see Service Manual 12 9022 341 0911 2 Spline screw IS-M5x6 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x12 Binding thread 17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	9	9022 341 1370	4	Spline screw IS-M6x30 Binding thread		
12 9022 341 0911 2 Spline screw IS-M5x6 Micro-encapsulated with binding thread 13 9022 399 1020 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x12 Binding thread 17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	10	1124 020 9401	1	Decompression valve		
13 9022 399 1020 2 Spline screw IS-M5x20 Micro-encapsulated with binding thread 14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x12 Binding thread 17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	11	9022 341 1070	2	Spline screw IS-M5x30 see Service Manual		
14 9022 371 1020 6 Spline screw IS-M5x20 Binding thread 15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x12 Binding thread 17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	12	9022 341 0911	2	Spline screw IS-M5x6 Micro-encapsulated with binding thread		
15 9214 320 0700 2 Lock nut M5 16 9022 341 0960 1 Spline screw IS-M5x12 Binding thread 17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	13	9022 399 1020	2	Spline screw IS-M5x20 Micro-encapsulated with binding thread		
16 9022 341 0960 1 Spline screw IS-M5x12 Binding thread 17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	14	9022 371 1020	6	Spline screw IS-M5x20 Binding thread		
17 9022 341 1019 1 Spline screw IS-M5x20 micro-encapsulated 18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	15	9214 320 0700	2	Lock nut M5		
18 9022 313 0633 2 Spline screw IS-M4x8 Binding thread 19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	16	9022 341 0960	1	Spline screw IS-M5x12 Binding thread		
19 0000 664 2413 2 Collar screw M8 see Service Manual 20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	17	9022 341 1019	1	Spline screw IS-M5x20 micro-encapsulated		
20 1144 162 3200 1 Carrier 21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	18	9022 313 0633	2	Spline screw IS-M4x8 Binding thread		
21 9022 346 0658 3 Spline screw IS-M4x12 Micro-encapsulated with binding thread 22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	19	0000 664 2413	2	Collar screw M8 see Service Manual		
22 9022 313 0660 3 Spline screw IS-M4x12 Binding thread 23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	20	1144 162 3200	1	Carrier		
23 9214 320 0700 2 Lock nut M5 24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	21	9022 346 0658	3	Spline screw IS-M4x12 Micro-encapsulated with binding thread		
24 9210 319 0900 1 Hexagon nut M6 25 9008 345 0960 2 Hexagon head screw M5x12	22	9022 313 0660	3	Spline screw IS-M4x12 Binding thread		
25 9008 345 0960 2 Hexagon head screw M5x12	23	9214 320 0700	2	Lock nut M5		
	24	9210 319 0900	1	Hexagon nut M6		
26 1 Collar stud micro-encapsulated	25	9008 345 0960	2	Hexagon head screw M5x12		
	26		1	Collar stud micro-encapsulated		

⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W,



⁽¹⁾ MS 661, (2) MS 661 C-M, (3) MS 661 C-M RVWZ Magnum, (4) MS 661 C-M RZ Magnum, (5) MS 661 C-M W, (6) MS 661 C M Z Magnum

Pic. No	Part Number	Qty.	Part Description	TI	Up To Model
1	9022 313 0658	4	Spline screw IS-M4x12 micro-encapsulated		
2	9022 341 1090	1	Spline screw IS-M5x40 Binding thread		
3	9022 371 1020	3	Spline screw IS-M5x20 Binding thread		
4	1122 084 6502	1	Axle micro-encapsulated		
5	9074 478 2970	3	Pan head self-tapping screw IS-P4x10		
6	9771 021 2620	1	Hose clip Ø 36x5		
7	9216 261 0700	2	Hexagon nut M5		
8	1128 432 2200	1	Hexagon nut see Service Manual		
9	9074 477 4130	2	Pan head self-tapping screw IS-P5x16		
10	9022 341 0980	1	Spline screw IS-M5x16 Binding thread		
11	9022 341 0983	1	Spline screw IS-M5x16 Micro-encapsulated with binding thread		
12	9022 341 0983	1	Spline screw IS-M5x16 Micro-encapsulated with binding thread		
13	9074 478 4705	4	Pan head self-tapping screw IS-P6x40		
14	1141 791 6100	1	Collar screw		

MS 661, MS 661 C 29.04.2014