



MS 231, MS 231 C, MS 251, MS 251 C

| Drawing | Δ | Engine | housing |
|---------|---|--------|---------|
| Drawing | A | Engine | housing |


| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| 1 | 1143 020 3001 | 1 | Engine housing (1,2,4,5) 4, 5, 7, 8 |
| 2 | 1143 020 3031 | 1 | Engine housing (3,6) 4, 5, 7 - 9, 14 |
| 3 | 1143 020 3011 | 1 | Engine housing (7,8) 4, 5, 7 - 9, 14 |
| 4 | 1128 640 9100 | 1 | Valve |
| 5 | 1123 664 2400 | 1 | Collar screw |
| 6 | 1123 664 2405 | 1 | Collar screw D9/M8 (B) |
| 7 | 1123 640 3800 | 1 | Pickup body |
| 8 | 1143 647 9401 | 1 | Hose |
| 9 | 1123 021 2800 | 1 | Insert (3,6-8) |
| 10 | 1143 791 5900 | 1 | Stop buffer |
| 11 | 0000 350 0526 | 1 | Filler cap ♣ 12 |
| 12 | 9645 948 2470 | 1 | OÜring 23x3 |
| 13 | 1143 140 7800 | 1 | Pre-separator |
| 14 | 9074 477 2995 | 1 | Pan head self-tapping screw IS-P4x12 |
| 15 | 0000 656 7700 | 1 | Chain catcher (B) |
| 16 | 9074 477 4438 | 1 | Pan head self-tapping screw IS-P6x30 (B) |



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|---|
| 1 | 1143 020 1201 | 1 | Cylinder with piston ć 41.5 mm (1-3) |
| | | | + 3 - 6, 10, 11 |
| 2 | 1143 020 1203 | 1 | Cylinder with piston ć 44 mm (4-8) |
| | | | + 5 - 8, 10, 11 |
| 3 | 1143 030 2005 | 1 | Piston ć 41.5 mm (1-3) |
| | | | † 4 - 6 |
| 4 | 1143 034 3001 | 2 | Piston ring ć 41.5x1.2 mm (1-3) |
| 5 | 1143 034 1500 | 1 | Piston pin 10x8x27.88 |
| 6 | 9463 650 1000 | 2 | Snap ring 10 |
| 7 | 1143 030 2007 | 1 | Piston ć 44 mm (4-8) |
| | | | + 5-8 |
| 8 | 1143 034 3003 | 2 | Piston ring ć 44x1.2 mm (4-8) |
| 9 | 9512 003 2331 | 1 | Needle cage 10x14x12.5 |
| 10 | 9075 478 4197 | 4 | Pan head self-tapping screw IS-D5.3x43 |
| 11 | 1143 140 2500 | 1 | Manifold |
| 12 | 9075 478 3012 | 3 | Pan head self-tapping screw IS-D4x12 |
| 13 | 1143 030 0401 | 1 | Crankshaft (25.2005) |
| 14 | 9503 003 0340 | 2 | Grooved ball bearing 6202 |
| 15 | 9639 951 1584 | 2 | Oil seal 15x25x5 (44.2010) |
| 16 | 9638 003 1581 | 2 | Oil seal 15x25x5 (44.2010) |
| 17 | 9468 621 1520 | 1 | Circlip 15x1 |
| 18 | 1143 021 2501 | 1 | Engine pan |
| 19 | 1143 149 0601 | 1 | Muffler gasket |
| 20 | 1143 140 0651 | 1 | Muffler (1,3,4,6,7) |
| | | | + 19, 22 |
| 21 | 1143 140 0653 | 1 | Muffler (2,5,8) AUS, NZ |
| | | | + 19, 22 - 24 |
| 22 | 1135 145 9002 | 2 | Plug |
| 23 | 1143 140 8103 | 1 | Spark arresting screen (2,5,8) AUS, NZ |
| 24 | 9039 475 0656 | 1 | Self-tapping screw M4x9.6 (2,5,8) AUS, NZ |
| 25 | 9022 341 0983 | 2 | Spline screw IS-M5x16 |
| 26 | 0783 830 2000 | 1 | Tube of sealant Dirko HT red (B) |



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| 1 | 1143 640 3201 | 1 | Oil pump |
| 2 | 1143 647 9403 | 1 | Hose |
| 3 | 9075 478 3016 | 2 | Pan head self-tapping screw IS-D4x16 |
| 4 | 1123 640 7102 | 1 | Worm ↑ 5 |
| 5 | 1123 647 2400 | 1 | Spring |
| | 1123 160 2050 | 1 | Clutch # 6 - 10 |
| 6 | 1121 162 3201 | 1 | Carrier |
| 7 | 1129 162 0800 | 3 | Clutch shoe |
| 8 | 0000 997 5515 | 3 | Tension spring |
| 9 | 1127 162 3000 | 3 | Retainer |
| 10 | 1121 162 1001 | 1 | Cover washer |
| 11 | 9512 933 2260 | 1 | Needle cage 10x13x10 |
| 12 | 1143 640 2000 | 1 | Chain sprocket 3/8" Picco 6T (1-6) |
| 13 | 1143 640 2002 | 1 | Chain sprocket 0.325" 7T (1-6) |
| | 1143 007 1002 | 1 | Rim sprocket kit 3/8" 7T (B) (1-6) 14, 15, 18, 19 |
| 14 | | 1 | Clutch drum (B,D) (1-6) |
| 15 | 0000 642 1240 | 1 | Rim sprocket 3/8" Picco 7T (B) (1-6) |
| | 1143 007 1003 | 1 | Rim sprocket kit 0.325" 7T (B) (1-6) + 14, 16, 18, 19 |
| 16 | 0000 642 1236 | 1 | Rim sprocket 0.325" 7T (B) (1-6) |
| | 1143 007 1004 | 1 | Rim sprocket kit 0.325" 8T (B) (1-6) + 14, 17 - 19 |
| 17 | 0000 642 1234 | 1 | Rim sprocket 0.325" 8T (B) (1-6) |
| 18 | 0000 958 1022 | 1 | Washer ć 27 mm |
| 19 | 9460 624 0801 | 1 | E-clip 8x1.3 |




Drawing D Chain brake

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| 1 | 1138 160 5000 | 1 | Lever (1-6) |
| 2 | 1123 162 7800 | 1 | Flat spring |
| 3 | 1143 162 5801 | 1 | Strap |
| 4 | 1141 162 9401 | 1 | Spacer |
| 5 | 9460 624 0400 | 1 | E-clip 4 (1-6) |
| 6 | 1143 160 5401 | 1 | Brake band (1-6) |
| 7 | 9074 477 2995 | 1 | Pan head self-tapping screw IS-P4x12 |
| 8 | 1143 162 7901 | 1 | Tension spring |
| 9 | 1138 160 5001 | 1 | Lever (7,8) |
| 10 | 1143 162 7914 | 1 | Tension spring (7,8) |
| 11 | 1143 160 5405 | 1 | Brake band 3/8" P 6T (7,8) |
| 12 | 1143 160 5403 | 1 | Brake band 0.325" 7T (7) ♣ 14 |
| 13 | | 1 | Chain sprocket 3/8" Picco 6T (D) (7,8) |
| 14 | | 1 | Chain sprocket 0.325" 7T (D) (7) |
| 15 | 0000 958 1022 | 1 | Washer ć 27 mm (7,8) |
| 16 | 9460 624 0801 | 1 | E-clip 8x1.3 (7,8) |
| 17 | 1143 021 1101 | 1 | Cover |
| 18 | 9074 477 4132 | 2 | Pan head self-tapping screw IS-P5x18 |

 $^{(1)\}ddot{\text{IMS}}\ddot{\text{I231}}, (2)\ddot{\text{IMS}}\ddot{\text{I231-Z}}, (3)\ddot{\text{IMS}}\ddot{\text{I231}}\ddot{\text{IC-BE}}, (4)\ddot{\text{IMS}}\ddot{\text{I251}}, (5)\ddot{\text{IMS}}\ddot{\text{I251-Z}}, (6)\ddot{\text{IMS}}\ddot{\text{I251}}\ddot{\text{IC-BEQ}}, (7)\ddot{\text{IMS}}\ddot{\text{I251}}\ddot{\text{IC-BEQ}}\ddot{\text{IZ}}$




Ε



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| | 1123 007 1004 | 1 | Spur gear / chain adjusting screw kit (1,2,4,5) |
| 1 | | 1 | Spur gear (D) (1,2,4,5) |
| 2 | | 1 | Adjusting screw (D) (1,2,4,5) |
| 3 | 1123 640 1900 | 1 | Tensioner slide (1,2,4,5) |
| 4 | 1123 664 1400 | 1 | Thrust pad (1,2,4,5) |
| 5 | 1123 664 2200 | 1 | Cover (1,2,4,5) |
| 6 | 9074 477 2995 | 1 | Pan head self-tapping screw IS-P4x12 (1,2,4,5) |
| 7 | 1143 640 1701 | 1 | Chain sprocket cover (1,2,4,5) |
| 8 | 0000 955 0801 | 2 | Hexagon nut M8 (1,2,4,5) |
| 9 | 1143 664 0500 | 1 | Bumper spike |
| 10 | 9074 477 4130 | 2 | Pan head self-tapping screw IS-P5x16 |
| 11 | 1123 660 3001 | 1 | Tensioning gear (3,6-8) |
| 12 | 9041 319 0600 | 1 | Pan head screw M4x5 (3,6-8) |
| 13 | 1143 640 1731 | 1 | Chain sprocket cover (3,6-8) ↑ 14 - 16 |
| 14 | 9076 478 2996 | 1 | Pan head self-tapping screw P4x12 (3,6-8) |
| 15 | 1139 648 3800 | 1 | Cover plate (3,6-8) |
| 16 | 1123 648 2202 | 1 | Adjusting wheel (3,6-8) |
| 17 | 1121 660 1000 | 1 | Wing nut (3,6-8) |

F




MS 231, MS 231 C, MS 251, MS 251 C

2310ET005 SC

| Drawing | F | lanition system | , WiringÏharness |
|---------|---|-----------------|---------------------------|
| Diawing | • | igindon system | , vvii ii igii iai i icoo |

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--------------------------------------|
| 1 | 1143 400 1201 | 1 | Flywheel (1,2,4,5) (25.2005) |
| 2 | 1143 400 1233 | 1 | Flywheel (3,6-8) (25.2005) + 3 - 5 |
| 3 | 0000 998 1100 | 2 | Torsion spring (3,6-8) |
| 4 | 1139 195 7200 | 2 | Pawl (3,6-8) |
| 5 | 9460 624 0320 | 2 | E-clip 3.2 (3,6-8) |
| 6 | 0000 955 0802 | 1 | Collar nut M8x1 |
| 7 | 1143 400 1302 | 1 | Ignition module ♣8, 9 |
| 8 | 0000 998 0604 | 1 | Torsion spring |
| 9 | 0000 405 1004 | 1 | Spark plug boot |
| 10 | 1143 440 3501 | 1 | Lead retainer |
| 11 | 9075 478 3022 | 2 | Pan head self-tapping screw IS-D4x20 |
| 12 | 9291 021 0100 | 2 | Washer 4.3 |
| 13 | 0000 400 7011 | 1 | Spark plug NGK CMR6H |
| 14 | 1143 440 3001 | 1 | Wiring harness |
| | | | |






| I)ra | wing |
|-------|-------|
| Dia | wiiig |

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|---|
| | 1143 080 2101 | 1 | Fan housing with rewind starter (1,2,4,5) + 2 - 10 |
| 1 | 1143 080 1801 | 1 | Fan housing (1,2,4,5) 1 2 |
| 2 | 1110 084 9102 | 1 | Bushing |
| 3 | 1143 084 7800 | 1 | Segment |
| 4 | 1143 190 0600 | 1 | Rewind spring |
| 5 | 1143 195 0400 | 1 | Rope rotor (1,2,4,5) |
| 6 | 1125 195 7200 | 1 | Pawl (1,2,4,5) |
| 7 | 0000 958 0923 | 1 | Washer |
| 8 | 1118 195 3500 | 1 | Spring |
| 9 | 1121 195 3400 | 1 | Starter grip |
| 10 | 0000 195 8200 | 1 | Starter rope ć 3x800 mm (1,2,4,5) |
| | 0000 930 2208 | 1 | Starter rope ć 3 mm x 30.5 m (A,B) (1,2,4,5) |
| 11 | 9074 477 4132 | 3 | Pan head self-tapping screw IS-P5x18 (1,2,4,5) |
| | 1143 080 2130 | 1 | Fan housing with rewind starter (3,6-8) + 2, 3, 4, 7, 9, 12 - 23 |
| 12 | 1143 080 1830 | 1 | Fan housing (3,6-8) ♣ 2, 13, 14 |
| 13 | 0000 958 0607 | 1 | Washer (3,6-8) |
| 14 | 9416 868 6610 | 1 | Hollow rivet 6.5x0.5x5.8 (3,6-8) |
| 15 | 1143 195 9030 | 1 | Washer (3,6-8) |
| 16 | 1123 195 0401 | 1 | Rope rotor (3,6-8) |
| 17 | 1123 195 7200 | 2 | Pawl (3,6-8) |
| 18 | 1128 195 3500 | 1 | Spring (3,6-8) |
| 19 | 1143 190 0730 | 1 | Spring housing (3,6-8) |
| 20 | 1143 195 2030 | 1 | Carrier (3,6-8) |
| 21 | 0000 958 0810 | 1 | Washer (3,6-8) |
| 22 | 9455 621 0570 | 1 | Circlip 8x0.8 (3,6-8) |
| 23 | 4137 195 8200 | 1 | Starter rope ć 2.7x910 mm (3,6-8) |


(1)ÏMSÏ231, (2)ÏMSÏ231-Z, (3)ÏMSÏ231ÏC-BE, (4)ÏMSÏ251, (5)ÏMSÏ251-Z, (6)ÏMSÏ251ÏC-BE, (7)ÏMSÏ251ÏC-BEQ, (8)ÏMSÏ251ÏC-BEQÏZ



Drawing G Rewind starter, Hand guard

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|----------------------------|
| 24 | 1141 790 6101 | 1 | Screw assy. |
| 25 | 1143 792 9103 | 1 | Hand guard |
| 26 | 1143 967 1501 | 1 | Model plate MS 231 (1,2) |
| 27 | 1143 967 1531 | 1 | Model plate MS 231 C (3) |
| 28 | 1143 967 1503 | 1 | Model plate MS 251 (4,5) |
| 29 | 1143 967 1533 | 1 | Model plate MS 251 C (6-8) |
| | | | |






| Drawing | Н | Tank housing | |
|---------|---|--------------|--|
| • | | 9 | |

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| 1 | 1143 350 0816 | 1 | Tank housing (1,2,4,5) 4 -7, 19 - 21 |
| 2 | 1143 350 0817 | 1 | Tank housing (7,8) 4 - 7, 12, 19, 20, 22 |
| 3 | 1143 350 0832 | 1 | Tank housing (3,6) 4 - 7, 12, 19 - 21 |
| 4 | 0000 350 5800 | 1 | Tank vent |
| 5 | | 1 | O-ring (D) |
| 6 | 1143 358 7700 | 1 | Hose |
| 7 | 0000 350 3504 | 1 | Pickup body |
| 8 | 4224 122 3900 | 1 | Elbow connector |
| 9 | 1143 358 7702 | 1 | Hose |
| 10 | 1143 353 7000 | 1 | Cover |
| 11 | 9074 477 4148 | 1 | Pan head self-tapping screw IS-P5x34 |
| 12 | 1141 989 0600 | 1 | Grommet (3,6-8) |
| 13 | 4242 353 2600 | 1 | Elbow connector (3,6-8) |
| 14 | | 1 | Hose 2.2x5.4x54 mm (D) (3,6-8) |
| | 0000 937 5006 | 1 | Hose 2.2x5.4 mm x 1Ïm (A,B) (3,6-8) |
| 15 | 1143 353 2601 | 1 | Elbow connector (3,6-8) |
| 16 | 9074 478 2970 | 1 | Pan head self-tapping screw IS-P4x10 (3,6-8) |
| 17 | | 1 | Hose 2.2x5.4x196 mm (D) (3,6-8) |
| | 0000 930 2802 | 1 | Hose 2.2x5.4 mm x 1 lm (A,B) (3,6-8) |
| 18 | 0000 989 0816 | 1 | Grommet (3,6-8) |
| 19 | 0000 350 0525 | 1 | Filler cap + 20 |
| 20 | 9645 948 7734 | 1 | OÜring 25x3.5 |
| 21 | 0000 967 3662 | 1 | Warning pictogram MS (1-6) |
| 22 | 1125 967 3419 | 1 | Warning pictogram QS (7,8) |


(1)ÏMSÏ231, (2)ÏMSÏ231-Z, (3)ÏMSÏ231ÏC-BE, (4)ÏMSÏ251, (5)ÏMSÏ251-Z, (6)ÏMSÏ251ÏC-BE, (7)ÏMSÏ251ÏC-BEQ, (8)ÏMSÏ251ÏC-BEQÏZ





| Item number | Qty | Description |
|---------------|---|---|
| 1143 790 8302 | 1 | AV-Spring |
| 0000 656 7700 | 1 | Chain catcher (B) |
| 9074 477 4438 | 1 | Pan head self-tapping screw IS-P6x30 |
| 1141 791 3102 | 1 | Spring |
| 1143 792 2902 | 1 | Bearing plug |
| 1143 790 8104 | 1 | Retainer |
| 9075 478 4085 | 1 | Pan head self-tapping screw IS-D5x18 |
| 1143 790 8301 | 1 | AV-Spring |
| 9074 477 4148 | 1 | Pan head self-tapping screw IS-P5x34 |
| 9074 477 4132 | 1 | Pan head self-tapping screw IS-P5x18 |
| 1143 791 5900 | 2 | Stop buffer |
| 1141 122 9902 | 2 | Buffer |
| 1143 791 1700 | 1 | Handlebar (1,2,4,5) |
| 1143 791 1730 | 1 | Handlebar (3,6-8) |
| 9074 478 4545 | 2 | Pan head self-tapping screw IS-P6x26.5 |
| 9022 341 0983 | 2 | Spline screw IS-M5x16 |
| | 1143 790 8302 0000 656 7700 9074 477 4438 1141 791 3102 1143 792 2902 1143 790 8104 9075 478 4085 1143 790 8301 9074 477 4148 9074 477 4132 1143 791 5900 1141 122 9902 1143 791 1700 1143 791 1730 9074 478 4545 | 1143 790 8302 1 0000 656 7700 1 9074 477 4438 1 1141 791 3102 1 1143 792 2902 1 1143 790 8104 1 9075 478 4085 1 1143 790 8301 1 9074 477 4148 1 9074 477 4132 1 1143 791 5900 2 1141 122 9902 2 1143 791 1700 1 1143 791 1730 1 9074 478 4545 2 |


 $^{(1)\}ddot{\text{IMS}}\ddot{\text{I}}231,\ (2)\ddot{\text{IMS}}\ddot{\text{I}}231\text{-Z},\ (3)\ddot{\text{IMS}}\ddot{\text{I}}231\ddot{\text{IC}}\text{-BE},\ (4)\ddot{\text{IMS}}\ddot{\text{I}}251,\ (5)\ddot{\text{IMS}}\ddot{\text{I}}251\text{-Z},\ (6)\ddot{\text{IMS}}\ddot{\text{I}}251\ddot{\text{IC}}\text{-BE},\ (7)\ddot{\text{IMS}}\ddot{\text{I}}251\ddot{\text{IC}}\text{-BEQ}\ddot{\text{I}}Z$



| Brawnig | 1. | • | an same, saisaister sracket, sinead |
|-----------|---------------|-----|--|
| Reference | Item number | Qty | Description |
| 1 | 1143 087 3001 | 1 | Air guide shroud |
| 2 | 1143 084 4100 | 1 | Shutter |
| 3 | 1143 350 6200 | 1 | Fuel pump (3,6-8) |
| 4 | | 2 | Hose 2.2x5.4x54 mm (D) (3,6-8) |
| | 0000 937 5006 | 1 | Hose 2.2x5.4 mm x 1Ïm (A,B) (3,6-8) |
| 5 | 1143 353 2601 | 1 | Elbow connector (3,6-8) |
| 6 | 9074 478 2970 | 1 | Pan head self-tapping screw IS-P4x10 (3,6-8) |
| 7 | | 1 | Hose 2.2x5.4x196 mm (D) (3,6-8) |
| | 0000 930 2802 | 1 | Hose 2.2x5.4 mm x 1Ïm (A,B) (3,6-8) |
| 8 | 0000 989 0816 | 1 | Grommet (3,6-8) |
| 9 | 4242 353 2600 | 1 | Elbow connector (3,6-8) |
| 10 | 9074 477 2995 | 2 | Pan head self-tapping screw IS-P4x12 |
| 11 | 1143 120 0900 | 1 | Carburetor bracket |
| 12 | 1141 121 8600 | 1 | Washer |
| 13 | 1143 120 0601 | 1 | Carburetor WTF-2 (1,2,4,5) |
| 14 | 1143 120 0631 | 1 | Carburetor WTF-4 (3,6-8) |
| 15 | 9646 945 0490 | 1 | O-ring 7x1.5 |
| 16 | 1143 141 0901 | 1 | Filter base |
| 17 | 1141 122 9902 | 2 | Buffer |
| 18 | 1143 121 6900 | 1 | Baffle |
| 19 | 9216 261 0700 | 2 | Hexagon nut M5 |
| 20 | 1141 120 1600 | 1 | Air filter, fleece |
| 21 | 1143 080 1601 | 1 | Shroud (1,2,4,5) + 23 |
| 22 | 1143 080 1631 | 1 | Shroud (3,6-8) + 23 |
| 23 | 9022 319 1028 | 3 | Screw IS-M5x14 |
| | | | |

⁽¹⁾ÏMSÏ231, (2)ÏMSÏ231-Z, (3)ÏMSÏ231ÏC-BE, (4)ÏMSÏ251, (5)ÏMSÏ251-Z, (6)ÏMSÏ251ÏC-BE, (7)ÏMSÏ251ÏC-BEQ, (8)ÏMSÏ251ÏC-BEQÏZ


L



310FT011S


| Reference | Item number | Qty | Description |
|-----------|---------------|-----|---|
| | 1143 120 0601 | 1 | Carburetor WTF-2 (1,2,4,5) 1 - 22 |
| | 1143 120 0631 | 1 | Carburetor WTF-4 (3,6-8) † 1 - 7, 9 - 23 |
| 1 | 4116 121 5100 | 1 | Inlet needle |
| 2 | 1121 121 5000 | 1 | Inlet control lever |
| 3 | 4116 122 3000 | 1 | Spring |
| 4 | 1113 121 9200 | 1 | Spindle |
| 5 | 1121 122 7103 | 1 | Round head screw |
| 6 | 1143 129 0900 | 1 | Gasket |
| 7 | 1143 121 4700 | 1 | Metering diaphragm |
| 8 | 1143 126 0700 | 1 | Metering cover (1,2,4,5) |
| 9 | 1121 122 7101 | 4 | Screw |
| 10 | 1121 121 4801 | 1 | Pump diaphragm |
| 11 | 1120 129 0905 | 1 | Gasket |
| 12 | 1143 120 2600 | 1 | Pump cover |
| 13 | 1114 122 7100 | 1 | Screw |
| 14 | 1143 122 6800 | 1 | Low speed adjustment screw |
| 15 | 1143 122 6700 | 1 | High speed adjustment screw |
| 16 | 1143 121 2702 | 1 | Сар |
| 17 | 1143 122 6201 | 1 | Idle speed adjustment screw |
| 18 | 1143 121 2703 | 1 | Сар |
| 19 | 1143 121 3501 | 1 | Throttle lever |
| 20 | 1123 122 9000 | 1 | E-clip |
| 21 | 1114 121 7800 | 1 | Strainer |
| 22 | 1143 121 9401 | 1 | Ring |
| 23 | 1143 126 0702 | 1 | Metering cover (3,6-8) |
| | 1143 007 1700 | 1 | Set of carburetor parts + 6, 7, 10, 11 |

⁽¹⁾ÏMSÏ231, (2)ÏMSÏ231-Z, (3)ÏMSÏ231ÏC-BE, (4)ÏMSÏ251, (5)ÏMSÏ251-Z, (6)ÏMSÏ251ÏC-BE, (7)ÏMSÏ251ÏC-BEQ, (8)ÏMSÏ251ÏC-BEQÏZ



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| 1 | 1143 182 1000 | 1 | Throttle trigger (1-6) |
| 2 | 1143 182 4500 | 1 | Torsion spring (1-6) |
| 3 | 1143 182 0800 | 1 | Trigger interlock (1-6) |
| 4 | 1143 791 0601 | 1 | Handle molding (1-6) |
| 5 | 9371 470 2680 | 1 | Cylindrical pin 5x28 |
| 6 | 1143 182 1500 | 1 | Throttle rod |
| 7 | 1143 182 0900 | 1 | Switch shaft |
| 8 | 1143 442 1600 | 1 | Contact spring |
| 9 | 1143 185 1900 | 1 | Choke rod |
| 10 | 1143 180 1510 | 1 | Throttle trigger (7,8) |
| 11 | 1143 182 4510 | 1 | Torsion spring (7,8) |
| 12 | 1125 180 1703 | 1 | Trigger interlock (7,8) † 13 |
| 13 | 1125 182 4502 | 1 | Torsion spring (7,8) |
| 14 | 9517 003 0650 | 2 | Cylindrical roller 3x25.8 (7,8) |
| 15 | 1143 180 1400 | 1 | Lever (7,8) |
| 16 | 1143 160 2511 | 1 | Brake cable (7,8) ♣ 17, 18 |
| 17 | 1143 182 1611 | 1 | Support (7,8) |
| 18 | 9074 478 2970 | 1 | Pan head self-tapping screw IS-P4x10 (7,8) |
| 19 | 9074 478 2970 | 1 | Pan head self-tapping screw IS-P4x10 (7,8) |
| 20 | 1143 021 2811 | 1 | Insert (7,8) |
| 21 | 1143 791 0611 | 1 | Handle molding (7,8) |

 $^{(1)\}ddot{\text{IMS}}\ddot{\text{I}}231,\ (2)\ddot{\text{IMS}}\ddot{\text{I}}231\text{-Z},\ (3)\ddot{\text{IMS}}\ddot{\text{I}}231\ddot{\text{IC}}\text{-BE},\ (4)\ddot{\text{IMS}}\ddot{\text{I}}251,\ (5)\ddot{\text{IMS}}\ddot{\text{I}}251\text{-Z},\ (6)\ddot{\text{IMS}}\ddot{\text{I}}251\ddot{\text{IC}}\text{-BE},\ (7)\ddot{\text{IMS}}\ddot{\text{I}}251\ddot{\text{IC}}\text{-BEQ}\ddot{\text{I}}Z$



Drawing N Tools, Extras

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|----------------------------|
| 1 | 0000 890 3400 | 1 | Combination wrench |
| 2 | 0000 890 2300 | 1 | Screwdriver |
| 3 | 0000 792 9152 | 1 | Chain scabbard |
| 4 | 0812 370 1000 | 1 | Screwdriver T27x120x70 (B) |
| 5 | 0000 891 0801 | 1 | Tool roll (B) |
| 6 | 1110 893 4000 | 1 | Filing gauge (B) |