


Drawing A Crankcase

Reference	e	Item number	Qty	Description
1		4224 020 2905	1	Crankcase
				□ 2 - 4
2		9503 003 0540	1	Grooved ball bearing 6204
3		9640 003 2257	1	Oil seal 20x42x5
4		1122 790 9901	1	Annular buffer 1122/01
5		0000 791 3102	1	Spring
6		4224 792 2902	2	Bearing plug
7		9022 371 1020	1	Spline screw IS-M5x20
8		4224 020 2606	1	Crankcase, fan side
				□ 9 - 14
9		9503 003 0450	1	Grooved ball bearing 6203
10		9640 003 1745	1	Oil seal 17x28x7
11		1110 122 3900	1	Elbow connector
12		0000 988 8600	2	Sleeve
13		1122 790 9900	1	Annular buffer 1122/00
14		1122 790 9901	1	Annular buffer 1122/01
15		9074 478 4435	3	Pan head self-tapping screw IS-P6x19
16		1122 791 7300	3	Plug
17		4224 030 0400	1	Crankshaft (25.2005)
				□ 18
18		1120 036 8500	1	Woodruff key 2x3.7
19		4224 029 0500	1	Gasket
20		9022 371 1020	5	Spline screw IS-M5x20
		4224 007 1012	1	Set of gaskets
				□ 3, 10, 19
	*	4224 007 1010	1	Set of gaskets (43.2007)
	•		٠	□ 3, 10, 19

⁽¹⁾ TS 800, (2) TS 800-Z


В



B Cylinder, Muffler

Drawing


_					
	Referen	ce	Item number	Qty	Description
	1		4224 020 1205	1	Cylinder with piston Ø 56 mm □ 3 - 9
	2	*	4224 020 1202	1	Cylinder with piston Ø 56 mm (43.2007) \square 3 - 9
			4224 020 1601	4	Diaphragm □ 3 - 5
		*	4224 020 1600	4	Diaphragm (43.2007) □ 3 - 5
	3			1	Diaphragm (D)
	4			1	Support plate (D)
	5			1	Screw (D)
	6		4224 030 2005	1	Piston Ø 56 mm
					□ 7 - 9
	7		4224 034 1500	1	Piston pin 12x8x35
	8		1115 034 3013	2	Piston ring Ø 56x1.5 mm
	9		9463 650 1200	1	Snap ring 12x1
	10		9512 003 3283	1	Needle cage 12x17x13
	11		4223 020 9400	1	Decompression valve
	12		4224 029 2302	1	Cylinder gasket
	13	*	4224 029 2300	1	Cylinder gasket (43.2007)
	14		9022 341 1380	4	Spline screw IS-M6x35
	15		0000 400 7000	1	Spark plug NGK BPMR7A
	15		1110 400 7005	1	Spark plug Bosch WSR 6 F
	16		9771 021 2620	1	Hose clip Ø 36x5
	17		4223 141 2200	1	Manifold
	18		1122 141 1805	1	Sleeve
	19		9771 021 2524	4	Hose clip 28x5
	20		4224 141 2202	2	Manifold
	21		4224 141 5400	1	Hose



Drawing B Cylinder, Muffler


Referenc	e	Item number	Qty	Description
22		4224 140 0601	1	Muffler (1)
				□ 26, 30
23		4224 140 0602	1	Muffler (2) USA, AUS, CDN
				□ 24 - 26, 30
24		4224 141 9000	1	Screen (2) USA, AUS, CDN
25		4224 141 6601	1	Clip (2) USA, AUS, CDN
26		4224 149 0600	1	Muffler gasket
27		4224 080 0900	1	Air guide shroud
				□ 28, 29
28		9416 868 6531	1	Hollow rivet 6.5x0.5x6.8
29		9991 003 5087	1	Sleeve 7.5x6.8
30		9022 371 1020	5	Spline screw IS-M5x20
		4224 007 1012	1	Set of gaskets
				□ 12, 26
	*	4224 007 1010	1	Set of gaskets (43.2007)
				□ 13, 26

С



_				
	Reference	Item number	Qty	Description
	1	4221 660 0400	1	Belt tensioner
	2	4224 664 2100	1	Clamping lever
	3	4224 664 4200	1	Cover
	4	9022 341 0980	2	Spline screw IS-M5x16
	5	4221 162 1000	1	Cover washer
	6	4224 160 2001	1	Clutch
				□ 7 - 9
	7	1122 162 0800	3	Clutch shoe
	8	0000 997 5503	3	Tension spring
	9	1122 162 3005	3	Retainer
	10	4224 162 2600	1	Spacer ring
	11	4224 760 8500	1	Poly V-belt pulley
				□ 12, 13
	12	9503 003 5136	2	Grooved ball bearing 6001-2RS
	13	9456 621 3100	1	Circlip 28x1.2
	14 *	9291 021 3870	1	Washer 10.5x20x1.5 (26.2008)
	15	4224 190 0550	1	Starter cup
				□ 16
	16	4224 195 0200	1	Sleeve
	17	9211 260 1340	1	Hexagon nut M10x1
	18	9490 000 7915	1	Poly V-belt, ribbed 4PK998LB
	19	4224 791 1900	1	Handlebar support
	20	4224 791 0900	1	Clamp
	21	9022 341 1120	2	Spline screw IS-M5x58
	22	9216 261 0700	2	Hexagon nut M5
	23	4224 790 9904	1	Annular buffer
	24	4224 703 4300	1	Stop buffer
	25	4224 703 3800	1	Sleeve
	26	9022 341 1380	1	Spline screw IS-M6x35
	27	4224 791 1704	1	Handlebar
	28	9074 478 4435	2	Pan head self-tapping screw IS-P6x19
		4224 790 7601	1	Support
				□ 29 - 32
	29	4224 791 7602	1	Support
	30	4205 790 9300	2	Rubber buffer
	31	0000 958 0511	2	Washer
	32	9075 478 4115	2	Pan head self-tapping screw IS-D5x16
	33	9074 478 4675	2	Pan head self-tapping screw IS-P6x32.5


(1) TS 800, (2) TS 800-Z



Drawing D Rewind starter


Reference	e	Item number	Qty	Description
		4224 190 0305	1	Starter cover with rewind starter
				□ 1 - 4, 6 - 15
1		4224 190 0411	1	Starter cover
				□ 2 - 4, 15
2		9443 825 7130	3	Hollow rivet 7.5x1x6.8
3		1110 084 9102	1	Bushing
4			1	Hose 5.6x1.9x674 mm (D)
		0000 937 4049	1	Hose 5.6x1.9 mm x 1 m (A,B)
5	*		1	Hose 6x1.5x640 mm / 25 3/16" (D) (40.2006)
	*	0000 937 4035	1	Hose 6x1.5 mm x 1 m (A,B) (40.2006)
0		4000 405 0000	4	Markan
6		4238 195 9000	1	Washer
7		4224 190 0600	1	Rewind spring
8		9104 003 0410	2	Self-tapping screw P3x6
9		4221 190 1000	1	Rope rotor
10		0000 190 3414	1	Starter grip ElastoStart Ø 4.5 mm
4.4		0000 400 0004		□ 11 2(a ta a a a a a a a a a a a a a a a a a
11		0000 190 2901	1	Starter rope Ø 4.5 mm
4.0		0000 930 2295	1	Starter rope Ø 4.5mm / 28 pieces (A,B)
12		4221 195 7200	2	Pawl
13		1119 162 8925	1	Washer Ø 12 mm
14		4224 195 3500	1	Spring
15		4224 967 1501	1	Model plate TS 800
16		9022 371 1020	3	Spline screw IS-M5x20

⁽¹⁾ TS 800, (2) TS 800-Z



Referen	ce	Item number	Qty	Description
1		4224 350 0812	1	Tank housing □ 3 - 20, 24 - 35, 37, 38
2	*	4224 350 0814	1	Tank housing (43.2007) □ 3 - 20, 24 - 34, 36 - 38
3		1122 122 6602	2	Collar screw
4		4221 792 9300	1	Rubber buffer
5		4223 141 8600	1	Impulse hose
6		0000 350 3504	1	Pickup body
7		1124 358 7700	1	Hose
8		4224 122 3900	1	Elbow connector
9			1	Hose 3.1x5.7x93 mm (D)
		0000 930 2803	1	Hose 3.1x5.7 mm x 1 m (A,B)
10		4223 353 9201	1	Grommet
11		4238 350 5800	1	Tank vent
12			1	Hose 3.1x5.7x93 mm (D)
		0000 930 2803	1	Hose 3.1x5.7 mm x 1 m (A,B)
13		4224 350 5801	1	Tank vent □ 14
14		4224 358 8100	1	Vent insert
15		0000 350 0502	1	Filler cap
				□ 16, 17
16		9645 948 2470	1	O-ring 23x3
17		0000 350 0905	1	Rope
18		0000 989 0608	1	Grommet
19		0000 988 5206	1	Connector
20			1	Hose 2.2x5.4x128 mm (D)
21			1	Hose 2.2x5.4x73 mm (D)
		0000 930 2802	1	Hose 2.2x5.4 mm x 1 m (A,B)
22		0000 350 6202	1	Fuel pump
23	*	1130 350 6200	1	Fuel pump (61.2007)
24		4224 182 1000	1	Throttle trigger
25		4224 182 8900	1	Pin
26		0000 958 0526	1	Washer
27		9460 624 0320	1	E-clip 3.2
28		4224 182 0800	1	Trigger interlock
29		9381 003 2180	1	Cylindrical pin 4x28
30		4224 182 4500	1	Torsion spring


(1) TS 800, (2) TS 800-Z



Drawing E Tank housing

_	Reference	9	Item number	Qty	Description
	31		4224 182 0900	1	Switch shaft
	32		4224 182 4700	1	Flat spring
	33		4224 182 4400	1	Bearing
	34		9074 478 3005	1	Pan head self-tapping screw IS-P4x14
	35		4224 430 0503	1	Switch
	36	*	4224 430 0501	1	Switch (43.2007)
	37		9381 651 1200	2	Cylindrical pin 6x13
	38		0000 967 3768	1	Warning pictogram Filler cap
	39		4224 120 0601	1	Carburetor WJ-114
	40	*	4224 120 0600	1	Carburetor HS-314A (43.2007)
	41		9022 341 1019	1	Spline screw IS-M5x20
	42		4224 791 5901	1	Stop buffer
	43		0000 967 3502	1	Instruction label (2) USA, CDN


⁽¹⁾ TS 800, (2) TS 800-Z



Drawing F Ignition system

Reference	e Item number	Qty	Description
1	4224 400 1201	1	Flywheel (25.2005)
2	9211 260 1340	1	Hexagon nut M10x1
3	4224 400 1301	1	Ignition module
			□ 4, 5
4		1	Ignition lead 335 mm (D)
	0000 405 0600	1	Ignition lead 1 m (A,B)
	0000 930 2251	1	Ignition lead 10 m (A,B)
5	0000 989 1002	1	Grommet
6	9022 341 1019	2	Spline screw IS-M5x20
7	1128 405 1000	1	Spark plug boot
8	0000 998 0604	1	Torsion spring
9	9022 313 0630	1	Spline screw IS-M4x8
10	4224 080 3100	1	Fan cover
			□ 11
11	9443 825 7130	3	Hollow rivet 7.5x1x6.8
12	9022 371 1020	4	Spline screw IS-M5x20

⁽¹⁾ TS 800, (2) TS 800-Z




TS 800 SCS 02-2009 3.27

Reference	Item number	Qty	Description
	4224 120 0601	1	Carburetor WJ-114
			□ 1 - 44
1	4224 121 0803	1	End cover
2	1115 122 7100	4	Round head screw
3	1115 129 1100	1	Gasket
4	1115 121 4800	1	Pump diaphragm
5	1114 121 7800	1	Strainer
6	1110 121 5100	1	Inlet needle
7	1117 121 5000	1	Inlet control lever
8	1117 121 9200	1	Spindle
9	1114 122 7400	1	Round head screw
10	4224 122 3000	1	Spring
11	4224 121 0804	1	End cover
12	1106 122 7400	4	Round head screw
13	1117 121 4700	1	Metering diaphragm
14	1116 129 0900	1	Gasket
15	4224 122 6201	1	Idle speed adjustment screw
16	4224 122 6801	1	Low speed adjustment screw
			□ 19
17	4224 122 6701	1	High speed adjustment screw □ 19
18	4224 121 2701	1	Cap
19	4224 121 2701	1	Sealing ring (D)
20	4224 121 3001	1	Choke shaft
21	4224 121 2901	1	Choke shutter
22	1121 122 7102	2	Round head screw
23	4224 122 3602	2	Sealing ring
24	4223 121 9400	2	Ring
25	1117 122 9000	4	E-clip
26	4223 122 3001	1	Spring
27	4224 120 7103	1	Throttle shaft with lever
28	4224 122 3203	1	Torsion spring
29	1115 121 8600	1	Washer
30	1115 121 7400	1	Round head screw
31	4224 121 3301	1	Throttle shutter
32	4224 121 6604	1	Lever
33	1128 121 5605	1	Fixed jet 0.66
33 34	4224 126 0201	1	Air valve shaft
35	4224 120 0201	1	Lever
36	4224 121 0003	1	Air valve
30	7227 120 0301	1	All Valve

⁽¹⁾ TS 800, (2) TS 800-Z







Drawing G Carburetor WJ-114

_				
	Reference	Item number	Qty	Description
	37	4224 122 3202	1	Torsion spring
	38	4224 122 3602	2	Sealing ring
	39	4224 121 9400	2	Ring
	40	4224 124 2101	1	Rod
	41	4224 122 9004	1	E-clip
	42	4224 122 7100	2	Screw
	43	9645 945 7574	2	O-ring 17x3
	44	4224 122 7801	1	Oval head screw
	45	4224 182 1500 1122 007 1060	1 1	Throttle rod Set of carburetor parts □ 3, 4, 13, 14

⁽¹⁾ TS 800, (2) TS 800-Z




Reference		Item number	Qty	Description
;	*	4224 120 0600	1	Carburetor HS-314A (43.2007) □ 1 - 44
1 >	*	4224 121 0800	1	End cover (43.2007)
2 >	*	1106 122 7400	4	Round head screw (43.2007)
3 >	*	1110 129 1110	1	Gasket (43.2007)
4 >	*	1124 121 4800	1	Pump diaphragm (43.2007)
5 >	*	4221 121 7800	1	Strainer (43.2007)
6 >	*	4116 121 5100	1	Inlet needle (43.2007)
7 >	*	1124 121 5000	1	Inlet control lever (43.2007)
8 >	*	1110 121 9200	1	Spindle (43.2007)
9 >	*	1110 122 7801	1	Oval head screw (43.2007)
10 >	*	1124 122 3000	1	Spring (43.2007)
11 >	*	4224 121 0802	1	End cover (43.2007)
12 >	*	1106 122 7400	4	Round head screw (43.2007)
13 >	*	1110 121 4700	1	Metering diaphragm (43.2007)
14 >	*	1110 129 0900	1	Gasket (43.2007)
15 >	*	4221 122 4200	1	Ball (43.2007)
16 >	*	4224 122 6200	1	Idle speed adjustment screw (43.2007)
17 >	*	4224 122 6800	1	Low speed adjustment screw (43.2007) □ 20
18 >	*	4224 122 6700	1	High speed adjustment screw (43.2007)
19 >	٠	4229 121 2700	1	□ 20 Con (43, 2007)
	* *	4229 121 2700	1	Cap (43.2007)
		4224 121 3000	1 1	Sealing ring (D) (43.2007) Choke shaft (43.2007)
		4224 121 2900		Choke shutter (43.2007)
		1110 122 7400	1 3	Round head screw (43.2007)
		4221 122 3605	2	Sealing ring (43.2007)
		4221 121 9400	2	Ring (43.2007)
		1110 122 9005	3	E-clip (43.2007)
		4223 122 3000	1	Spring (43.2007)
	*	4224 120 7102	1	Throttle shaft with lever (43.2007)
	*	4224 122 3200	1	Torsion spring (43.2007)
		4221 121 8600	1	Washer (43.2007)
	* *	1110 122 9005	1	E-clip (43.2007)
	* *	4224 121 3300	1	Throttle shutter (43.2007)
	*	4224 121 6601	1	Lever (43.2007)
	* *	4224 121 0001	1	Semi-fixed jet (43.2007)
		4224 126 0200	1	Air valve shaft (43.2007)
		4224 121 6602	1	Lever (43.2007)
		4224 121 0002	1	Air valve (43.2007)
0,	•-	1227 120 0000	ı	/ III (III.




се	Item number	Qty	Description
*	4224 122 3201	1	Torsion spring (43.2007)
*	4221 122 3605	2	Sealing ring (43.2007)
*	4221 121 9400	2	Ring (43.2007)
*	4224 124 2100	1	Rod (43.2007)
*	4224 122 9000	1	E-clip (43.2007)
*	4221 122 7100	2	Screw (43.2007)
*	9645 945 7574	2	O-ring 17x3 (43.2007)
*	4224 182 1500	1	Throttle rod (43.2007)
*	4224 007 1008	1	Set of carburetor parts (43.2007) □ 3, 4, 13, 14, 44
•	* * * * * * *	* 4224 122 3201 * 4221 122 3605 * 4221 121 9400 * 4224 124 2100 * 4224 122 9000 * 4221 122 7100 * 9645 945 7574 * 4224 182 1500	* 4224 122 3201 1 * 4221 122 3605 2 * 4221 121 9400 2 * 4224 124 2100 1 * 4224 122 9000 1 * 4221 122 7100 2 * 9645 945 7574 2 * 4224 182 1500 1

⁽¹⁾ TS 800, (2) TS 800-Z




Reference		е	Item number	Qty	Description
	1		4224 140 1204	1	Filter base □ 5
	2		4224 424 6400	4	
	2		4224 121 6100	1	Choke lever
	3		4223 121 2400	1	Flat spring
	4			1	Hose 3.1x5.7x48 mm (D)
			0000 930 2803	1	Hose 3.1x5.7 mm x 1 m
	5		0000 350 6202	1	Fuel pump
	6	*	1130 350 6200	1	Fuel pump (61.2007)
	7		9216 261 0700	2	Hexagon nut M5
	8		9074 478 4435	2	Pan head self-tapping screw IS-P6x19
	9		4224 129 0903	1	Gasket
1	0	*	4224 129 0900	1	Gasket (43.2007)
			4224 007 1013	1	Air filter kit (B) USA
					□ 11, 12, 15
1	1		4224 140 1801	1	Auxiliary filter
	2		4224 141 0300	1	Air filter
1	3		4224 140 2800	1	Filter housing □ 14, 15
1	4		9416 868 6630	4	Hollow rivet 6.5x0.5x6.8
	5		4224 149 0500	1	Gasket
	6		9022 341 1081	4	Spline screw IS-M5x35
	7		4224 140 1000		Filter cover
	′		4224 140 1000	1	
4	0		0000 040 4007	4	□ 18, 25 Screw IS-M5x21
	8		9022 319 1027	1	
	9		4224 080 1600	1	Shroud
	0		4224 084 7400	1	Grommet
2	1		4224 080 2200	1	Cap □ 22
2	2		9022 319 1027	1	Screw IS-M5x21
	3		4224 123 7500	1	Grommet
	4		9074 478 4435	4	Pan head self-tapping screw IS-P6x19
	5		0000 967 3759	1	Warning pictogram TS
2	9		0000 001 0100	'	Training protogram 10
2	6		4223 967 3701	1	Instruction label (1) J
2	7		4224 967 3703	1	Instruction label (1) J
			4224 007 1012	1	Set of gaskets
					□ 9

⁽¹⁾ TS 800, (2) TS 800-Z




Reference	Item number	Qty	Description
*	4224 007 1010	1	Set of gaskets (43.2007) □ 10

Κ



Refere	ence Item number	Otv	Description
Neiele	ance item number	Qty	Везоприон
	4224 690 0103	1	Support with guard Ø 400 mm / 16" (1)
	4224 690 0104	1	□ 1- 26, 28 - 36, 38 - 44 Support with guard Ø 400 mm / 16" (2) USA
	4224 090 0104	ı	□ 1- 26, 28 - 32, 34 - 36, 38 - 44, 54
			20, 20 02, 01 00, 00 11, 01
	4224 690 0110	1	Support with guard Ø 400 mm / 16" (2) CDN
			□ 1- 26, 28 - 32, 34 - 36, 38 - 44, 55
	1001 000 0105		0 1 11 1 0 100 1 100 1
	4224 690 0105	1	Support with guard Ø 400 mm / 16" AUS, J
1	l 4224 700 8105	1	□ 1 - 23, 26, 28 - 36, 38 - 44, 49, 50 Guard Ø 400 mm / 16"
2		1	Support
3			Circlip 32x1.2
2			Grooved ball bearing 6201-2RS
5		1	Ring
6	4201 704 0504	1	Shaft
7	4201 706 9202	2	Washer
8	4221 706 8800	1	Rubber ring
9	4221 706 8801	1	Rubber ring
10	4224 700 2900	1	Adjusting lever
			□ 11
11			Hollow rivet 6.5x0.5x3.0
12			Spline screw IS-M5x12
13			Flange
14			Spline screw IS-M6x28
15			Sleeve
16			Compression spring
17 18			Washer Woodruff key 4x5
19			Poly V-belt pulley
20		1	Washer 10.5
21		1	Hexagon nut M10x1 I/h thread
22		1	Circlip 20x1.2
23			Hexagon head screw M10x18
24		1	Thrust washer Ø 103 mm
25		1	Thrust washer Ø 103 mm
26	4224 700 6802	1	Bracket


⁽¹⁾ TS 800, (2) TS 800-Z



Reference	Item number	Qty	Description
27 *	4224 700 6800	1	Bracket (40.2006)
28	4238 677 8200	1	Connector
29	4201 700 4500	1	Shut-off cock 1/4"
30	0000 954 1701	1	Sealing ring
31	4201 700 7300	1	Hose connector □ 32
32	9645 945 7506	1	O-ring 10x3
33	4201 670 1700	1	Coupling sleeve 1/2"
34		1	Hose 5.6x1.9x674 mm (D)
35		1	Hose 5.6x1.9x270 mm / 10 5/8" (D)
	0000 937 4049	1	Hose 5.6x1.9 mm x 1 m (A,B)
36	9771 021 0921	4	Hose clip 10/7
37 *	9771 021 0920	4	Hose clip 9.5/7
38	4224 677 8201	1	Connector
39	4224 677 8202	1	Connector
40	4201 708 8400	2	Banjo bolt
41	9041 216 0950	2	Pan head screw M5x10
42	9211 021 8900	2	Hexagon nut G 1/8"
43	4119 791 9400	1	Cable clamp
44	0000 706 4600	2	Plug
45 *	4224 708 9100	1	Bow (40.2006)
46 *	9022 341 1280	1	Spline screw IS-M6x16 (40.2006)
47	4224 700 8101	1	Guard
48	4224 708 8400	3	Screw
49	4205 708 3001	1	Thrust washer Ø 140 mm AUS, J
50	4205 708 3011	1	Thrust washer Ø 140 mm AUS, J
51	4201 670 1701	1	Coupling sleeve 3/4" (2) USA, CDN
52	4224 790 9300	1	Rubber buffer (2) USA, CDN
53	9022 341 0910	1	Spline screw IS-M5x6 (2) USA, CDN
54	0000 967 3699	1	Instruction label (2) USA
55	0000 967 3902	1	Instruction label (2) CDN
56	9022 341 1220	1	Spline screw IS-M5x48
57	4224 967 3702	1	Instruction label (1) J

⁽¹⁾ TS 800, (2) TS 800-Z







Drawing L Pressurized water tank


Reference	Item number	Qty	Description
	4223 670 6000	1	Water tank (B)
			□ 1 - 14
	4223 670 6001	1	Water tank (B) USA
			□ 1 - 15
1	4223 670 6010	1	Water tank (B)
			□ 12, 13
2	4223 670 7700	1	Handle (B)
			□ 3
3	9645 945 7560	1	O-ring 14x1.78 (B)
4	4223 670 8600	1	Filler cap (B)
			\square 5
5	9645 945 8240	1	O-ring 56.5x 5.33 (B)
6	4223 670 8200	1	Piston (B)
			\Box 7
7	9645 945 7958	1	O-ring 37.5x3.15 (B)
8	4223 670 6600	1	Pump barrel (B)
			□ 9
9	4223 678 2600	1	Valve (B)
10	4223 670 5000	1	Valve (B)
			□ 11
11	9645 945 7494	1	O-ring 8.76x1.78 (B)
12	4223 677 8300	2	Union nut (B)
13	4223 678 1600	1	Insert (B)
14	4309 678 1100	1	Hose 4 m / 158" (B)
15	4201 670 1700	1	Coupling sleeve 1/2" (B)

⁽¹⁾ TS 800, (2) TS 800-Z





Reference	Item number	Qty	Description
		•	·
1	4224 890 3400	1	Combination wrench
2	5910 890 2305	1	Screwdriver
2	3910 090 2303	ı	Sciewariver
3	4130 893 7800	1	Locking pin
4	0000 891 0801	1	Tool roll



Drawing N Wheel kit

Reference	Item number	Qty	Description
	4224 007 1014	1	Mounting kit wheels (B) □ 1 - 9
1		1	Carrier (B,D)
2	4223 791 7200	2	Sleeve (B)
3	4223 791 3600	2	Wheel (B)
4	9007 319 1370	2	Hexagon head screw M6x30 (B)
5	4224 791 7204	2	Sleeve (B)
6	9007 319 1420	2	Hexagon head screw M6x45 (B)
7	4224 791 7205	2	Sleeve (B)
8	9007 319 1460	2	Hexagon head screw M6x65 (B)
9	9220 260 0900	2	Hexagon nut M6 (B)

⁽¹⁾ TS 800, (2) TS 800-Z