


A Engine housing

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|-----------------------------------|
| 1 | 1139 020 3000 | 1 | Engine housing (1,3) |
| • | | | 2 - 18 |
| 2 | 0000 989 0608 | 1 | Grommet (1,3) |
| 3 | 1120 162 5200 | 1 | Pin (1,3) |
| 4 | 1123 162 5200 | 1 | Pin (1,3) |
| 5 | 1123 162 5205 | 1 | Pin (1,3) |
| 6 | 1123 640 3200 | 1 | Oil pump 0.55 (1,3) |
| 7 | 1139 647 4000 | 1 | Oil hose (1,3) |
| 8 | 1123 640 3800 | 1 | Pickup body (1,3) |
| 9 | 1128 640 9100 | 1 | Valve (1,3) |
| 10 | 1139 358 7700 | 1 | Hose (1,3) |
| 11 | 1139 122 3900 | 1 | Elbow connector (1,3) |
| 12 | 1139 358 7704 | 1 | Hose (1,3) |
| 13 | 1123 664 2400 | 1 | Collar screw (1,3) |
| 14 | 1123 664 2402 | 1 | Collar screw (1,3) |
| 15 | 1139 442 1600 | 1 | Contact spring (1,3) |
| 16 | 1139 353 2700 | 1 | Connector (1,3) |
| 17 | | 1 | Hose 3.1x5.7x67 mm (D) (1,3) |
| | 0000 930 2803 | 1 | Hose 3.1x5.7 mm x 1 m (A,B) (1,3) |
| 18 | 0000 350 5802 | 1 | Tank vent (1,3) |
| 19 | 0000 350 3500 | 1 | Pickup body (1,3) |
| 20 | 0000 350 0525 | 1 | Filler cap (1,3) |
| 21 | 9645 948 7734 | 1 | O-ring 25x3.5 (1,3) |
| 22 | 0000 350 0526 | 1 | Filler cap (1,3) |
| 23 | 9645 948 2470 | 1 | O-ring 23x3 (1,3) |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z

В




В

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|-----------------------------------|
| 1 | 1139 020 3001 | 1 | Engine housing (2,4) 2 - 21 |
| 2 | 0000 989 0608 | 1 | Grommet (2,4) |
| 3 | 1120 162 5200 | 1 | Pin (2,4) |
| 4 | 1123 162 5200 | 1 | Pin (2,4) |
| 5 | 1123 162 5205 | 1 | Pin (2,4) |
| 6 | 1123 640 3200 | 1 | Oil pump 0.55 (2,4) |
| 7 | 1139 647 4000 | 1 | Oil hose (2,4) |
| 8 | 1123 640 3800 | 1 | Pickup body (2,4) |
| 9 | 1128 640 9100 | 1 | Valve (2,4) |
| 10 | 1139 358 7700 | 1 | Hose (2,4) |
| 11 | 1139 122 3900 | 1 | Elbow connector (2,4) |
| 12 | 1139 358 7704 | 1 | Hose (2,4) |
| 13 | 1123 664 2400 | 1 | Collar screw (2,4) |
| 14 | 1123 664 2402 | 1 | Collar screw (2,4) |
| 15 | 1139 442 1600 | 1 | Contact spring (2,4) |
| 16 | 1139 353 2701 | 1 | Connector (2,4) |
| 17 | 4130 350 6200 | 1 | Fuel pump (2,4) |
| 18 | | 1 | Hose 2.2x5.4x38 mm (D) (2,4) |
| 19 | | 1 | Hose 2.2x5.4x98 mm (D) (2,4) |
| | 0000 930 2802 | 1 | Hose 2.2x5.4 mm x 1 m (A,B) (2,4) |
| 20 | | 1 | Hose 3.1x5.7x67 mm (D) (2,4) |
| | 0000 930 2803 | 1 | Hose 3.1x5.7 mm x 1 m (A,B) (2,4) |
| 21 | 0000 350 5802 | 1 | Tank vent (2,4) |
| 22 | 0000 350 3500 | 1 | Pickup body (2,4) |
| 23 | 0000 350 0525 | 1 | Filler cap (2,4) |
| 24 | 9645 948 7734 | 1 | O-ring 25x3.5 (2,4) |
| 25 | 0000 350 0526 | 1 | Filler cap (2,4) 26 |
| 26 | 9645 948 2470 | 1 | O-ring 23x3 (2,4) |


⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z

С



| Item number | Qty | Description |
|---------------|---|--|
| 1139 020 1201 | 1 | Cylinder with piston Ø 38 mm 2 - 6 |
| 1139 030 2002 | 1 | Piston Ø 38 mm 3 - 5 |
| 1130 034 3002 | 2 | Piston ring Ø 38x1.2 mm |
| 1139 034 1500 | 1 | Piston pin 10x6.5x23 |
| 9463 650 1000 | 2 | Snap ring 10 |
| 9075 478 4195 | 4 | Pan head self-tapping screw IS-D5.3x41 |
| 1139 030 0401 | 1 | Crankshaft (25.2005) |
| 9503 003 0312 | 2 | Grooved ball bearing 6002 |
| 9638 003 1581 | 2 | Oil seal 15x25x5 (20.2007) |
| 9639 003 1585 | 2 | Oil seal 15x25x5 (20.2007) |
| 9468 621 1520 | 1 | Circlip 15x1 |
| 1139 021 2503 | 1 | Engine pan |
| 0000 400 7011 | 1 | Spark plug NGK CMR6H |
| 1139 140 0602 | 1 | Muffler (1,2) |
| 1139 140 0601 | 1 | Muffler (3,4) USA, AUS, CDN 16 |
| 1139 141 9000 | 1 | Screen (3,4) USA, AUS, CDN |
| 1139 141 3201 | 1 | Cooling plate |
| 9075 478 4085 | 2 | Pan head self-tapping screw IS-D5x18 |
| 1135 145 9002 | 2 | Plug |
| 0783 830 2000 | 1 | Tube of sealant Dirko HT red |
| | 1139 020 1201 1139 030 2002 1130 034 3002 1139 034 1500 9463 650 1000 9075 478 4195 1139 030 0401 9503 003 0312 9638 003 1581 9639 003 1585 9468 621 1520 1139 021 2503 0000 400 7011 1139 140 0602 1139 140 0601 1139 141 9000 1139 141 3201 9075 478 4085 1135 145 9002 | 1139 020 1201 |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z




ET002 SC

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| | 1139 080 2102 | 1 | Fan housing with rewind starter (1,3) 1 - 11 |
| 1 | 1139 080 1802 | 1 | Fan housing (1,3) |
| 2 | 1110 084 9102 | 1 | Bushing (1,3) |
| 3 | 1129 190 0601 | 1 | Rewind spring (1,3) |
| 4 | 1123 195 0400 | 1 | Rope rotor (1,3) |
| 5 | 1125 195 7200 | 1 | Pawl (1,3) |
| 6 | 0000 958 0923 | 1 | Washer (1,3) |
| 7 | 1118 195 3500 | 1 | Spring (1,3) |
| 8 | 1121 195 3400 | 1 | Starter grip (1,3) |
| 9 | 0000 195 8203 | 1 | Starter rope Ø 3x850 mm (1,3) |
| 10 | 1139 084 7800 | 1 | Segment (1,3) |
| 11 | 1139 967 1501 | 1 | Model plate MS 181 (1,3) |
| 12 | 9074 477 4135 | 3 | Pan head self-tapping screw IS-P5x20 (1,3) |
| 13 | 9074 477 4139 | 1 | Pan head self-tapping screw IS-P5x25 (1,3) |
| 14 | 0000 190 3402 | 1 | Starter grip ElastoStart Ø 3 mm (B) (1,3) 15, 16 |
| 15 | 0000 195 8200 | 1 | Starter rope Ø 3x800 mm (B) (1,3) |
| 16 | 0000 195 7001 | 1 | Cap (B) (1,3) |
| | 1139 007 1001 | 1 | Cover plate kit (B) (1,3) 17, 18 |
| 17 | 1139 084 8200 | 1 | Cover plate (B) (1,3) |
| 18 | 9099 021 2770 | 2 | Self-tapping screw 3.9x13 (B) (1,3) |
| | | | |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z


Ε



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| | 1139 080 2103 | 1 | Fan housing with rewind starter (2,4) 1 - 16 |
| 1 | 1139 080 1803 | 1 | Fan housing (2,4) |
| 2 | 1110 084 9102 | 1 | Bushing (2,4) |
| 3 | 1123 190 0600 | 1 | Rewind spring (2,4) |
| 4 | 1123 195 0401 | 1 | Rope rotor (2,4) |
| 5 | 1121 195 3400 | 1 | Starter grip (2,4) |
| 6 | 4137 195 8200 | 1 | Starter rope Ø 2.7x910 mm (2,4) |
| | 0000 930 2281 | 1 | Starter rope Ø 2.7 mm x 30.8 m (A,B) (2,4) |
| 7 | 0000 958 0923 | 1 | Washer (2,4) |
| 8 | 1123 195 7200 | 2 | Pawl (2,4) |
| 9 | 1128 195 3500 | 1 | Spring (2,4) |
| 10 | 1123 195 9001 | 1 | Washer (2,4) |
| 11 | 1139 190 0700 | 1 | Spring housing (2,4) |
| 12 | 1139 195 2000 | 1 | Carrier (2,4) |
| 13 | 0000 958 0806 | 1 | Washer (2,4) |
| 14 | 9455 621 0570 | 1 | Circlip 8x0.8 (2,4) |
| 15 | 1139 084 7800 | 1 | Segment (2,4) |
| 16 | 1139 967 1502 | 1 | Model plate MS 181 C (2,4) |
| 17 | 9074 477 4135 | 3 | Pan head self-tapping screw IS-P5x20 (2,4) |
| 18 | 9074 477 4139 | 1 | Pan head self-tapping screw IS-P5x25 (2,4) |
| | | | |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z


F



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--------------------------------------|
| 1 | 1139 400 1201 | 1 | Flywheel (1,3) (25.2005) |
| 2 | 0000 955 0802 | 1 | Collar nut M8x1 |
| 3 | 1139 400 1203 | 1 | Flywheel (2,4) (25.2005) 4 - 6 |
| 4 | 1139 195 7200 | 2 | Pawl (2,4) |
| 5 | 0000 998 1100 | 2 | Torsion spring (2,4) |
| 6 | 9460 624 0320 | 2 | E-clip 3.2 (2,4) |
| 7 | 1139 400 1307 | 1 | Ignition module 8, 9 |
| 8 | 0000 405 1003 | 1 | Spark plug boot |
| 9 | 0000 998 0618 | 1 | Torsion spring |
| 10 | 9075 478 3018 | 2 | Pan head self-tapping screw IS-D4x18 |
| 11 | 9291 021 0100 | 1 | Washer 4.3 |
| 12 | 1139 405 8000 | 1 | Insulator |
| 13 | 1139 448 1200 | 1 | Lead retainer |
| 14 | 1139 440 3000 | 1 | Wiring harness |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z


G



G

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|---|
| 1 | 1139 792 9100 | 1 | Hand guard |
| 2 | 1121 160 5000 | 1 | Lever |
| 3 | 1123 162 7800 | 1 | Flat spring |
| 4 | 0000 958 0521 | 1 | Washer |
| 5 | 1123 162 5800 | 1 | Strap |
| 6 | 9460 624 0400 | 1 | E-clip 4 |
| 7 | 1139 160 5400 | 1 | Brake band |
| 8 | 1139 162 7900 | 1 | Tension spring |
| 9 | 1139 021 1100 | 1 | Cover |
| | 1139 160 2000 | 1 | Clutch |
| | | | 10 - 13 |
| 10 | 1121 162 3201 | 1 | Carrier |
| 11 | 1139 162 0800 | 3 | Clutch shoe |
| 12 | 1127 162 3000 | 3 | Retainer |
| 13 | 0000 997 5600 | 3 | Tension spring |
| 14 | 1121 162 1001 | 1 | Cover washer |
| 15 | 1123 640 7102 | 1 | Worm |
| | | | 16 |
| 16 | 1123 647 2400 | 1 | Spring |
| 17 | 1123 640 2073 | 1 | Chain sprocket 3/8" Picco 6T |
| 18 | 9512 933 2260 | 1 | Needle cage 10x13x10 |
| 19 | 0000 958 1022 | 1 | Washer Ø 27 mm |
| 20 | 9460 624 0801 | 1 | E-clip 8x1.3 |
| | 1123 007 1000 | 1 | Chain tensioner kit (B) (1,3) 21 - 25 |
| 21 | 1123 007 1004 | 1 | Spur gear / chain adjusting screw kit (1,3) |
| 22 | 1123 640 1900 | 1 | Tensioner slide (1,3) |
| 23 | 1123 664 1400 | 1 | Thrust pad (1,3) |
| 24 | 1123 664 2200 | 1 | Cover (1,3) |
| 25 | 9075 478 3015 | 1 | Pan head self-tapping screw IS-D4x15 (1,3) |
| 26 | 1123 664 0500 | 1 | Bumper spike (1,3) |
| 27 | 9075 478 4115 | 2 | Pan head self-tapping screw IS-D5x16 (1,3) |
| 28 | 1139 640 1700 | 1 | Chain sprocket cover (1,3) |
| 29 | 0000 955 0801 | 1 | Hexagon nut M8 (1,3) |
| 30 | 0000 967 3630 | 1 | Instruction label (3,4) USA |
| 31 | 1139 650 7700 | 1 | Chain catcher (20.2007) 32, 33 |
| 32 | 9062 319 1270 | 1 | Countersunk screw M6x14 (20.2007) |
| 33 | 9214 320 0900 | 1 | Lock nut M6 (20.2007) |
| | | • | - () |


(1) MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--|
| | 1139 007 1000 | 1 | Quick tensioner parts (B) 1 - 15 |
| 1 | 1139 640 1701 | 1 | Chain sprocket cover (2,4) 2 - 4 |
| 2 | 1139 648 3800 | 1 | Cover plate (2,4) |
| 3 | 1123 648 2202 | 1 | Adjusting wheel (2,4) |
| 4 | 9076 478 2996 | 1 | Pan head self-tapping screw P4x12 (2,4) |
| 5 | 1121 660 1000 | 1 | Wing nut (2,4) 6 - 9 |
| 6 | | 1 | Torsion spring (D) (2,4) |
| 7 | | 1 | Cap (D) (2,4) |
| 8 | | 1 | Handle (D) (2,4) |
| 9 | | 2 | Cylindrical pin 3m6x26 (D) (2,4) |
| 10 | 1123 660 3001 | 1 | Tensioning gear (2,4) |
| 11 | 9041 319 0600 | 1 | Pan head screw M4x5 (2,4) |
| 12 | 1123 021 2800 | 1 | Insert (2,4) |
| 13 | 1123 664 0501 | 1 | Bumper spike (2,4) |
| 14 | 9075 478 4115 | 2 | Pan head self-tapping screw IS-D5x16 (2,4) |
| 15 | 0812 370 1000 | 1 | Screwdriver T27x120x70 (B) |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z


J



| Reference | e Item number | Qty | Description |
|-----------|---------------|-----|--------------------------------------|
| 1 | 1139 120 1602 | 1 | Air filter, fleece |
| 2 | 1139 120 1601 | 1 | Air filter (B) |
| 3 | 1139 120 3401 | 1 | Filter base 4, 5 |
| 4 | 1139 791 5900 | 2 | Stop buffer |
| 5 | 9646 945 0610 | 1 | O-ring 8x1.6 |
| 6 | 9074 477 4135 | 3 | Pan head self-tapping screw IS-P5x20 |
| 7 | 1139 121 6900 | 1 | Baffle |
| 8 | 9216 261 0700 | 2 | Hexagon nut M5 |
| 9 | 1139 120 0605 | 1 | Carburetor C1Q-S121B (1,3) |
| 10 | 1139 120 0606 | 1 | Carburetor C1Q-S122B (2,4) |
| 11 | 1139 120 0900 | 1 | Carburetor bracket |
| 12 | 1139 141 1801 | 1 | Sleeve |
| 13 | 1139 140 2500 | 1 | Manifold |
| 14 | 9075 478 3012 | 4 | Pan head self-tapping screw IS-D4x12 |
| | | | |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z

Κ




Κ

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--------------------------------------|
| | 1139 120 0605 | 1 | Carburetor C1Q-S121B (1,3) 1 - 40 |
| 1 | 1139 121 5400 | 1 | Valve jet (1,3) |
| 2 | 4116 121 5100 | 1 | Inlet needle (1,3) |
| 3 | 1132 121 5603 | 1 | Fixed jet 0.50 (1,3) |
| 4 | 4128 122 3000 | 1 | Spring (1,3) |
| 5 | 1125 121 5000 | 1 | Inlet control lever (1,3) |
| 6 | 1120 121 9200 | 1 | Spindle (1,3) |
| 7 | 1120 122 6600 | 1 | Collar screw (1,3) |
| 8 | 4229 129 0901 | 1 | Gasket (1,3) |
| 9 | 4229 121 4700 | 1 | Metering diaphragm (1,3) |
| 10 | 1139 120 0800 | 1 | End cover (1,3) 11 - 15 |
| 11 | 1139 120 7300 | 1 | Air valve shaft with lever (1,3) |
| 12 | 1139 122 3200 | 1 | Torsion spring (1,3) |
| 13 | 4282 122 9000 | 1 | E-clip (1,3) |
| 14 | 1139 126 0300 | 1 | Air valve (1,3) |
| 15 | 1125 122 7402 | 1 | Round head screw (1,3) |
| 16 | 1120 122 6601 | 4 | Collar screw (1,3) |
| 17 | 1139 120 9700 | 1 | Pump piston kit (1,3) |
| 18 | 1139 121 3300 | 1 | Throttle shutter (1,3) |
| 19 | 1125 122 7403 | 1 | Round head screw (1,3) |
| 20 | 1139 122 6800 | 1 | Low speed adjustment screw (1,3) |
| 21 | 1139 122 6700 | 1 | High speed adjustment screw (1,3) |
| 22 | 4229 121 2701 | 1 | Cap (1,3) |
| 23 | 1123 121 7800 | 1 | Strainer (1,3) |
| 24 | 1125 122 4200 | 1 | Ball (1,3) |
| 25 | 1123 121 2904 | 1 | Choke shutter (1,3) |
| 26 | 1129 121 4800 | 1 | Pump diaphragm (1,3) |
| 27 | 1123 129 0905 | 1 | Gasket (1,3) |
| 28 | 1139 121 0800 | 1 | End cover (1,3) |
| 29 | 1120 122 7800 | 1 | Oval head screw (1,3) |
| 30 | 1139 120 7200 | 1 | Choke shaft with lever (1,3) |
| 31 | 1139 122 3202 | 1 | Torsion spring (1,3) |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z


Κ



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|---|
| 32 | 1139 120 7100 | 1 | Throttle shaft with lever (1,3) 33 |
| 33 | 1139 122 7101 | 1 | Screw (1,3) |
| 34 | 1139 122 3201 | 1 | Torsion spring (1,3) |
| 35 | 4282 122 9000 | 2 | E-clip (1,3) |
| 36 | 1139 121 3501 | 1 | Throttle lever (1,3) |
| 37 | 1139 122 3203 | 1 | Torsion spring (1,3) |
| 38 | 1139 121 3502 | 1 | Throttle lever (1,3) |
| 39 | 9079 319 0280 | 1 | Flat head screw M3x3.5 (1,3) |
| 40 | 1139 122 6200 | 1 | Idle speed adjustment screw (1,3) |
| | 4229 007 1060 | 1 | Set of carburetor parts (1,3) 8, 9, 26, 27 |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z


L



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|--------------------------------------|
| | 1139 120 0606 | 1 | Carburetor C1Q-S122B (2,4) 1 - 40 |
| 1 | 1139 121 5400 | 1 | Valve jet (2,4) |
| 2 | 4116 121 5100 | 1 | Inlet needle (2,4) |
| 3 | 1132 121 5603 | 1 | Fixed jet 0.50 (2,4) |
| 4 | 4128 122 3000 | 1 | Spring (2,4) |
| 5 | 1125 121 5000 | 1 | Inlet control lever (2,4) |
| 6 | 1120 121 9200 | 1 | Spindle (2,4) |
| 7 | 1120 122 6600 | 1 | Collar screw (2,4) |
| 8 | 4229 129 0901 | 1 | Gasket (2,4) |
| 9 | 4229 121 4700 | 1 | Metering diaphragm (2,4) |
| 10 | 1139 120 0801 | 1 | End cover (2,4) 11 - 15 |
| 11 | 1139 120 7300 | 1 | Air valve shaft with lever (2,4) |
| 12 | 1139 122 3200 | 1 | Torsion spring (2,4) |
| 13 | 4282 122 9000 | 1 | E-clip (2,4) |
| 14 | 1139 126 0300 | 1 | Air valve (2,4) |
| 15 | 1125 122 7402 | 1 | Round head screw (2,4) |
| 16 | 1120 122 6601 | 4 | Collar screw (2,4) |
| 17 | 1139 120 9700 | 1 | Pump piston kit (2,4) |
| 18 | 1139 121 3300 | 1 | Throttle shutter (2,4) |
| 19 | 1125 122 7403 | 1 | Round head screw (2,4) |
| 20 | 1139 122 6800 | 1 | Low speed adjustment screw (2,4) |
| 21 | 1139 122 6700 | 1 | High speed adjustment screw (2,4) |
| 22 | 4229 121 2701 | 1 | Cap (2,4) |
| 23 | 1123 121 7800 | 1 | Strainer (2,4) |
| 24 | 1125 122 4200 | 1 | Ball (2,4) |
| 25 | 1123 121 2904 | 1 | Choke shutter (2,4) |
| 26 | 1129 121 4800 | 1 | Pump diaphragm (2,4) |
| 27 | 1123 129 0905 | 1 | Gasket (2,4) |
| 28 | 1139 121 0800 | 1 | End cover (2,4) |
| 29 | 1120 122 7800 | 1 | Oval head screw (2,4) |
| 30 | 1139 120 7200 | 1 | Choke shaft with lever (2,4) |
| 31 | 1139 122 3202 | 1 | Torsion spring (2,4) |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z


L



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|---|
| 32 | 1139 120 7100 | 1 | Throttle shaft with lever (2,4) 33 |
| 33 | 1139 122 7101 | 1 | Screw (2,4) |
| 34 | 1139 122 3201 | 1 | Torsion spring (2,4) |
| 35 | 4282 122 9000 | 2 | E-clip (2,4) |
| 36 | 1139 121 3501 | 1 | Throttle lever (2,4) |
| 37 | 1139 122 3203 | 1 | Torsion spring (2,4) |
| 38 | 1139 121 3502 | 1 | Throttle lever (2,4) |
| 39 | 9079 319 0280 | 1 | Flat head screw M3x3.5 (2,4) |
| 40 | 1139 122 6200 | 1 | Idle speed adjustment screw (2,4) |
| | 4229 007 1060 | 1 | Set of carburetor parts (2,4) 8, 9, 26, 27 |


⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z

Μ



| Reference | Item number | Qty | Description |
|-----------|---------------|-----|---|
| 1 | 1139 791 4900 | 1 | Handle frame (1,3) |
| 2 | 1139 791 4901 | 1 | Handle frame (2,4) |
| 3 | 0000 967 3662 | 1 | Warning pictogram MS |
| 4 | 0000 967 3500 | 1 | Instruction label (3,4) USA |
| 5 | 0000 791 3104 | 1 | Spring |
| 6 | 1139 790 8100 | 1 | Retainer |
| 7 | 1139 792 2901 | 1 | Bearing plug |
| 8 | 9075 478 4085 | 1 | Pan head self-tapping screw IS-D5x18 |
| 9 | 1139 792 2902 | 1 | Bearing plug |
| 10 | 9074 477 4135 | 3 | Pan head self-tapping screw IS-P5x20 |
| 11 | 0000 791 3103 | 2 | Spring |
| 12 | 1139 792 2903 | 1 | Bearing plug |
| 13 | 1139 792 2900 | 1 | Bearing plug |
| 14 | 1139 182 1000 | 1 | Throttle trigger |
| 15 | 1117 182 4500 | 1 | Torsion spring |
| 16 | 1139 182 0800 | 1 | Trigger interlock |
| 17 | 1139 791 0600 | 1 | Handle molding |
| 18 | 1139 182 0900 | 1 | Switch shaft |
| 19 | 1139 182 2800 | 1 | Lever |
| 20 | 1139 185 1900 | 1 | Choke rod |
| 21 | 1139 182 1500 | 1 | Throttle rod |
| 22 | 1139 140 4702 | 1 | Shroud (1,3) 24, 25 |
| 23 | 1139 140 4703 | 1 | Shroud (2,4) 24, 25 |
| 24 | 1139 140 3100 | 1 | Slide 25 |
| 25 | 0000 141 4900 | 1 | Spring |
| 26 | 0000 967 3749 | 1 | Warning pictogram Filler cap (3,4) USA, CDN |

⁽¹⁾ MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z



Drawing N Tools, Extras

| Reference | Item number | Qty | Description |
|-----------|---------------|-----|----------------------------|
| 1 | 0000 890 3400 | 1 | Combination wrench |
| 2 | 0000 890 2300 | 1 | Screwdriver |
| 3 | 0000 792 9152 | 1 | Chain scabbard |
| 4 | 0812 370 1000 | 1 | Screwdriver T27x120x70 (B) |
| 5 | 0000 891 0801 | 1 | Tool roll (B) |
| 6 | 1110 893 4000 | 1 | Filing gauge (B) |

(1) MS 181, (2) MS 181 C-BE, (3) MS 181-Z, (4) MS 181 C-BE Z