Spare part list
RR 3000 XL


ALBANY
ASSA ABLOY



2013-05 Index 00

SIDE FRAME ASSY., RIGHT, XL

Seitenteil rechts XL



8220TG009	Rev.: 0	Sheet: 7 of 7


ALBANY
ASSA ABLOY

RR 3000XL, Version 11

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right Side frame left (mirror image)**								
	Side frame rh XL complete			D8220TG009	G	C	Stck./pc.	1	
	Side frame lh XL complete			D8220TG016	G	C	Stck./pc.	1	
1	Guid cover back rh XL			D4521RG200	G	C	Stck./pc.	1	
	Guid cover back lh XL			D4521RG201	G	C	Stck./pc.	1	
2	Guide cover top rh XL			D4521RG198	G	C	Stck./pc.	1	
	Guide cover top lh XL			D4521RG199	G	C	Stck./pc.	1	
3a	Guide cover bottom rh XL			D4521R1232		C	Stck./pc.	1	
	Guide cover bottom lh XL			D4521R1233		C	Stck./pc.	1	
3b	Guide cover 2 rh			D4521RG202	G	C	Stck./pc.	1	
	Guide cover 2 lh			D4521RG203	G	C	Stck./pc.	1	
4	Gusset top cover rh			D4521TG008	G	C	Stck./pc.	1	
	Gusset top cover lh			D4521TG009	G	C	Stck./pc.	1	
5	Gusset bottom cover rh			D4521T0247		C	Stck./pc.	1	
	Gusset bottom cover lh			D4521T0248		C	Stck./pc.	1	
6	Spring cover top XL			D4521T0209		C	Stck./pc.	2	
7	Spring cover middle XL			D4521TG007	G	C	Stck./pc.	2	
8	Spring cover bottom XL (side of bearing)	H > 3000		D4521T0206		C	Stck./pc.	1	
	Spring cover bottom rh XL (side of unit)	H > 3000		D4521T0207		C	Stck./pc.	1	
	Spring cover bottom lh XL (side of unit)	H > 3000		D4521T0208		C	Stck./pc.	1	
9	Tension spring middle L=1397mm	3000<=H<4000		D4802R0007		A	Stck./pc.	max 12	X
	Tension spring long L=2193mm	H>=4000		D4802R0008		A	Stck./pc.	max 12	X
10	Spring suspension top complete 3-hole			D8220R0050		A	Stck./pc.	4	
	Spring suspension top complete 4-hole			D8220R0051		A	Stck./pc.	4	
11	Belt (blue), L=6000			D5105R0081		A	Stck./pc.	4	X
13	Redirection rope with cable			D8120RG046	G	B	Stck./pc.	2	
14	Rope for curtain tension, L=8000			D5105R0031		A	Stck./pc.	2	
15	Emergency lever			D8220RG218	G	A	Stck./pc.	1	
19	Bottomplate RH			D4521T0257		A	Stck./pc.	1	
	Bottomplate LH			D4521T0258		A	Stck./pc.	1	
20	Cable Chain complete drive unit side	(*)		D8520RG013	G	B	Stck./pc.	1	
	Cable Chain complete non drive unit side	(*)		D8520RG014	G	B	Stck./pc.	1	
	Connecting cable 4m	drive side H<=2500		D4907R0024		A	Stck./pc.	1	
	Connecting cable 6m	drive side 2500<H<=4500 non drive side (H+W)<=4500		D4907R0029		A	Stck./pc.	1	
	Connecting cable 8m	drive side H>4500 non drive side 4500<(H+W)<=6500		D4907R0030		A	Stck./pc.	1	
	Connecting cable 10m	non drive side 6500<(H+W)<=8500		D4907R0032		A	Stck./pc.	1	
	Connecting cable 12m	non drive side 8500<(H+W)<=10500		D4907R0023		A	Stck./pc.	1	
	Connecting cable 14m	non drive side 10500<(H+W)<=12500		D4907R0031		A	Stck./pc.	1	

SIDE FRAME ASSY., RIGHT, XL

Seitenteil rechts XL



8220TG009	Rev.: 0	Sheet: 7 of 7


ALBANY
ASSA ABLOY


RR 3000XL, Version 11


Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right Side frame left (mirror image)**								
21	Belt receptacle			D8120R0047		A	Stck./pc.	2	
22	Proxmity switch M8 10E Plugconnector			D4905R0082		A	Stck./pc.	1	
	Connecting cable 2m with 2 M8 plugs	Driveside		D4907R0044		A	Stck./pc.	1	
23	Photocell transmitter without bracket - blue	RH		D4904R0547		A	Stck./pc.	1	
	Photocell receiver without bracket - black	LH		D4904R0548		A	Stck./pc.	1	
24	Cable Duct complete	L=2000		D8120R0049		A	Stck./pc.	4	
25	Spring Suspension			D4521R1090		A	Stck./pc.	6	
	Spring Suspension extended			D4521T0212		A	Stck./pc.	6	
26	Sliding rail 3000 mm long			D4121R0335		A	Stck./pc.	8	X
27	Rope pulley			D5003R0001		A	Stck./pc.	8	
28	Label emergancy lever			D6403R0009		A	Stck./pc.	1	
29	Door label			D6403RG002	G	A	Stck./pc.	1	
30	Spring cover XL	non drive side H ≤3000		D4521RG275	G	C	Stck./pc.	1	
	Spring cover XL	drive side, drive rh H ≤3000		D4521RG276	G	C	Stck./pc.	1	
	Spring cover XL	drive side, drive lh H ≤3000		D4521RG277	G	C	Stck./pc.	1	


(*) Data of W, H [mm] and drive side is necessary

Panel Door Blade XL
Paneelbehang XL









Drawing number	8230TG014	Revision	b

ALBANY
ASSA ABLOY


RR 3000XL, Version 11

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
II	**Panel Door Blade Type 1**								
1	Top lamella XL, with intel sealing (*)			D8230RG403	G	B		1	
	without isolation						m		
	isolation with Polystyrol						m		
2	Lamella 1 XL with extension piece 1 (*)	H<=4000: n=10 H>4000: n=7		D8230RG406	G	B		max 10	
	without isolation						m		
	isolation with Polystyrol						m		
3	Lamella 2 XL with extension piece 2 (*)	H<3125: n=(H-1500)/125 H>=3125: n=13		D8230RG407	G	B		max 13	
	without isolation						m		
	isolation with Polystyrol						m		
4	Lamella 3 XL with extension piece 3 (*)	H>3250: n=(H-3125)/125		D8230RG408	G	B		max 15	
	without isolation						m		
	isolation with Polystyrol						m		
5	Windowlamella 1XL with extension piece 1 (*)	H<=4000: n=10 H>4000: n=7		D8230RG410	G	B	m	max 8	
6	Windowlamella 2 XL with extension piece 2 (*)	H<3125: n=(H-1500)/125 H>=3125: n=13		D8230RG411	G	B	m	max 8	
7	Windowlamella 3 XL with extension piece 3 (*)	H>3250: n=(H-3125)/125		D8230RG412	G	B	m	max 10	
8	Bottom lamella with rubber profile without extension piece 4	Base price		D8230RG409	G	B	Stck./pc.	1	
	without isolation	Upcharge					m		
	isolation with Polystyrol PS 30	Upcharge					m		
	rubber profile with extended sealing lip	Upcharge					m		
9	Extension piece 1s XL	H<=4000: n=10 H>4000: n=7	2010-01 ►	D4521R1848		A	Stck./pc.	max 22	
10	Extension piece 2s XL	H<3125: n=(H-1500)/125 H>=3125: n=13	2010-01 ►	D4521R1852		A	Stck./pc.	max 26	
11	Extension piece 3s XL	H>3250: n=(H-3125)/125	2010-01 ►	D4521R1853		A	Stck./pc.	max 30	
12	Extension piece 4s rh XL, for bottom lamella	pre running photocell RH (**)	►2011-08 See Pos.21 2011-09 ► also single	D8150R0122		A	Stck./pc.	1	
13	Extension piece 4s lh XL, for bottom lamella	pre running photocell LH (**)		D8150R0123		A	Stck./pc.	1	
14	Clamping lug standard			D4521R0966		A	Stck./pc.	max 78	
15	Clamping lug extension piece 4	H>3250		D4521R1028		A	Stck./pc.	max 2	
17	Lamella sealing			D4402RG005	G	A	m	200	
18	Sealing top lamella			D4421RG011	G	B	m	6	
19	Bottom rubber profile			D4402RG006	G	B	m	6	
	Rubber profile extended sealing lip cut-to-size			D4421RG016	G	C	m		
20	Flat belt complete Assembly RR3000 XL	applicable for all door sizes (RH + LH)		D8240R0035		A	Satz/Set	1	X
	Flat belt L 6000 mm	not f. compl. belt exchange		D4121R0299		A	Stck./pc.	max 2	X
21	Safety photocell receiver - grey	RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0546		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**)		D4904R0544		A	Stck./pc.	1	
22	Bracket pre running photocell RH			D4521T0214		A	Stck./pc.	1	
	Bracket pre running photocell LH			D4521T0215		A	Stck./pc.	1	
23	Activator Proximity switch RH			D4521R0981		A	Stck./pc.	1	
	Activator Proximity switch LH			D4521R0982		A	Stck./pc.	1	
	Flat belt repair-kit	2 belts (1000mm) with clamping parts		D8130R0011		A	Stck./pc.		

(*) Inclusive lamella seal (pos. 17), clamping lug (pos. 14) and screw

(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.21)

Barrel Complete	
Wickelwelle kompl.	
Vals Komplett	




ALBANY
ASSA ABLOY

RR 3000XL, Version 11

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
III	**Barrel complete with Door blade**								
	Top roll with door blade RR3000XL complete (*)	Transport pallet cpl. included		D8240RG175	G	D		1	
		Base price					Stck./pc.		
		Upcharge					m^2		
	Barrel XL complete			D8240TG017	G	D	Stck./pc.	1	
1	Spiral disk 1			D4521R1501		A	Stck./pc.	4	
	Stiffening ring			D4521T0203		A	Stck./pc.	4	
2	Spiral disk 2			D4521R1502		A	Stck./pc.	2	
3	Spiral disk 3 LH			D4521R1048		A	Stck./pc.	1	
	Spiral disk 3 RH			D4521R1047		A	Stck./pc.	1	
4	Dampener disks, L=2000mm			D8140R0072		A	Stck./pc.	8	X
5	Bearing d 35			D8140R0060		A	Stck./pc.	2	X
6	Brecket belt			D4521R0953		A	Stck./pc.	2	
7	Winding plate			D4521R0941		A	Stck./pc.	2	
8	U-Bracket			D4521T0229		A	Stck./pc.	max 12	
	Washer disc fastening			D4521T0230		A	Stck./pc.		
9	Bracket cam			D4521R1167		A	Stck./pc.	max 12	

(*) Data of W, H [mm] and drive side is necessary

Drive unit complete	RR3000, 3000L,
Antrieb komplett	3000XL, 3000XXL, 3000ISO




ALBANY
ASSA ABLOY

RR 3000XL, Version 11

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Drive unit complete**								
1	Gear motor 220-230 / 400-415 V, ACS80			D8910R0060		B	Stck./pc.	1	
	Gear motor 220-230 / 400-415 V, MCC			D8910R0079		B	Stck./pc.	1	
2	Brake 15Nm 196V DC HL			D6622R0018		A	Stck./pc.	1	X
3	Double Proximity switch	ACS80		D4905R0019		A	Stck./pc.	1	
	Encoder 50 pulses, only electronic part	MCC		D4904R0450		A	Stck./pc.	1	
	Encoder 50 pulses compl. with bracket			D8410R0066		A	Stck./pc.	1	
4	Torque Arm			D4521R1490		A	Stck./pc.	1	
5	Motor plate			D4521R1096		A	Stck./pc.	1	
6	Vibration absorber			D5004R0041		A	Stck./pc.	2	
7	Microswitch			D6621R0002		A	Stck./pc.	1	
8	Spring 2,2x11x48			D4802R0004		A	Stck./pc.	1	
11	Cable 4x0,25 6,5m GY	SL<=5m		D4907R0110		A	Stck./pc.	1	
	Cable 4x0,25 11,5m GY	5m<SL<=10m		D4907R0111		A	Stck./pc.	1	
	Cable 4x0,25 21,5m GY	10m<SL<=20m		D4907R0112		A	Stck./pc.	1	
	Cable 4x0,25 31,5m GY	20m<SL<=30m		D4907R0113		A	Stck./pc.	1	
12	Junctionbox 9plug 11,5m cable	5m<SL<=10m		D4906R0028		A	Stck./pc.	1	
	Junctionbox 9plug 21,5m cable	10m<SL<=20m		D4906R0029		A	Stck./pc.	1	
	Junctionbox 9plug 31,5m cable	20m<SL<=30m		D4906R0030		D	Stck./pc.	1	
	Junctionbox 9plug 6,5m cable	SL<=5m		D4906R0027		A	Stck./pc.	1	
13	Control cable	ACS 80		D8830RG042	G	B		1	
		Base price					Stck./pc.		
		Upcharge					m		
	Control cable	MCC		D8903RG145	G	B		1	
		Control close to drive					Stck./pc.		
		Control wall mounted					Stck./pc.		

RR 3000XL	
RR 3000XL	



ALBANY
ASSA ABLOY

RR 3000XL, Version 11

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Options**								
2	Motor cover RH			D8160R0123		A	Stck./pc.	1	
	Motor cover LH			D8160R0124		A	Stck./pc.	1	
3	2. emergency lever (option)			D8170RG022	G	B	Stck./pc.	1	
	Transport pallet	for dismountling top roll		D8270RG031	G	C	Stck./pc.	1	

SL= control line

H, L => [mm]

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

