
Spare part list
RR 3000, -GL

ALBANY
ASSA ABLOY



2013-05 Index 00

Side frame right	RR3000, -L, -GL
Seitenteil rechts	RR3000, -L, -GL




8220RG215	Rev.: g	Sheet: 8 of 8

ALBANY
ASSA ABLOY

RR 3000, -GL, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right Side frame left (mirror image)**								
1	Side frame RH compl.			D8220RG215	G	C	Stck./pc.	1	
	Side frame LH compl.			D8220RG216	G	C	Stck./pc.	1	
2	Guide cover top RH			D4521RG151	G	C	Stck./pc.	1	
	Guide cover top LH			D4521RG152	G	C	Stck./pc.	1	
3	Guide cover bottom RH			D4521R1101		C	Stck./pc.	1	
	Guide cover bottom LH			D4521R1102		C	Stck./pc.	1	
	Guide cover RH	H<2375		D4521RG159	G	C	Stck./pc.	1	
	Guide cover LH	H<2375		D4521RG160	G	C	Stck./pc.	1	
4	Gusset cover top RH			D4521RG149	G	C	Stck./pc.	1	
	Gusset cover top LH			D4521RG150	G	C	Stck./pc.	1	
5	Gusset cover bottom RH			D4521R1099		C	Stck./pc.	1	
	Gusset cover bottom LH			D4521R1100		C	Stck./pc.	1	
	Gusset cover RH	H<2375		D4521RG163	G	C	Stck./pc.	1	
	Gusset cover LH	H<2375		D4521RG164	G	C	Stck./pc.	1	
6	Spring cover top			D4521R0957		C	Stck./pc.	2	
7	Spring cover middle	H>3000		D4521RG109	G	C	Stck./pc.	2	
8	Spring cover bottom (side of bearing)	H>3000		D4521R0974		C	Stck./pc.	1	
	Spring cover bottom (side of bearing)	H<=3000		D4521RG111	G	C	Stck./pc.	1	
	Spring cover bottom RH (side of unit)	H>3000		D4521R0972		C	Stck./pc.	1	
	Spring cover bottom LH (side of unit)	H>3000		D4521R0973		C	Stck./pc.	1	
	Spring cover bottom RH (side of unit)	H<=3000		D4521RG113	G	C	Stck./pc.	1	
	Spring cover bottom LH (side of unit)	H<=3000		D4521RG115	G	C	Stck./pc.	1	
9	Tension spring short L=976mm	H<3000		D4802R0009		A	Stck./pc.	max 12	X
	Tension spring middle L=1397mm	3000<=H<4000		D4802R0007		A	Stck./pc.	max 12	X
	Tension spring long L=2193mm	H>=4000		D4802R0008		A	Stck./pc.	max 12	X
10	Spring suspension top complete			D8220R0050		A	Stck./pc.	4	
11	Belt (blue), L=6000			D5105R0081		A	Stck./pc.	4	X
13	Redirection rope with cable			D8120RG046	G	B	Stck./pc.	2	
14	Rope for curtain tension, L=8000	(H-200) x 0,6		D5105R0031		A	Stck./pc.	2	
15	Emergency lever			D8220RG218	G	B	Stck./pc.	1	
19	Bottomplate RH			D4521R1064		A	Stck./pc.	1	
	Bottomplate LH			D4521R1065		A	Stck./pc.	1	
20	Cable Chain complete drive unit side	(*)		D8520RG013	G	B	Stck./pc.	1	
	Cable Chain complete non drive unit side	(*)		D8520RG014	G	B	Stck./pc.	1	
	Connecting cable 4m	drive side H<=2500		D4907R0024		A	Stck./pc.	1	
	Connecting cable 6m	drive side 2500<H<=4500 non drive side (H+B)<=4500		D4907R0029		A	Stck./pc.	1	
	Connecting cable 8m	drive side H>4500 non drive side 4500<(H+B)<=6500		D4907R0030		A	Stck./pc.	1	
	Connecting cable 10m	non drive side 6500<(H+B)<=8500		D4907R0032		A	Stck./pc.	1	
	Connecting cable 12m	non drive side 8500<(H+B)<=10500		D4907R0023		A	Stck./pc.	1	
	Connecting cable 14m	non drive side 10500<(H+B)<=12500		D4907R0031		A	Stck./pc.	1	

Side frame right	RR3000, -L, -GL
Seitenteil rechts	RR3000, -L, -GL



8220RG215	Rev.: g	Sheet: 8 of 8


ALBANY
ASSA ABLOY

RR 3000, -GL, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
21	Belt receptacle			D8120R0092		A	Stck./pc.	2	
22	Proximity switch M8 10E Plugconnector			D4905R0082		A	Stck./pc.	1	
	Connecting cable 2m with 2 M8 plugs	Drive side		D4907R0044		A	Stck./pc.	1	
23	Photocell transmitter without bracket - blue	RH		D4904R0547		A	Stck./pc.	1	
	Photocell receiver without bracket - black	LH		D4904R0548		A	Stck./pc.	1	
24	Cable Duct complete	L=2000		D8120R0049		A	Stck./pc.	4	
25	Spring Suspension			D4521R1090		A	Stck./pc.	6	
26	Sliding rail 3000 mm long			D4121R0335		A	Stck./pc.	8	X
27	Rope pulley			D5003R0001		A	Stck./pc.	8	
28	Label emergancy lever			D6403R0009		A	Stck./pc.	1	
29	Door label			D6403RG002	G	A	Stck./pc.	1	
30	Guide cable chain compl.	L=H/2 - 100		D4721RG102	G	B	Stck./pc.	1	
31	Cover stat. Photo cell			D8120R0006		A	Stck./pc.	2	

(*) Data of W, H and drive side is necessary

Panel Door Blade Type 1	
Paneelbehang Typ 1	




8230RG068	Rev.: f	Sheet: 5 of 5

ALBANY
ASSA ABLOY

RR 3000, -GL, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IIa	**Panel Door Blade Type 1**								
1	Top lamella, with intel sealing			D8230RG387	G	C		1	
	without isolation						m		
	isolation with Polystyrol						m		
	isolation with mineral wool						m		
2	Lamella 1 with extension piece 1s - short (*)			D8230RG415	G	B		max 10	
	without isolation						m		
	isolation with Polystyrol						m		
	isolation with mineral wool						m		
3	Lamella 2 with extension piece 2s - middle (*)			D8230RG385	G	B		max 13	
	without isolation						m		
	isolation with Polystyrol						m		
	isolation with mineral wool						m		
4	Lamella 3 with extension piece 3s - long (*)			D8230RG386	G	B		max 15	
	without isolation						m		
	isolation with Polystyrol						m		
	isolation with mineral wool						m		
5	Window lamella W1 with extension piece W1 - short (*)			D8230RG440	G	B	m	max 9	
6	Window lamella W2 w. extension piece W2 - middle (*)			D8230RG441	G	B	m	max 13	
7	Window lamella W3 with extension piece W3 - long (*)			D8230RG442	G	B	m	max 14	
8.1	Bottom lamella with rubber profile; without extension piece 4s	pre running photocell; without clamp lug		D8230RG391	G	B		1	
	without isolation						m		
	isolation with Polystyrol						m		
	isolation with mineral wool						m		
8.2	Bottom lamella 4a with rubber profile; without extension piece	W > 5000		D8230RG437	G	C	m	1	
8.3	Lamella bottom with electr. safety edge (without extension piece 5s)	electr. safety edge		D8230RG392	G	B		1	
	without isolation						m		
	isolation with Polystyrol						m		
	isolation with mineral wool						m		
8.4	Lamella bottom with electr. safety edge and ext. seal (without extension piece 5s)	electr. safety edge		D8230RG393	G	B		1	
	without isolation						m		
	isolation with Polystyrol						m		
	isolation with mineral wool						m		
9	Extension piece 1s, short	Standard lamella	2010-02 ►	D4521R1697		A	Stck./pc.	max 22	
	Extension piece W1, short	Window lamella		D4521R1999		A	Stck./pc.	max 18	
10	Extension piece 2s, middle	Standard lamella	2010-02 ►	D4521R1698		A	Stck./pc.	max 26	
	Extension piece W2, middle	Window lamella		D4521R2000		A	Stck./pc.	max 26	
11	Extension piece 3s, long	Standard lamella	2010-02 ►	D4521R1699		A	Stck./pc.	max 30	
	Extension piece W3, long	Window lamella		D4521R2001		A	Stck./pc.	max 28	
12	Extension piece 5s rh, for bottom lamella	el. safety edge, RH		D8150R0103		A	Stck./pc.	1	
	Extension piece 4s re, for bottom lamella	pre running photocell RH (**)	►2011-08 See Pos.21 2011-09 ► also single	D8150R0112		A	Stck./pc.	1	
13	Extension piece 4s li, for bottom lamella	pre running photocell LH (**)		D8150R0113		A	Stck./pc.	1	
	Extension piece 5s lh, for bottom lamella	el. safety edge, LH		D8150R0104		A	Stck./pc.	1	
14	Clamping lug standard	Standard lamella		D4521R0966		A	Stck./pc.	max 78	
	Clamping lug Window lamella	Window lamella		D4521R1915		A	Stck./pc.	max 72	
15	Clamping lug extension piece 4	H>3250		D4521R1028		A	Stck./pc.	max 2	
16	Connecting lug extension piece 4	H<=3250		D4521R1069		A	Stck./pc.	max 2	
17	Lamella sealing			D4402RG005	G	B	m	200	
18	Sealing top lamella			D4421RG011	G	B	m	6	

Panel Door Blade Type 1	
Paneelbehang Typ 1	



8230RG068	Rev.: f	Sheet: 5 of 5


ALBANY
ASSA ABLOY


RR 3000, -GL, Version 33


Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
19	Bottom rubber profile	pre running photocell		D4402RG006	G	B	m	1	
	Rubber profile extended sealing lip cut-to-size			D4421RG016	G	C	m	1	
	Rubber profile with integrated safety edge	el. safety edge		D4421RG043	G	B	m	1	
	Rubber profile elongated sealing-lilp			D4421RG044	G	C	m	1	
20	Flat belt complete Assembly RR3000	applicable for all door sizes (RH + LH)		D8240R0020		A	Satz/Set	1	X
	Add on belt 3000 set	retrofit old doors	►2010-12	D8240R0024		A	Satz/Set	1	X
	Flat belt L 6000 mm	Not f. compl. belt exchange		D4121R0299		A	Stck./pc.	max 2	X
21	Safety photocell receiver - grey	RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0546		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**)		D4904R0544		A	Stck./pc.	1	
22	Bracket pre running photocell RH			D4521R0943		A	Stck./pc.	1	
	Bracket pre running photocell LH			D4521R1023		A	Stck./pc.	1	
23	Activator Proximity switch RH			D4521R0981		A	Stck./pc.	1	
	Activator Proximity switch LH			D4521R0982		A	Stck./pc.	1	
24	Edge cover window C	2pc. for window lamella		D4721R0291		A	Stck./pc.	max 72	
25	Flat belt repair-kit	2 belts (1000mm) with clamping parts		D8130R0011		A	Stck./pc.	1	


(*) Inclusive lamella seal (position 17), clamping plate (position 14) and screws
(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.21)

Panel door blade type 3	
Paneelbehang Typ 3	









8230RG421	Rev.: 0	Sheet: 3 of 3


ALBANY
ASSA ABLOY

RR 3000, -GL, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IIb	**Panel Door Blade Type 3**								
1	Top lamella GL a, with lintel sealing (*)			D8230RG443	G	C		1	
	without isolation						m		
2	Lamella GL 1a compl., with adapter 1 - short (*)			D8230RG417	G	B		max 9	
							m		
3	Lamella GL 2a compl., with adapter 2 - middle (*)			D8230RG418	G	B		max 11	
							m		
4	Lamella GL 3a compl., with adatper 3 - long (*)			D8230RG419	G	B		max 13	
							m		
5	Bottom lamella with rubber profile; without adapter 4s			D8230RG391	G	B	m	1	
6	Adapter GL top			D4521R1916		A	Stck./pc.	2	
7	Adapter GL 1a, short			D4521R1912		A	Stck./pc.	max 18	
8	Adapter GL 2a, middle			D4521R1913		A	Stck./pc.	max 22	
9	Adapter GL 3a, long			D4521R1914		A	Stck./pc.	max 26	
10	Edge cover window a GL	2 per lamelle		D4721R0293		A	Stck./pc.	max 64	
11	Screw 6x20	4 per lamella		D5406R0633		A	Stck./pc.	max 64	
12	Adapter 4s rh, for bottom lamella	RH (**)	►2011-08 See Pos.20 2011-09 ► also single	D8150R0112		A	Stck./pc.	1	
13	Adapter 4s lh, for bottom lamella	LH (**)		D8150R0113		A	Stck./pc.	1	
14	Clamping lug GL			D4521R1915		A	Stck./pc.	max 66	
15	Clamping lug Adapter 4			D4521R1028		A	Stck./pc.	2	
16	Lamella sealing			D4402RG005		B	m	200	
17	Sealing top lamella type 1	DH 2500,3250,4000,4750		D4421RG011		B	m	6	
	Sealing top lamella type 2	L=DW-20		D4101R0017			m	1	
	Retainer seal	L=DW-20		D5006T0004			m	1	
18	Bottom rubber profile	pre running photocell		D4402RG006	G	B	m	1	
	Rubber profile extended sealing lip cut-to-size			D4421RG016	G	C	m	1	
	Rubber profile with integrated safety edge	el. safety edge		D4421RG043	G	B	m	1	
	Rubber profile elongated sealing-lilp			D4421RG044	G	C	m	1	
19	Flat belt GL a compl. RH	RH		D8240RG153		B	Stck./pc.	1	X
	Flat belt GL a compl. LH	LH		D8240RG154		B	Stck./pc.	1	X
20	Safety photocell receiver - grey	RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0546		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**)		D4904R0544		A	Stck./pc.	1	
21	Bracket pre running photocell RH	RH		D4521R0943		A	Stck./pc.	1	
	Bracket pre running photocell LH	LH		D4521R1023		A	Stck./pc.	1	
22	Activator Proxilimity switch RH	RH		D4521R0981		A	Stck./pc.	1	
	Activator Proxilimity switch LH	LH		D4521R0982		A	Stck./pc.	1	
	Flat belt repair-kit	2 belts (1000mm) with clamping parts		D8130R0011		A	Stck./pc.	1	

(*) Inclusive lamella seal (position 16), clamping plate (position 14) and screws
(**) Doors manufactured before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.20)

Barrel complete	
Wickelwelle kompl.	
Vals komplett	




ALBANY
ASSA ABLOY

RR 3000, -GL, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III	**Barrel complete with Door blade**								
	Top roll with door blade RR3000 complete (*)	Transport pallet cpl. included		D8240RG169	G	D		1	
		Base price					Stck./pc.		
		Upcharge					m^2		
	Top roll with door blade RR3000GL complete (*)	Transport pallet cpl. included		D8240RG172	G	D		1	
		Base price					Stck./pc.		
		Upcharge					m^2		
	Barrel 1 complete (*)	H<=4000		D8240RG134	G	D	Stck./pc.	1	
		H>4000	2010-01 ▶						
	Barrel 1b complete (*)	H>4000	▶2010-01	D8240RG140	G	D	Stck./pc.	1	
	Barrel 1c complete (*)	only chain drive		D8240RG139	G	D	Stck./pc.	1	
1	Spiral disk 1		▶2010-01	D4521R0940		A	Stck./pc.	2	
			2010-01 ▶	D4521R1801		A	Stck./pc.		
2	Spiral disk 2		▶2010-01	D4521R0939		A	Stck./pc.	2	
			2010-01 ▶	D4521R1803		A	Stck./pc.		
3	Spiral disk 3 LH	H>3250	▶2010-01	D4521R1048		A	Stck./pc.	1	
	Spiral disk 3 RH		▶2010-01	D4521R1047		A	Stck./pc.	1	
	Spiral disk 3		2010-01 ▶	D4521R1804		A	Stck./pc.	2	
4	Dampener disks, L=2000mm			D8140R0072		A	Stck./pc.	6	X
5	Bearing d 35			D8140R0060		A	Stck./pc.	2	X
6	Bracket belt			D4521R0953		A	Stck./pc.	2	
7	Winding plate			D4521R0941		A	Stck./pc.	2	
8	U-Bracket		▶2010-01	D4521R1179		A	Stck./pc.	max.12	
9	Bracket cam		▶2010-01	D4521R1167		A	Stck./pc.	max.12	
11	Locking element pinion	only chain drive		D5103R0082		A	Stck./pc.	1	
12	Hexagon screw M8x20 Scotch grip		▶2010-01	D5402R0378		A	Stck./pc.	max.60	

(*) Data of W, H and drive side is necessary

Drive unit complete	RR3000, 3000L,
Antrieb komplett	3000XL, 3000XXL, 3000ISO




ALBANY
ASSA ABLOY

RR 3000, -GL, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Drive unit complete**								
1	Gear motor 220-230 / 400-415 V, ACS80	H>4000		D8910R0060		B	Stck./pc.	1	
	Gear motor 220-230 / 400-415 V, ACS80	H<=4000		D8910R0061		B	Stck./pc.	1	
	Gear motor 220-230 / 400-415 V, MCC	H>4000	▶2010-01	D8910R0079		B	Stck./pc.	1	
	Gear motor 220-230 / 400-415 V, MCC	H<=4000 H>4000	2010-01▶	D8910R0080		B	Stck./pc.	1	
2	Brake 15Nm 196V DC HL			D6622R0018		A	Stck./pc.	1	X
3	Double Proximity switch	ACS80		D4905R0019		A	Stck./pc.	1	
	Encoder 50 pulses, only electronic part	MCC		D4904R0450		A	Stck./pc	1	
	Encoder 50 pulses compl. with bracket	MCC		D8410R0066		A	Stck./pc.	1	
4	Torque Arm			D4521R1490		A	Stck./pc.	1	
5	Motor plate			D4521R1096		A	Stck./pc.	1	
6	Vibration absorber			D5004R0041		A	Stck./pc.	max 2	
7	Microswitch			D6621R0002		A	Stck./pc.	1	
8	Spring 2,2x11x48			D4802R0004		A	Stck./pc.	1	
9	Cable 4x0,25 6,5m GY	SL<=5m		D4907R0110		A	Stck./pc.	1	
	Cable 4x0,25 11,5m GY	5m<SL<=10m		D4907R0111		A	Stck./pc.	1	
	Cable 4x0,25 21,5m GY	10m<SL<=20m		D4907R0112		A	Stck./pc.	1	
	Cable 4x0,25 31,5m GY	20m<SL<=30m		D4907R0113		A	Stck./pc.	1	
10	Junctionbox 9plug 11,5m cable	5m<SL<=10m		D4906R0028		A	Stck./pc.	1	
	Junctionbox 9plug 21,5m cable	10m<SL<=20m		D4906R0029		A	Stck./pc.	1	
	Junctionbox 9plug 31,5m cable	20m<SL<=30m		D4906R0030		D	Stck./pc.	1	
	Junctionbox 9plug 6,5m cable	SL<=5m		D4906R0027		A	Stck./pc.	1	
11	Control cable	ACS 80		D8830RG042	G	B		1	
		Base price					Stck./pc.		
		Upcharge					m		
	Control cable	MCC		D8903RG145	G	B		1	
		Control close to drive					Stck./pc.		
		Control wall mounted					Stck./pc.		
12	Drive shaft with pinion	only Chain drive		D4521R1360		A	Stck./pc	1	
13	Roller chain	only Chain drive		D8120R0072		A	Stck./pc	1	X

RR 3000, RR 3000L
RR 3000, RR 3000L



Drawing number	8300RG175	Revision	d

ALBANY
ASSA ABLOY

RR 3000, -GL, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Options**								
1	Top roll cover 1	W<=2500		D8260RG039	G	C		1	
	Top roll cover 2	W>2500		D8260RG040	G	C		1	
		Base price					Stck./pc.		
		Upcharge					m/W		
2	Motor cover RH			D8160R0123		A	Stck./pc.	1	
	Motor cover LH			D8160R0124		A	Stck./pc.	1	
3	2. emergency lever (option)			D8170RG022	G	B	Stck./pc.	1	
4	Lintel profile complete	RR 3000 GL		D8220RG240	G	C	m/W	1	
	Lintel profile	RR 3000		D4521RG104	G	C	Stck./pc.	1	
	Transport pallet cpl.	for dismantling top roll		D8270RG031	G	C	Stck./pc.	1	

SL= control line

H,B, L => [mm]

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

