EUROPÄISCHE GEMEINSCHAFT

Ausfuhrbegleitdokument

VERFAHREN (1)	Bes. Umst. (S32)
EX	Z

MRN 19DE880499597216E9

Vordrucke (3)		Anm. Sich.(S00)
1	2	S

Versender/Ausführer (2) Nr. DE4558987

Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

A Ausfuhrzollstelle

DE008804
Hauptzollamt Regensburg
Zollamt
Regensburg-Furth im Wald
Junkersstr. 12

93055 Regensburg

Ausstellungsdatum
30.01.2019 12:28 Uhr

Empfänger (8) Nr.

NIHVA TECHNOLOGIES PVT LTD
27 8/1 COROMANT HOUSING SOCIETY
411044 PUNE, NIGDI PRADHIKAR
IN

Positionen (5)	Packst. insgesamt (6)	Bezugsnummer (7)
1	12	#V88#-EXD-18003 / 30719988

Beförderungskosten, Code für die Zahlungshinweise (S29)	Vers./Ausf.L.Code (15)	Bestimm.L.Code (17)
H	a| DE	a| IN

Code für die zu durchfahrenden Länder (S13)
DE, IN

Anmelder/Vertreter (14) Nr. DE4558987, DE3448797

[1] Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

[2] i.A. / i.V A-1 Internationale Spedition GmbH
Springbiel 4 a
48455 Bad Bentheim
DE

Vertreter der Person, die summ. Anm. abgibt (14b)

Kennzeichen des Beförderungsmittels beim Abgang (18)

Verkehrszweig an der Grenze (25)	Rohmasse (kg) (35)
1	1416

Ausgangszollstelle (29)	Nummer des Zollverschlusses (S28) Anzahl: --
DE004851	--

Warenort (30)
Code für den Ort des Verladens bzw. des Verpackens:
RE01

Packstücke und Warenbezeichnung (31) Zeichen und Nummern - Container Nr. - Anzahl und Art

Siehe Liste der Positionen

E PRÜFUNG DURCH DIE ZOLLSTELLE

Ergebnis:

Frist (letzter Tag):

K PRÜFUNG DURCH DIE AUSGANGSSTELLE

Ankunftsdatum:

Prüfung der Verschlüsse:

Bemerkungen:

EUROPÄISCHE GEMEINSCHAFT

LISTE DER WARENPOSITIONEN - AUSFUHR

Vordrucke (3): 2 2

MRN 19DE880499597216E9

Pos.- Nr. (32)	Anzahl und Art der Packstücke, Zeichen und Nummern der Packstücke (31.1)	Warenbezeichnung (31.4)			
Versender/Ausführer (2)		Empfänger (8)			
Kennzeichen des Beförderungsmittels beim Abgang (18)		Warennummer (33)			
Kennnummer der Sendung (Unique Consignment Ref. Nr.) (7)		Summarische Anmeldung/Vorpapier (40)			
Vorgelegte Unterlagen / Bescheinigungen (44.1)		Container-Nr. (31.3)			Nummer des Zollverschlusses (S28)
Besondere Vermerke (44.2)		Verfahren (37)	Ausfuhrland (15a)	Bestimmungsl. (17a)	Rohmasse (kg) (35)
UNDG (44.4)	Beförderungskosten, Code für die Zahlungsweise (S29)	Anmeldungsart (1)	Statistischer Wert (46)		Eigenmasse (kg) (38)

1	1. 12	SL, Kufenbrett .	Baubedarfsartikel aus Kunststoffen. Schnelllaufrolltore SN NR. 1300011061/062/063/064/065/066

DE4558987
Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
(DE) Deutschland

39252000

ohne

Internationale Unterlagen:
T:Y901
R:
Nicht von der Liste der Güter mit doppeltem Verwendungszweck (Anhang I der EG-Dual-use-VO) erfasste Güter

1000	DE	IN	1416
			1416

ASSA ABLOY

80401116

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80401116*

Order No.
30719988

Ship Date
2019-01-30

Your reference
Arjun Patil

Your Order No.
NVA-411

Our reference
Mrs. Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper
Forwarder (W)
Sea freight

Line	Item No	Description	Storage Location	Quantity	Unit
10	AD_RR300_PLUS	ASSA ABLOY RR300 Plus	6000 -	1.00	ST
	Serien-Nr. 1300011061				
Daylight width		4,000 mm			
Daylight height		4,000 mm			
Side frame version		Aluminium			
Door curtain		PVC material - transparent with vertical coloured stripes			
Door curtain colour		Blue, similar to RAL 5002			
Actuator 3		Excluded			
Actuator 4		Excluded			
Packing		Heat treated pallet			
20	AD_RR300_PLUS	ASSA ABLOY RR300 Plus	6000 -	1.00	ST
	Serien-Nr. 1300011062				
Daylight width		4,000 mm			
Daylight height		4,000 mm			
Side frame version		Aluminium			
Door curtain		PVC material - transparent with vertical coloured stripes			
Door curtain colour		Blue, similar to RAL 5002			
Actuator 3		Excluded			
Actuator 4		Excluded			

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY



80401116

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80401116*

Order No.
30719988

Ship Date
2019-01-30

Your reference
Arjun Patil

Your Order No.
NVA-411

Our reference
Mrs. Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Packing		Heat treated pallet		
30	AD_RR300_PLUS Serien-Nr. 1300011063	ASSA ABLOY RR300 Plus	6000 -	1.00 ST
Daylight width		4,000 mm		
Daylight height		4,000 mm		
Side frame version		Aluminium		
Door curtain		PVC material - transparent with vertical coloured stripes		
Door curtain colour		Blue, similar to RAL 5002		
Actuator 3		Excluded		
Actuator 4		Excluded		
Packing		Heat treated pallet		
40	AD_RR300_PLUS Serien-Nr. 1300011064	ASSA ABLOY RR300 Plus	6000 -	1.00 ST
Daylight width		4,000 mm		
Daylight height		4,000 mm		
Side frame version		Aluminium		
Door curtain		PVC material - transparent with vertical coloured stripes		
Door curtain colour		Blue, similar to RAL 5002		
Actuator 3		Excluded		
Actuator 4		Excluded		
Packing		Heat treated pallet		

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY



80401116

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80401116*

Order No.
30719988

Ship Date
2019-01-30

Your reference
Arjun Patil

Your Order No.
NVA-411

Our reference
Mrs. Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper
Forwarder (W)
Sea freight

50	AD_RR300_PLUS	ASSA ABLOY RR300 Plus	6000 -	1.00 ST
	Serien-Nr. 1300011065			

Daylight width	4,000 mm
Daylight height	4,000 mm
Side frame version	Aluminium
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

60	AD_RR300_PLUS	ASSA ABLOY RR300 Plus	6000 -	1.00 ST
	Serien-Nr. 1300011066			

Daylight width	4,000 mm
Daylight height	4,000 mm
Side frame version	Aluminium
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Order Line	Volume	Net Weight	Gross Weight
10	0.00	210.00	230.00
20	0.00	210.00	230.00
30	0.00	210.00	230.00

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

80401116

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80401116*

Order No.
30719988

Ship Date
2019-01-30

Your reference
Arjun Patil

Your Order No.
NVA-411

Our reference
Mrs. Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

40	0.00	210.00	230.00
50	0.00	226.00	246.00
60	0.00	230.00	250.00
Total	**0.00**	**1,296.00**	**1,416.00**

Please contact our internal department for returns. We will tell you the return delivery number which you note down on your return delivery note.

The goods were accepted in full:

Date/Signature

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	**ASSA ABLOY, Rechnung/Invoice** 90759062 **Datum/Date** 2019-01-30 **Lieferschein-Nr./delivery note** 80401116 **Auftrags-Nr./Order No.** 30719988 **Referenz/Reference** Mr. Patil

Kunden-Nr./Customer No.	Innendienst/Internal department	Versandart/Way of delivery	
1059669	Nadine Gundelach	Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**	**Lieferdatum/Delivery date**
	NVA-411	FCA Hemau, Germany	2019-01-30

Lieferadresse/Delivery address	Nr. Lieferadresse/Delivery address No.	Zahlungsbedingungen/Terms of payment	Fälligkeit/Due date
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 90	2019-04-30

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price
	AD_RR300_PLUS	**ASSA ABLOY RR300 Plus**	**1.000**	**ST**	**3,650.00**	**3,650.00**

Serien-Nr. 1300011061

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	4 000 mm
Daylight height	4 000 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m
Top roll material	Aluminum

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. / item	Produkt / Product	Beschreibung / Description	Anzahl / QTY	Einheit / Unit	Preis/Einh. / Price/Unit	Preis / Price

Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002
Curtain tensioning system	With curtain tensioning system
MCC type	Standard version
MCC-display position	Wall mounted
MCC display type	Combibox with display and mainswitch
Material combibox	Plastic
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	7 000 mm
Combibox cable length	7 000 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	4500X480X400
Dimension packing 2 LxWxH	800X600X580

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**4500x530x430**
Dimension packing 2 LxWxH	**800x600x530**
Net Weight	**210,000 KG**
Gross Weight	**230,000 KG**

AD_RR300_PLUS **ASSA ABLOY RR300 Plus** **1.000** **ST** **3,650.00** **3,650.00**

Serien-Nr. 1300011062

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	4 000 mm
Daylight height	4 000 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002
Curtain tensioning system	With curtain tensioning system
MCC type	Standard version
MCC-display position	Wall mounted
MCC display type	Combibox with display and mainswitch
Material combibox	Plastic
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	7 000 mm
Combibox cable length	7 000 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	4500X480X400
Dimension packing 2 LxWxH	800X600X580

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**4500x530x430**
Dimension packing 2 LxWxH	**800x600x530**
Net Weight	**210,000 KG**
Gross Weight	**230,000 KG**

AD_RR300_PLUS **ASSA ABLOY RR300 Plus** **1.000** **ST** **3,650.00** **3,650.00**

Serien-Nr. 1300011063

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	4 000 mm
Daylight height	4 000 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

	open approx. 2m
Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002
Curtain tensioning system	With curtain tensioning system
MCC type	Standard version
MCC-display position	Wall mounted
MCC display type	Combibox with display and mainswitch
Material combibox	Plastic
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	7 000 mm
Combibox cable length	7 000 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	4500X480X400
Dimension packing 2 LxWxH	800X600X580

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**4500x530x430**
Dimension packing 2 LxWxH	**800x600x530**
Net Weight	**210,000 KG**
Gross Weight	**230,000 KG**

AD_RR300_PLUS **ASSA ABLOY RR300 Plus** **1.000** **ST** **3,650.00** **3,650.00**

Serien-Nr. 1300011064

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	4 000 mm
Daylight height	4 000 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye