QTN No:- SQT/19-20/1687R3

Dated : 29.06.2019

Kind Attn:- Mr.Piyush Baswe

Client Name:- **Suroj Buildcon Pvt Ltd**




Address :-

Email Id:- pbawse@suroj.in

Contact Details:- 7774014843

Dear Sir,

This is with reference to your requirement of Access Cover , we are pleased to quote, competitive rates for ***NIHVA Technologies Pvt. Ltd*** *authorized associated partner of* ***ACO Systems & Solutions (Germany).*** *We hope you find our quotation in line with your requirement. Looking forward for offering better solutions in drainage system.*

Mane Dahej Project, ACO Hygenic Gully 200MM x 200MMM - Part I						
Article No	**Description of Products**	**Image**	**Start Height & End Height Channel in**	**Total Qty.**	**Price Per Nos**	**Amount**
ACO Slot Channel Customised Channel - As per the Drawings Received on Site						
1st Flr FLV & 1st Flr FRG - SL 1, SL 2 - Slot 20 channel = 13100 x 50/20 x 110/70 x 3 outlets = 2 Nos.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70-70	2	18,000	36,000
	ACO modular slot channel 20 W50/20 L2000/2000 H70/80 , EN1433, 1.4301		70-80	2	22,000	44,000
92320	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	2	32,000	64,000
ZA184147	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		90/90	2	18,000	36,000
414232	ACO modular slot channel 20 W50/20 L1000/1000 H90 D142 center outlet, EN1433, 1.4301		90	2	26,000	52,000
92306	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90	2	15,000	30,000
92315	ACO modular slot channel 20 W50/20 L2000/2000 H100/90 , EN1433, 1.4301		100/90	2	23,000	46,000
ZA184149	ACO modular slot channel 20 L2625 H110/100 EN1253, 1.4301		110/100	2	36,000	72,000
414206	ACO modular slot channel 20 W50/20 L500/500 H110 D142 end outlet, EN1433, 1.4301		110	2	21,000	42,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301		100/90	6	13,000	78,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			6	4,000	24,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			6	3,000	18,000

Grid 4-D to F - SL 3 - Slot 20 channel = 5390 x 50/20 x 90/70 x 2 outlets = 1 No.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	1	18,000	18,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	1	22,000	22,000
92314	ACO modular slot channel 20 W50/20 L2000/2000 H70/80 , EN1433, 1.4301		80/70	1	22,000	22,000
ZA184151	ACO modular slot channel 20 L390 H90/90 EN1253, 1.4301,		90/90	1	17,000	17,000
414204	ACO modular slot channel 20 W50/20 L500/500 H90 D142 end outlet, EN1433, 1.4301		90	1	19,000	19,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			2	13,000	26,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			2	4,000	8,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			2	3,000	6,000
Grid 5-F to G & Grid 16-F to G - SL 4, SL 5 - Slot 20 channel = 6250 x 50/20 x 90/70 x 2 outlets = 2 Nos.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	2	18,000	36,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	2	22,000	44,000
92320	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	2	32,000	64,000
ZA184153	ACO modular slot channel 20 L250 H90/90 EN1253, 1.4301,		90	2	16,000	32,000
414204	ACO modular slot channel 20 W50/20 L500/500 H90 D142 end outlet, EN1433, 1.4301		90	2	19,000	38,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			4	13,000	52,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			4	4,000	16,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			4	3,000	12,000
Grid 6a-F to G - SL 6 - Slot 20 channel = 13450 x 50/20 x 120/70 x 3 outlets = 1 No.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	1	18,000	18,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	1	22,000	22,000
92314	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	1	22,000	22,000
92315	ACO modular slot channel 20 W50/20 L2000/2000 H100/90 , EN1433, 1.4301		100/90	1	23,000	23,000
ZA184157	ACO modular slot channel 20 L425 H100/100 EN1253, 1.4301		100	1	18,000	18,000
414233	ACO modular slot channel 20 W50/20 L1000/1000 H100 D142 center outlet, EN1433, 1.4301		100	1	27,000	27,000
92322	ACO modular slot channel 20 W50/20 L3000/3000 H110/100 , EN1433, 1.4301		110/100	1	34,000	34,000
ZA184159	ACO modular slot channel 20 L425 H100/100 EN1253, 1.4301,		100	1	33,000	33,000
414207	ACO modular slot channel 20 W50/20 L500/500 H120 D142 end outlet, EN1433, 1.4301		120	1	20,000	20,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			3	13,000	39,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			3	4,000	12,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			3	3,000	9,000

Grid 8-E & Grid 13-E - SL 7, SL 8 - Slot 20 channel = 5650 x 50/20 x 90/70 x 2 outlets = 2 Nos.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	2	18,000	36,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	2	22,000	44,000
92314	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	2	22,000	44,000
ZA184161	ACO modular slot channel 20 L650 H90/90 EN1253, 1.4301		90	2	37,000	74,000
414204	ACO modular slot channel 20 W50/20 L500/500 H90 D142 end outlet, EN1433, 1.4301		90	2	19,000	38,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			4	13,000	52,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			4	4,000	16,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			4	3,000	12,000
Grid 8-F to G - SL 9 - Slot 20 channel = 7900 x 50/20 x 100/70 x 2 outlets = 1 No.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	1	18,000	18,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	1	22,000	22,000
92314	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	1	22,000	22,000
92315	ACO modular slot channel 20 W50/20 L2000/2000 H100/90 , EN1433, 1.4301		100/90	1	23,000	23,000
ZA184163	ACO modular slot channel 20 L900 H100/100 EN1253, 1.4301		100	1	21,000	21,000
414205	ACO modular slot channel 20 W50/20 L500/500 H100 D142 end outlet, EN1433, 1.4301		100	1	20,000	20,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			2	13,000	26,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			2	4,000	8,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			2	3,000	6,000
Grid 13a-F to G - SL 10 - Slot 20 channel = 8050 x 50/20 x 100/70 x 2 outlets = 1 No.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	1	18,000	18,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	1	22,000	22,000
92314	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	1	22,000	22,000
92315	ACO modular slot channel 20 W50/20 L2000/2000 H100/90 , EN1433, 1.4301		100/90	1	23,000	23,000
ZA184165	ACO modular slot channel 20 L1050 H100/100 EN1253, 1.4301		100	1	23,000	23,000
414205	ACO modular slot channel 20 W50/20 L500/500 H100 D142 end outlet, EN1433, 1.4301		100	1	20,000	20,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			2	13,000	26,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			2	4,000	8,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			2	3,000	6,000

Grid 14a-E to G - SL 12 - Slot 20 channel = 13550 x 50/20 x 120/70 x 3 outlets = 1 No.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	1	18,000	18,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	1	22,000	22,000
92314	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	1	22,000	22,000
ZA184167	ACO modular slot channel 20 L1050 H100/100 EN1253, 1.4301		100/100	1	17,000	17,000
414204	ACO modular slot channel 20 W50/20 L500/500 H90 D142 end outlet, EN1433, 1.4301		90	1	19,000	19,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			2	13,000	26,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			2	4,000	8,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			2	3,000	6,000
Grid 14a-E to G - SL 12 - Slot 20 channel = 13550 x 50/20 x 120/70 x 3 outlets = 1 No.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	1	18,000	18,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	1	22,000	22,000
92314	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	1	22,000	22,000
92315	ACO modular slot channel 20 W50/20 L2000/2000 H100/90 , EN1433, 1.4301		100/90	1	23,000	23,000
ZA184157	ACO modular slot channel 20 L425 H100/100 EN1253, 1.4301		100	1	18,000	18,000
414233	ACO modular slot channel 20 W50/20 L1000/1000 H100 D142 center outlet, EN1433, 1.4301		100	1	27,000	27,000
92322	ACO modular slot channel 20 W50/20 L3000/3000 H110/100 , EN1433, 1.4301		110/100	1	34,000	34,000
ZA184169	ACO modular slot channel 20 L2125 H120/110 EN1253, 1.4301		120/110	1	34,000	34,000
414207	ACO modular slot channel 20 W50/20 L500/500 H120 D142 end outlet, EN1433, 1.4301		120	1	20,000	20,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			3	13,000	39,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			3	4,000	12,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			3	3,000	9,000

Grid J'-5 to 7 - SL 13 - Slot 20 channel = 13000 x 50/20 x 110/70 x 3 outlets = 1 No.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	1	18,000	18,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	1	22,000	22,000
92320	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	1	32,000	32,000
ZA184171	ACO modular slot channel 20 L525 H90/90 EN1253, 1.4301		90/90	1	18,000	18,000
414232	ACO modular slot channel 20 W50/20 L1000/1000 H90 D142 center outlet, EN1433, 1.4301		90	1	26,000	26,000
92306	ACO modular slot channel 20 W50/20 L1000/1000 H90/90 , EN1433, 1.4301		90	1	15,000	15,000
92315	ACO modular slot channel 20 W50/20 L2000/2000 H100/90 , EN1433, 1.4301		100/90	1	23,000	23,000
ZA184173	ACO modular slot channel 20 L2475 H110/100 EN1253, 1.4301		110/100	1	35,000	35,000
414206	ACO modular slot channel 20 W50/20 L500/500 H110 D142 end outlet, EN1433, 1.4301		110	1	21,000	21,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			3	13,000	39,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			3	4,000	12,000
408202	ACO silt basket for gully 157 high, EN1253, 1.4301			3	3,000	9,000
Grid J'-14 to 16 - SL 14 - Slot 20 channel = 13100 x 50/20 x 110/70 x 3 outlets = 1 No.						
414201	ACO modular slot channel 20 W50/20 L500/500 H70 D142 end outlet, EN1433, 1.4301		70	1	18,000	18,000
92313	ACO modular slot channel 20 W50/20 L500/500 H70/70 , EN1433, 1.4301		70	1	22,000	22,000
92320	ACO modular slot channel 20 W50/20 L3000/3000 H90/80 , EN1433, 1.4301		90/80	1	32,000	32,000
ZA184175	ACO modular slot channel 20 L625 H90/90 EN1253, 1.4301,		90/90	1	18,000	18,000
414232	ACO modular slot channel 20 W50/20 L1000/1000 H90 D142 center outlet, EN1433, 1.4301		90	1	26,000	26,000
92306	ACO modular slot channel 20 W50/20 L1000/1000 H90/90 , EN1433, 1.4301		90	1	15,000	15,000
92315	ACO modular slot channel 20 W50/20 L2000/2000 H100/90 , EN1433, 1.4301		100/90	1	23,000	23,000
ZA184173	ACO modular slot channel 20 L2475 H110/100 EN1253, 1.4301		110/100	1	35,000	35,000
414206	ACO modular slot channel 20 W50/20 L500/500 H110 D142 end outlet, EN1433, 1.4301		110	1	21,000	21,000
408055	ACO hygienic gully 157 telescopic D110 vertical location flange with FAT, FHD, EN1253, 1.4301			3	13,000	39,000
408092	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			3	4,000	12,000
408202	ACO perforated grating quadrat W168 L168 H25 , LC L15, EN1253, 1.4301			3	3,000	9,000
Total (Rs.)						**2,857,000**

Note :
1) Qty to be review before the Finalisation of Order

Terms & Conditions :-

1) Transportation will be extra at actual
2) Delivery : 12 Weeks from date of confirmed Purchase Order & advance payment.
3) Taxes : GST 18% Extra
4) Validity : 30 Days from Date of Quotation
5) Installation is in your scope. Our Techncian will only guide the installation on site.
6) Unloading of Material at site is in client Scope.
7) Payment Term :- Advance 100% of supply along with confirmed P.O.

For any further Query please Contact **Mr.Bhavin Jain** on 7410169333.

With Best Regards
Ulka Auti
7219206333
For NIHVA Technologies Pvt Ltd