




THIS PRINT IS THE PROPERTY OF Avians IT IS TO BE USED ONLY FOR THE PURPOSE FOR WHICH IT WAS LENT AND MUST NOT BE USED IN ANY WAY DERTIMENTAL TO THE INTEREST OF THIS COMPANY AND IS SUBJECT TO RETURN ON DEMAND.











GATE DIMENSION

CLEAR WIDTH : 8000 mm	CLEAR HEIGHT : 3000 mm	QTY : 01 nos

GATE DIMENSION

CLEAR WIDTH : 1200 mm	CLEAR HEIGHT : 1800 mm	QTY : 01 nos

TECHNICAL DATA

COMPONENTS	MATERIAL	SPECIFICATION
OUTER MEMBERS	MS	MS SQ TUBE 72x72x3.2mm THK
INTERNAL MEMBERS		POLYCARBONATE TRANSPARENT SHEET 3.0MM THK
		MS SHEET 3.0MM THK
		MS SQ TUBE 50x50
INTERMEDIATE VERTICAL & HORIZONTAL SQ TUBULAR SECTION	MS	MS SQ TUBE 72 X 72 mm X 2mm THK
FULL HEIGHT COLUMN WITH NYLON ROLLERS	MS	MS SQ TUBE 72 X 72 X 3.2 mm THK
BOTTOM RAIL	MS	BRIGHT BAR ø20 mm WELDED OVER ISMB 100 x 50
BOTTOM ROLLERS	MS	HEAVY DUTY ROLLERS
CABLE FOR PUSH BUTTON		FOR EXTRA PUSH BUTTON CABLE & CONDUIT IN CLIENT SCOPE
MOTOR		AS PER DESIGN
MANUAL OPERATION		KEY RELEASED DEVICE
STANDARD FINISH		ENAMEL PAINT SHADE WILL BE CONFIRM LATER

IMPORTANT NOTES:-
1) SINGLE PHASE,POWER SUPPLY REQUIRE (IN CLIENTS SCOPE)
2) FOR POWER SUPPLY 4 CORE 1.5 SQmm CABLE REQUIRE (CLIENT SCOPE)
3) FOR RELOCATION OF EXTRA PUSH BUTTON 4 CORE 0.5 SQmm CABLE REQUIRE (CLIENT SCOPE)

REV.NO.	REVISION DETAILS:	REV.DATE

AVIANS INNOVATIONS TECHNOLOGY PVT. LTD.
615 / 25, Pradhikaran, Nigdi, Pune-411044
Tel : 020 65112222, Fax : +91 20 27490570
www. avians.co.in sales@avians.co.in

TITLE:
MOTORIZED SLIDING GATE

SUBTITLE:
GENERAL ARRANGEMENT DRAWING

CLIENT'S APPROVAL:

CLIENT: WILO MATHER & PLATT PUMPS

PROJECT: WILO MATHER & PLATT PUMPS

SITE LOCATION: CHINCHWAD

DRAWING NO: AVN/17-18/11858-1/MSG-01/R-0

SCALE : 1:1 SHEET NO : 1 OF 2


DRAWN BY: CCW DATE: 17.10.2017


CHECKED BY: CAK DATE: 17.10.2017


If any queries CONTACT: projects@avians.co.in


DOC NO.:- QF/DD/01

THIS PRINT IS THE PROPERTY OF Avians IT IS TO BE USED ONLY FOR THE PURPOSE FOR WHICH IT WAS LENT AND MUST NOT BE USED IN ANY WAY DERTIMENTAL TO THE INTEREST OF THIS COMPANY AND IS SUBJECT TO RETURN ON DEMAND.












STEPS OF FOUNDATION : –



AS PER RAIL ASSEMBLY'S OVERALL LENGTH MAKE A 650X410 DIGGINGMAKE A PCC 50 MM HEIGHT AT BOTTOM



MAKE A STEEL CAGE ON PCC AS PER DIMENSIONS SHOWN IN THE DIAGRAM ie 250 x 500mm



ON STEEL CAGE WELD MS PLATE (AS SHOWN IN DRAWING) ON EQUIDISTANCE PITCH OF 1000mm THEN MOUNT I–BEAM RAIL & BY USING STEEL ROD WELD THE RAIL TO CAGE AS SHOWN IN THE DIAGRAM AT SPECIFIED DISTANCES FINALLY POUR THE RCC RECIPE AS SHOWN IN THE DIAGRAM

STEP OF INSTALLATION:–

1. AS PER BOTTOM RAIL ASSEMBLY OVERALL LENGTH, MAKE AROUND 650X410 MM SLOT IN GROUND.
2. PREPARE PCC LAYER OF 50MM THK AT BOTTOM OF THE SLOT.
3. MAKE A STEEL CAGE AS SHOWN IN DRAWING. AND REST THE CAGE ON PCC LAYER AS SHOWN. FOR CAGE STEEL MEMBERS, KINDLY DISCUSSED WITH ARCHITECTURAL OR STRUCTURAL ENGINEER.
4. STEEL CAGE DRAWING IS ONLY FOR YOUR REFERENCE. HEIGHT AND ITS MEMBERS CAN BE VARY AS PER MOVING LOAD ON THE BOTTOM RAIL.
5. WHEN THE POSITION OF THE STEEL CAGE IS DONE THEN WELD MS PLATE (AS SHOWN IN DRAWING) WITH STEEL CAGE ON 1000 mm PITCH. REFER DRAWING FOR DETAILS.KINDLY MAINTAINED TOP SURFACE OF ALL THE PLATES IN ONE PLANE.
6. MAINTAIN DISTANCE BETWEEN TOP SURFACE OF THE MS PLATE AND FINISHED FLOOR LEVEL(FFL) OR ROAD LEVEL BY 100mm. SO WE CAN GET ONE PLAIN SURFACE THROUGHOUT WHERE WE CAN MOUNT/WELD ISMB 100x50. REFER DRAWING FOR DIRECTIONS.
7. FINALLY POUR RCC RECIPE (GRADE M30/ M40) IN THE SLOT. AND FILL IT PROPERLY.

GATE DIMENSION

CLEAR WIDTH : 5500 mm	CLEAR HEIGHT : 3000 mm	QTY : 01 nos

WICKET GATE DIMENSION

CLEAR WIDTH : 1200 mm	CLEAR HEIGHT : 1800 mm	QTY : 01 nos

REV.NO.	REVISION DETAILS:	REV.DATE

AVIANS INNOVATIONS TECHNOLOGY PVT. LTD.
615 / 25, Pradhikaran, Nigdi, Pune-411044
Tel : 020 65112222, Fax : +91 20 27490570
www. avians.co.in sales@avians.co.in

TITLE: **MOTORIZED SLIDING GATE**

SUBTITLE: **FOUNDATION DRAWING**

CLIENT'S APPROVAL:

CLIENT: WILO MATHER & PLATT PUMPS

PROJECT: WILO MATHER & PLATT PUMPS

SITE LOCATION: CHINCHWAD

DRAWING NO: AVN/17-18/11858-1/MSG-02/R-0

SCALE : 1:1 SHEET NO : 2 OF 2


DRAWN BY: CCW DATE: 17.10.2017


CHECKED BY: CAK DATE: 17.10.2017


If any queries CONTACT: projects@avians.co.in


DOC NO.:- QF/DD/01

THIS PRINT IS THE PROPERTY OF Avians IT IS TO BE USED ONLY FOR THE PURPOSE FOR WHICH IT WAS LENT AND MUST NOT BE USED IN ANY WAY DERTIMENTAL TO THE INTEREST OF THIS COMPANY AND IS SUBJECT TO RETURN ON DEMAND.












STEPS OF FOUNDATION : –



AS PER RAIL ASSEMBLY'S OVERALL LENGTH MAKE A 650X410 DIGGINGMAKE A PCC 50 MM HEIGHT AT BOTTOM



MAKE A STEEL CAGE ON PCC AS PER DIMENSIONS SHOWN IN THE DIAGRAM ie 250 x 500mm



ON STEEL CAGE WELD MS PLATE (AS SHOWN IN DRAWING) ON EQUIDISTANCE PITCH OF 1000mm THEN MOUNT I–BEAM RAIL & BY USING STEEL ROD WELD THE RAIL TO CAGE AS SHOWN IN THE DIAGRAM AT SPECIFIED DISTANCES FINALLY POUR THE RCC RECIPE AS SHOWN IN THE DIAGRAM

STEP OF INSTALLATION:–

1. AS PER BOTTOM RAIL ASSEMBLY OVERALL LENGTH, MAKE AROUND 650X410 MM SLOT IN GROUND.
2. PREPARE PCC LAYER OF 50MM THK AT BOTTOM OF THE SLOT.
3. MAKE A STEEL CAGE AS SHOWN IN DRAWING. AND REST THE CAGE ON PCC LAYER AS SHOWN. FOR CAGE STEEL MEMBERS, KINDLY DISCUSSED WITH ARCHITECTURAL OR STRUCTURAL ENGINEER.
4. STEEL CAGE DRAWING IS ONLY FOR YOUR REFERENCE. HEIGHT AND ITS MEMBERS CAN BE VARY AS PER MOVING LOAD ON THE BOTTOM RAIL.
5. WHEN THE POSITION OF THE STEEL CAGE IS DONE THEN WELD MS PLATE (AS SHOWN IN DRAWING) WITH STEEL CAGE ON 1000 mm PITCH. REFER DRAWING FOR DETAILS.KINDLY MAINTAINED TOP SURFACE OF ALL THE PLATES IN ONE PLANE.
6. MAINTAIN DISTANCE BETWEEN TOP SURFACE OF THE MS PLATE AND FINISHED FLOOR LEVEL(FFL) OR ROAD LEVEL BY 100mm. SO WE CAN GET ONE PLAIN SURFACE THROUGHOUT WHERE WE CAN MOUNT/WELD ISMB 100x50. REFER DRAWING FOR DIRECTIONS.
7. FINALLY POUR RCC RECIPE (GRADE M30/ M40) IN THE SLOT. AND FILL IT PROPERLY.

GATE DIMENSION					
CLEAR WIDTH :	5500 mm	CLEAR HEIGHT :	3000 mm	QTY :	01 nos
WICKET GATE DIMENSION					
CLEAR WIDTH :	1200 mm	CLEAR HEIGHT :	1800 mm	QTY :	01 nos

REV.NO.	REVISION DETAILS:	REV.DATE

AVIANS INNOVATIONS TECHNOLOGY PVT. LTD.
615 / 25, Pradhikaran, Nigdi, Pune-411044
Tel : 020 65112222, Fax : +91 20 27490570
www. avians.co.in sales@avians.co.in

TITLE: **MOTORIZED SLIDING GATE**

SUBTITLE: **FOUNDATION DRAWING**


CLIENT'S APPROVAL:

CLIENT:	WILO MATHER & PLATT PUMPS
PROJECT:	WILO MATHER & PLATT PUMPS
SITE LOCATION:	CHINCHWAD
DRAWING NO:	AVN/17-18/11858-1/MSG-02/R-0
SCALE :	1:1 SHEET NO : 2 OF 2
DRAWN BY:	CCW DATE: 17.10.2017
CHECKED BY:	CAK DATE: 17.10.2017


If any queries CONTACT: projects@avians.co.in


DOC NO.:- QF/DD/01

THIS PRINT IS THE PROPERTY OF Avians IT IS TO BE USED ONLY FOR THE PURPOSE FOR WHICH IT WAS LENT AND MUST NOT BE USED IN ANY WAY DERTIMENTAL TO THE INTEREST OF THIS COMPANY AND IS SUBJECT TO RETURN ON DEMAND.




INSIDE ELEVATION
SLIDING DIRECTION →







PLAN
SLIDING DIRECTION
GATE IN CLOSE POSITION →



PLAN
← SLIDING DIRECTION



DETAIL VIEW 'A'



DETAIL 'A'

GATE DIMENSION		
CLEAR WIDTH : 5500 mm	CLEAR HEIGHT : 3000 mm	QTY : 01 nos
GATE DIMENSION		
CLEAR WIDTH : 1200 mm	CLEAR HEIGHT : 1800 mm	QTY : 01 nos

TECHNICAL DATA

COMPONENTS	MATERIAL	SPECIFICATION
OUTER MEMBERS	MS	MS SQ TUBE 72x72x3.2mm THK
INTERNAL MEMBERS		POLYCARBONATE TRANSPARENT SHEET 3.0MM THK
		MS SHEET 3.0MM THK
		MS SQ TUBE 50x50
INTERMEDIATE VERTICAL & HORIZONTAL SQ TUBULAR SECTION	MS	MS SQ TUBE 72 X 72 mm X 2mm THK
FULL HEIGHT COLUMN WITH NYLON ROLLERS	MS	MS SQ TUBE 72 X 72 X 3.2 mm THK
BOTTOM RAIL	MS	BRIGHT BAR ø20 mm WELDED OVER ISMB 100 x 50
BOTTOM ROLLERS	MS	HEAVY DUTY ROLLERS
CABLE FOR PUSH BUTTON		FOR EXTRA PUSH BUTTON CABLE & CONDUIT IN CLIENT SCOPE
MOTOR		AS PER DESIGN
MANUAL OPERATION		KEY RELEASED DEVICE
STANDARD FINISH		ENAMEL PAINT SHADE WILL BE CONFIRM LATER

IMPORTANT NOTES:-
1) SINGLE PHASE,POWER SUPPLY REQUIRE (IN CLIENTS SCOPE)
2) FOR POWER SUPPLY 4 CORE 1.5 SQmm CABLE REQUIRE (CLIENT SCOPE)
3) FOR RELOCATION OF EXTRA PUSH BUTTON 4 CORE 0.5 SQmm CABLE REQUIRE (CLIENT SCOPE)

REV.NO.	REVISION DETAILS:	REV.DATE

AVIANS INNOVATIONS TECHNOLOGY PVT. LTD.
615 / 25, Pradhikaran, Nigdi, Pune-411044
Tel : 020 65112222, Fax : +91 20 27490570
www. avians.co.in sales@avians.co.in

TITLE:
MOTORIZED SLIDING GATE

SUBTITLE:
GENERAL ARRANGEMENT DRAWING

CLIENT'S APPROVAL:

CLIENT: WILO MATHER & PLATT PUMPS

PROJECT: WILO MATHER & PLATT PUMPS

SITE LOCATION: CHINCHWAD

DRAWING NO: AVN/17-18/11858-1/MSG-02/R-0

SCALE : 1:1 SHEET NO : 1 OF 2

DRAWN BY: CCW DATE: 17.10.2017

CHECKED BY: CAK DATE: 17.10.2017

If any queries CONTACT: projects@avians.co.in

DOC NO.:- QF/DD/01