ASSA ABLOY

INVOICE MD2335

Invoice date
2023-03-06

Our order no.
134701-134702

Customer:
NIHVA TECHNOLOGIES PVT LTD
811 COROMANT HOUSING SOCIETY,
SEC.NO. 27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA

Consignee:
NIHVA TECHNOLOGIES PVT LTD
811 COROMANT HOUSING SOCIETY,
SEC.NO. 27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
Vijay Tarak + 91 855 109 3333

Your reference
Mr. Vijay Tarak

Your order
NVA 533

Remark
PROJ: 84704-84705 SEABIRD KARWAR

Our reference
Anders Svanborg

Terms of payment
30 days net

Terms of delivery
CIF Mumbai (Incoterms 2010)

Way of delivery
Sea Freight

Dispatch date:
2023-03-06

POS	Stock code/Description		Qty	Unit	Price %	Amount
		4 pc Assa Abloy VL3190 single doors with clearance opening 28000 x 47500 mm (WxH) 4 pc Assa Abloy VL3190 single doors with clearance opening 12000 x 10000 mm (WxH) in accordance with quotation no 215-165. Voltage: 400/3/50 Differential pressure: 1,2 kPa				
010	D4	Door delivery	1	pc		1.866.692,00

TOTAL VALUE USD **1.866.692,00**

Container 01 no. HLXU5633507, seal: 1036203
Container 02 no. HLXU5616449, seal: 1036202
Container 03 no. HLXU5619514, seal: 1036215
Container 04 no. HLXU5619690, seal: 1036242
Container 05 no. HLXU5645637, seal: 1036234
Container 06 no. HLXU5644369, seal: 1036241
Container 07 no. HLBU8005528, seal: 1036223
Container 08 no. TEXU1583365, seal: 1036222
Container 09 no. TRIU0535561, seal: 1036236
Container 10 no. HLXU5626236, seal: 1036210
Container 11 no. HLXU5657129, seal: 1036221
Container 12 no. HLXU5621065, seal: 1036232
Container 13 no. HLXU5651624, seal: 1036227

EORI NO. ASSA ABLOY Entr Syst Production Skellefteå AB: SE5560599523

HS-nomenclature: 7610 10 00
Country of origin: Sweden
Gross weight: 130550 kg
Net weight: 124763 kg
No of package: 135 pallets

We hereby certify that this invoice is true and correct and that the goods are of Swedish origin.

BLUE WORLD LINE

BILL OF LADING: - BOND #7990894 - ORGANIZATION # 027574

- ORIGINAL -

SHIPPER / EXPORTER
ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION SKELLEFTEÅ AB
P.O.BOX 383
931 24 SKELLEFTEA
SWEDEN

BILL OF LADING
SFT306303108

CONSOL
C303719124

EXPORT REFERENCES
Seabird,84704-84705

Incoterm®: CIF FREIGHT PREPAID

CONSIGNEE
NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

FORWARDING AGENT
JAS WORLDWIDE SWEDEN AB
VERKSTADSVÄGEN 1

SKELLEFTEA 931 61
Sweden

Phone: +46 910 73 22 80 Fax:

NOTIFY PARTY
NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

FOR ARRIVAL INFO & RELEASE OF CARGO CONTACT
JAS FORWARDING WORLDWIDE (PVT) LTD
UNIT 1007-1009, B-WING, 10TH FLOOR, KANAKIA WALL
STREET. CHAKALA, ANDHERI-KURLA RD, ANDHERI (E)
MUMBAI MH 400093
INDIA

Phone: +91 22 6480 0900 Fax:

PLACE OF RECEIPT	PORT OF LOADING	PORT OF DISCHARGE	FINAL DESTINATION
HELSINGBORG, SWEDEN	HELSINGBORG, SWEDEN	NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA	NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA

VESSEL / VOYAGE NO.
NYK VESTA / 079E

DETAILS OF CARGO AS DECLARED BY SHIPPER

MARKS AND NUMBERS	NO. OF PKGS	DESCRIPTION OF PACKAGES AND GOODS	GROSS WEIGHT	VOLUME
PROJ: 84704-84705 SEABIRD KARWAR	13 CONTAINER	STC 135 Package(s) 135 PACKAGES 130550 KG 8 PCS ASSA ABLOY VL3190 SINGLE DOORS WITH EQUIPMENT **Importer - EMAIL#** sales@nihva.com; IEC#3112013816;GSTIN#27AAECN0437H1ZM;PAN#:AAECN0437H;	130550 KG	536.3 M3

Container	Seals	Type	Weight(KG)	Tare(KG)	Gross(KG)	Volume(M3)	Packages	Mode
HLBU8005528	1036223, GC00377	40OT	8800	4000	12800	40.5	8 PKG	CY/CY*
HLXU5616449	1036202, GC00423	40OT	15227	4050	19277	43.7	15 PKG	CY/CY*
HLXU5619514	1036215, GC00374	40OT	13543	4050	17593	47.9	17 PKG	CY/CY*
HLXU5619690	1036242, GC00373	40OT	11470	4050	15520	44.3	15 PKG	CY/CY*

#REF!

FREIGHT CHARGES PAYABLE AT Origin

Shipper Load and Count

Continuation Page Follows...

PREPAID CHARGES	COLLECT CHARGES
AS AGREED	As Agreed

Received by the Carrier, the Goods as specified above in apparent good order and condition unless otherwise stated, to be transported to such place as agreed, authorised or permitted herin and subject to all the terms and conditions appearing on the front and reverse of the Bill of Lading to which the Merchant agrees by accepting this Bill of Lading, any local privileges and customs notwithstanding.
The particulars given above as stated by the shipper and the weight, measure, quantity, condition, contents and value of the Goods are unknown to the Carrier.
In WITNESS, whereof three (3) original Bill of Lading has been signed if not otherwise stated below, the same being accomplished the other(s), if any, to be void, If required by the Carrier one (1) original Bill of Lading must be surrendered duly endorsed in exchange for the Goods or delivery order.
In witness of the contract herein contained, the below the stated number of original Bills of Lading have been issued, one of which to be accomplished, the other(s) being void.

****Original Bill Required at Destination****

NO. OF ORIGINAL B/L	SHIPPED ON BOARD
3 (THREE)	19-Mar-2023

JAS WORLDWIDE SWEDEN AB
as Agent for the carrier BLUE WORLD LINE

PLACE OF ISSUE	DATE OF ISSUE
HELSINGBORG, SWEDEN	19-Mar-2023

DRAFT

BILL OF LADING - SFT306303108

CONTINUATION PAGE

SHIPPER / EXPORTER
ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION SKELLEFTEÅ AB
P.O.BOX 383
931 24 SKELLEFTEA
SWEDEN

CONSIGNEE
NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

NOTIFY PARTY
NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

PLACE OF RECEIPT
HELSINGBORG, SWEDEN

FINAL DESTINATION
NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA

GROSS WEIGHT
130550 KG

VOLUME
536.3 M3

PACKAGE QUANTITY
135 PKG (OUTER)

Container	Seals	Type	Weight(KG)	Tare(KG)	Gross(KG)	Volume(M3)	Packages	Mode
HLXU5621065	1036232, GC00363	40OT	7800	4050	11850	40.4	6 PKG	CY/CY*
HLXU5626236	1036210, GC00369	40OT	6300	4050	10350	41.2	4 PKG	CY/CY*
HLXU5633507	1036203, GC00430	40OT	16370	4050	20420	45.1	17 PKG	CY/CY*
HLXU5644369	1036241, GC00361	40OT	11840	4050	15890	47.8	15 PKG	CY/CY*
HLXU5645637	1036234, GC00376	40OT	10350	4050	14400	42.7	11 PKG	CY/CY*
HLXU5651624	1036227, GC00364	40OT	5250	4050	9300	28.3	4 PKG	CY/CY*
HLXU5657129	1036221, GC00362	40OT	8700	4050	12750	50.5	8 PKG	CY/CY*
TEXU1583365	1036222, GC00370	40OT	8000	3720	11720	39	7 PKG	CY/CY*
TRIU0535561	1036236, GC00367	40OT	6900	3750	10650	24.9	8 PKG	CY/CY*

DRAFT

BLUE WORLD LINE

BILL OF LADING: - BOND #7990894 - ORGANIZATION # 027574

- COPY -

SHIPPER / EXPORTER
ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION SKELLEFTEÅ AB
P.O.BOX 383
931 24 SKELLEFTEA
SWEDEN

BILL OF LADING
SFT306303108

CONSOL
C303719124

EXPORT REFERENCES
Seabird,84704-84705

Incoterm®: CIF FREIGHT PREPAID

CONSIGNEE
NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

FORWARDING AGENT
JAS WORLDWIDE SWEDEN AB
VERKSTADSVÄGEN 1

SKELLEFTEA 931 61
Sweden

Phone: +46 910 73 22 80 Fax:

NOTIFY PARTY
NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

FOR ARRIVAL INFO & RELEASE OF CARGO CONTACT
JAS FORWARDING WORLDWIDE (PVT) LTD
UNIT 1007-1009, B-WING, 10TH FLOOR, KANAKIA WALL
STREET. CHAKALA, ANDHERI-KURLA RD, ANDHERI (E)
MUMBAI MH 400093
INDIA

Phone: +91 22 6480 0900 Fax:

PLACE OF RECEIPT	PORT OF LOADING	PORT OF DISCHARGE	FINAL DESTINATION
HELSINGBORG, SWEDEN	HELSINGBORG, SWEDEN	NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA	NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA

VESSEL / VOYAGE NO.
NYK VESTA / 079E

DETAILS OF CARGO AS DECLARED BY SHIPPER

MARKS AND NUMBERS	NO. OF PKGS	DESCRIPTION OF PACKAGES AND GOODS	GROSS WEIGHT	VOLUME
PROJ: 84704-84705 SEABIRD KARWAR	13 CONTAINER	STC 135 Package(s) 135 PACKAGES 130550 KG 8 PCS ASSA ABLOY VL3190 SINGLE DOORS WITH EQUIPMENT Importer - EMAIL# sales@nihva.com; IEC#3112013816;GSTIN#27AAECN0437H1ZM;PAN#:AAECN0437H;	130550 KG	536.3 M3

Container	Seals	Type	Weight(KG)	Tare(KG)	Gross(KG)	Volume(M3)	Packages	Mode
HLBU8005528	1036223, GC00377	40OT	8800	4000	12800	40.5	8 PKG	CY/CY*
HLXU5616449	1036202, GC00423	40OT	15227	4050	19277	43.7	15 PKG	CY/CY*
HLXU5619514	1036215, GC00374	40OT	13543	4050	17593	47.9	17 PKG	CY/CY*
HLXU5619690	1036242, GC00373	40OT	11470	4050	15520	44.3	15 PKG	CY/CY*

#REF!

FREIGHT CHARGES PAYABLE AT Origin

Shipper Load and Count

Continuation Page Follows...

PREPAID CHARGES
AS AGREED

COLLECT CHARGES
As Agreed

Received by the Carrier, the Goods as specified above in apparent good order and condition unless otherwise stated, to be transported to such place as agreed, authorised or permitted herin and subject to all the terms and conditions appearing on the front and reverse of the Bill of Lading to which the Merchant agrees by accepting this Bill of Lading, any local privileges and customs notwithstanding.
The particulars given above as stated by the shipper and the weight, measure, quantity, condition, contents and value of the Goods are unknown to the Carrier.
In WITNESS, whereof three (3) original Bill of Lading has been signed if not otherwise stated below, the same being accomplished the other(s), if any, to be void, If required by the Carrier one (1) original Bill of Lading must be surrendered duly endorsed in exchange for the Goods or delivery order.
In witness of the contract herein contained, the below the stated number of original Bills of Lading have been issued, one of which to be accomplished, the other(s) being void.

****Original Bill Required at Destination****

NO. OF ORIGINAL B/L	SHIPPED ON BOARD
3 (THREE)	19-Mar-2023

JAS WORLDWIDE SWEDEN AB
as Agent for the carrier BLUE WORLD LINE

PLACE OF ISSUE	DATE OF ISSUE
HELSINGBORG, SWEDEN	19-Mar-2023

DRAFT

BILL OF LADING - SFT306303108

CONTINUATION PAGE

SHIPPER / EXPORTER

ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION SKELLEFTEÅ AB
P.O.BOX 383
931 24 SKELLEFTEA
SWEDEN

CONSIGNEE

NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

NOTIFY PARTY

NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

PLACE OF RECEIPT

HELSINGBORG, SWEDEN

FINAL DESTINATION

NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA

GROSS WEIGHT

130550 KG

VOLUME

536.3 M3

PACKAGE QUANTITY

135 PKG (OUTER)

Container	Seals	Type	Weight(KG)	Tare(KG)	Gross(KG)	Volume(M3)	Packages	Mode
HLXU5621065	1036232, GC00363	40OT	7800	4050	11850	40.4	6 PKG	CY/CY*
HLXU5626236	1036210, GC00369	40OT	6300	4050	10350	41.2	4 PKG	CY/CY*
HLXU5633507	1036203, GC00430	40OT	16370	4050	20420	45.1	17 PKG	CY/CY*
HLXU5644369	1036241, GC00361	40OT	11840	4050	15890	47.8	15 PKG	CY/CY*
HLXU5645637	1036234, GC00376	40OT	10350	4050	14400	42.7	11 PKG	CY/CY*
HLXU5651624	1036227, GC00364	40OT	5250	4050	9300	28.3	4 PKG	CY/CY*
HLXU5657129	1036221, GC00362	40OT	8700	4050	12750	50.5	8 PKG	CY/CY*
TEXU1583365	1036222, GC00370	40OT	8000	3720	11720	39	7 PKG	CY/CY*
TRIU0535561	1036236, GC00367	40OT	6900	3750	10650	24.9	8 PKG	CY/CY*

DRAFT

PACKING LIST

PROJ: 84704 + 84705 Seabird

ASSA ABLOY

Container: HLXU5633507, seal: 1036203

No	L	W	H	Vol	Gross Weight	Net Weight	Notes
31	1,2	0,8	0,75	0,7	764	720	144 pcs Splice plate
32	1,2	0,8	0,75	0,7	922	880	176 pcs Splice plate
33	1,2	0,8	0,75	0,7	922	880	176 pcs Splice plate
34	1,2	0,8	0,75	0,7	922	880	176 pcs Splice plate
37	1,2	0,9	0,78	0,8	330	310	FXQ EASY 4G10 500 m
38	1,2	0,8	0,72	0,7	140	120	FXQ EASY 4G10 180 m
43	1,2	0,8	0,37	0,4	455	430	61 pcs Spacer beam
52	1,2	0,8	0,25	0,2	265	240	Shime plate
57	1,2	0,8	1,18	1,1	225	170	Control panel
58	1,2	0,8	1,18	1,1	225	170	Control panel
67	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
68	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
69	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
70	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
75	9,3	0,73	0,92	6,2	1200	1180	Top beam
76	9,3	0,73	0,92	6,2	1200	1180	Top beam
77	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
TOTAL	**17 pallets**			**45,1**	**16370**	**15740**	

Container: HLXU5616449, seal: 1036202

20	1,2	0,8	0,76	0,7	465	430	Sheave unit Door # 2
21	1,2	0,8	0,76	0,7	465	430	Sheave unit Door # 3
35	1,2	0,8	0,75	0,7	875	835	114 pcs Cross beam
36	1,2	0,8	0,75	0,7	875	835	114 pcs Cross beam
39	1,2	0,8	0,72	0,7	147	130	FQAR-PG 8x2x1 340 m
59	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
60	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
61	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
71	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
72	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
73	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
74	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
78	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
79	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
80	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
TOTAL	**15 pallets**			**43,7**	**15227**	**14680**	

Container: HLXU5619514, seal: 1036215

2	4,6	0,9	0,35	1,4	550	540	Guide rails pos 4
17	6,1	0,6	0,44	1,6	650	600	Attachment profile lower
19	1,2	0,8	0,76	0,7	465	430	Sheave unit Door # 1
40	1,2	0,8	0,75	0,7	165	130	Cable
41	4,5	0,6	0,45	1,2	450	350	Clamp strip, Top limit breaker
42	1,2	0,8	0,6	0,6	1000	965	167 pcs Spacer beam
44	1,2	0,8	0,57	0,5	510	480	Screw m12 x 40
45	1,2	0,8	1,4	1,3	743	643	Rubber seal
53	1,2	0,8	0,57	0,5	615	580	4 pcs Safety arrester
56	1,2	0,8	0,95	0,9	795	745	Arm
62	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
81	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
82	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
83	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
84	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
85	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
86	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
TOTAL	**17 pallets**			**47,9**	**13543**	**12903**	

Container: HLXU5619690, seal: 1036242

8	1,2	0,8	0,75	0,7	540	500	Misc. components
18	6,1	0,3	0,36	0,7	250	200	Attachment profile upper
22	1,2	0,8	0,76	0,7	465	430	Sheave unit Door # 4
54	1,2	0,8	0,57	0,5	615	580	4 pcs Safety arrester
55	1,2	0,8	0,75	0,7	630	590	Arm
63	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
64	1,2	0,8	0,8	0,8	400	360	20 pcs Frame

65	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
66	1,2	0,8	1,15	1,1	570	525	28 pcs Frame
87	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
88	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
89	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
90	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
91	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
92	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
TOTAL	**15 pallets**			**44,3**	**11470**	**10985**	

Container: HLXU5645637, seal: 1036234

1	1,2	0,8	0,57	0,5	475	435	Misc. components
15	1,2	0,8	0,92	0,9	525	500	Intermediate beam spacer
16	1,2	0,8	0,8	0,8	550	525	Intermediate beam spacer
23	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
24	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
93	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
94	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
95	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
96	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
97	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
98	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
TOTAL	**11 pallets**			**42,7**	**10350**	**10120**	

Container: HLXU5644369, seal: 1036241

1	1,2	0,8	0,57	0,5	160	125	Misc. Components	84705
6	6,1	0,6	0,5	1,8	450	350	Seal angles	84705
7	6,1	0,6	0,5	1,8	950	850	Guide rails	84705
8	1,8	1,2	1,15	2,5	1000	900	Door fabric	84705
9	1,2	0,8	0,8	0,8	770	715	Floor seal, Beam guide	84705
13	1,2	0,8	0,75	0,7	380	340	Drive unit	84705
14	1,2	0,8	0,75	0,7	380	340	Drive unit, Cable	84705
15	1,2	0,8	0,75	0,7	150	110	Control panel	84705
99	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam	
100	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam	
101	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam	
102	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam	
103	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam	
104	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam	
17	1,2	0,8	0,75	0,7	400	360	Safety arrester	84705
TOTAL	**15 pallets**			**47,8**	**11840**	**11170**		

Container: HLBU8005528, seal: 1036223

27	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
28	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
105	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
106	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
107	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
108	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
109	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
110	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
TOTAL	**8 pallets**			**40,5**	**8800**	**8660**	

Container: TEXU1583365, seal: 1036222

29	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
111	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
112	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
113	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
114	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
115	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
116	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
TOTAL	**7 pallets**			**39,0**	**8000**	**7870**	

Container: TRIU0535561, seal: 1036236

3	3,75	0,9	0,6	2,0	600	590	Guide rails pos 1 & 2	
4	6,1	0,6	0,6	2,2	700	600	Seal angle	
117	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam	
118	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam	
6	6,1	0,6	0,6	2,2	700	600	Seal angle	
30	6,1	0,8	0,6	2,9	1450	1275	Clamp strip	
7	6,1	0,6	0,6	2,2	700	600	Seal angle	
12	6,1	0,6	0,25	0,9	350	260	Clamp strip	84705
TOTAL	**8 pallets**			**24,9**	**6900**	**6285**		

Container: HLXU5626236, seal: 1036210

49	9,3	1,2	1	11,2	1500	1400	Bottom beam Middle # 4
10	9,4	1,2	1	11,3	1600	1500	Bottom beam Left # 2
46	9,4	1	1	9,4	1600	1500	Bottom beam Left # 3
47	9,4	1	1	9,4	1600	1500	Bottom beam Left # 4
TOTAL	**4 pallets**			**41,2**	**6300**	**5900**	

Container: HLXU5657129, seal: 1036221

50	9,4	1	1	9,4	1600	1500	Bottom beam Right # 3
51	9,4	1	1	9,4	1600	1500	Bottom beam Right # 4
11	9,3	1,2	1	11,2	1500	1400	Bottom beam Middle # 1
14	9,4	1,2	1	11,3	1600	1500	Bottom beam Right # 2
2	12	0,48	0,4	2,3	600	580	Intermediate beam 84705
3	12	0,48	0,4	2,3	600	580	Intermediate beam 84705
4	12	0,48	0,4	2,3	600	580	Intermediate beam 84705
5	12	0,48	0,4	2,3	600	580	Intermediate beam 84705
TOTAL	**8 pallets**			**50,5**	**8700**	**8220**	

Container: HLXU5621065, seal: 1036232

48	9,3	1	1	9,3	1500	1400	Bottom beam Middle # 3
9	9,4	1	1	9,4	1600	1500	Bottom beam Left # 1
12	9,3	1	1	9,3	1500	1400	Bottom beam Middle # 2
13	9,4	1	1	9,4	1600	1500	Bottom beam Right # 1
25	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
26	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
TOTAL	**6 pallets**			**40,4**	**7800**	**7380**	

Container: HLXU5651624, seal: 1036227

5	6,1	0,6	0,6	2,2	700	600	Seal angle
10	7,3	1	1,05	7,7	1100	1000	Header box 84705
11	7,3	1	1,05	7,7	1100	1000	Header box 84705
16	12	1,2	0,75	10,8	2350	2250	Bottom beam 84705
TOTAL	**4 pallets**			**28,3**	**5250**	**4850**	

TOTAL	**135**	**pallets**		**536,3**	**130550**	**111860**	**kg**

Gross weight: 130550 kg

Net weight: 124763 kg Skellefteå 2023-03-06

1 Consignor *Avsändare*

ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION
SKELLEFTEÅ AB
P.O.BOX 383
931 24 SKELLEFTEÅ, SWEDEN

No. SEV-23-153889

235421222KN 84704-84705

COPY

EUROPEAN UNION
EUROPEISKA UNIONEN

CERTIFICATE OF ORIGIN
URSPRUNGSCERTIFIKAT

2 Consignee *Mottagare*

NIHVA TECHNOLOGIES PVT LTD
811 COROMANT HOUSING SOCIETY,
SEC.NO. 27 NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA

3 Country of origin *Ursprungsland*

European Union - SWEDEN

4 Transport details (optional)
Upplysningar om transporten (frivillig uppgift)

By Sea Freight

5 Remarks *Anmärkningar*

MANUFACTURER/PRODUCER:
ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION
SKELLEFTEÅ AB
PO.O.BOX 383
SE-931 24 SKELLEFTEÅ
SWEDEN

6 Item number, marks, numbers, number and kind of packages; description of goods
Löpnummer, kollimärkning, nummer, antal och slag; varubeskrivning

PROJ: 84704-84705 135 PACKAGES
SEABIRD KARWAR 8 PCS ASSA ABLOY VL3190 SINGLE DOORS WITH EQUIPMENT.

7 Quantity
Mängd

130550 KG

Draft

8 The undersigned authority certifies that the goods described above originate in the country shown in box 3.
Undertecknad myndighet/organisation bekräftar att ovan beskrivna varor har sitt ursprung i det land som anges i ruta 3.

SWEDEN

International Chamber of Commerce
ICC World Chambers Federation
Certificate of Origin
Accredited Chamber
SE1801001

Place and date of issue, signature and stamp of competent authority
Ort och datum för utfärdandet, den behöriga myndighetens/organisationens namn, underskrift och stämpel.