
MOTORISED SHADE CONSTRUCTION

Proposed layout



WEAVE Craft
live life outdoors



FINANCIAL OFFER

RETRACTABLE PERGOLA

VAULT 200 MODEL

NAME:
DATE: 12-07-2024
REFERENCE NAME: KUWAIT PERGOLA SYSTEMS

01 FLAT



02 FLAT CITY



03 FLAT HARMONY



04 FLAT VARIANCE



05 SPLINE



06 SPLINE CITY



07 SPLINE HARMONY



08 SPLINE VARIANCE



09 VAULT



10 VAULT VARIANCE



Building No 10, Mehrauli-Gurgaon Rd,
opposite Metro Pillar Number 47,
New Manglapuri, Sultanpur,
New Delhi, Delhi-110030

RETRACTABLE PERGOLA

VAULT 200 MODEL



DETAILS

The retractable pergola is an architectural structure which consists of a system that automatically opens and closes with a remote. Thus, the user can block the sun's light or rain and protects the terrace.
The Vault 200 pergola can have a maximum projection of 11m and 13m width.
One Vault pergola can cover up to 143 sqm. Multiple systems are used to cover a bigger surface. The systems are joined by special profiles and there will be no water leakage.
This model has curved rafters. It can be installed anywhere, having its own structure. This model replaces the classic event tents, as it is more elegant and highly resistant.

USAGE


- offers protection against the sun and rain. The system can also be used during winter by closing the pergola with glass systems.
- due to the design, the terrace will be more elegant and more suitable for organized events.
- increased confort through lighting system and through the retractability of the roof, operated from a remote.





hBuilding No 10, Mehrauli-Gurgaon Rd,
opposite Metro Pillar Number 47,
New Manglapuri, Sultanpur,
New Delhi, Delhi-110030

RETRACTABLE PERGOLA


VAULT 200 MODEL









Detail - A



Detail - B



Detail - C



Detail - D

TECHNICAL DETAILS

French motorisation from Somfy. Operated from a remote control. Optional LED lighting and Dimmer system. PVC membrane from Low & Bonar Germany.
Profiles painted in electrostatic field with PULVER paint.


Building No 10, Mehrauli-Gurgaon Rd,
opposite Metro Pillar Number 47,
New Manglapuri, Sultanpur,
New Delhi, Delhi-110030


WEAVE Craft
live life outdoors

pergostyle®
Outdoor Living Systems

RETRACTABLE PERGOLA

VAULT 200 MODEL






1- Rafter Profile | 2- Gutter Profile | 3- Front Column Profile | 4- Fabric Support Profile | 5- Puller Profile | 6- Side Rafter Profile | 7- Aerofil Louvre Profile

Building No 10, Mehrauli-Gurgaon Rd,
opposite Metro Pillar Number 47,
New Manglapuri, Sultanpur,
New Delhi, Delhi-110030

WEAVE Craft live life outdoors


pergostyle® Outdoor Living Systems

RETRACTABLE PERGOLA
VAULT 200 MODEL




One Module	135 cm > 400 cm

- One module with 2 rafters
- Max. 400 cm width




Two Modules	400 cm > 800 cm

- Two modules with 3 rafters
- Max. 800 cm width



Three Modules	800 cm > 1200 cm

- Three modules with 4 rafters
- Max. 1200 cm width



Four Modules	1200 cm > 1300 cm


- Four modules with 5 rafters
- Max. 1300 cm width

Building No 10, Mehrauli-Gurgaon Rd,
opposite Metro Pillar Number 47,
New Manglapuri, Sultanpur,
New Delhi, Delhi-110030


h

RETRACTABLE PERGOLA


VAULT 200 MODEL




FLOOR PLAN




MAIN ENTRANCE ELEVATION




LEFT AND RIGHT SIDE ELEVATION







BACK WALL ELEVATION




FIXED GLASS DETAILS



REPROTECH / INDIA
VAULT-200
REF.FIXED 1–2–9–10
COLORS: –
5+9+5 MM DOUBLE GLASS





REPROTECH / INDIA
VAULT-200
REF.FIXED 3–4–7–8–11–12–15–16
COLORS: –
5+9+5 MM DOUBLE GLASS




REPROTECH / INDIA
VAULT-200
REF.FIXED 5–6–13–14
COLORS: –
5+9+5 MM DOUBLE GLASS

AUTOMATIC SLIDING DOOR DETAIL








REPROTECH / INDIA
VAULT-200
REF.SENSOR DOOR
COLORS: –
3000x2288 – 1 PC
4+4mm TRANSPARENT

SOLID PARTITION DETAIL



REPROTECH / INDIA
VAULT-200
REF.WALL
COLORS: -
3180x2288 3 PCS

Financial offer - Pergola Vault 200 Model

Pergostyle Pergola - Model VAULT 200	Comfort, protection,luxury - higher profit in off-season!
Dimensions:	Projection 1000cm Width 1000 cm - 2Pcs.
Rafters	100*200*2 MM
Front posts	100*130*2.5 MM
Gutter profile	166*160*3 MM
Motorization with remote control	Somfy
PVC fabric with triple carbon insert layer	Low & Bonar (De)
LED LIGHTING ON-OFF SYSTEM	
DIMMER	

ALUMINIUM AND GLASS WALL	
ALUMINIUM WALL	3.18 * 2.288 M - 3 PCS
AUTOMATIC DOOR (PROJECTION SIDE)	3000 * 2400 MM - 1 PCS
FIXED TEMPERED GLASS (FRONT&BACK SIDE)	3216 * 2400 MM 5-9-5 MM - 12 PCS
FIXED TEMPERED GLASS (1 PROJECTION SIDE)	3275 * 2400 MM 5-9-5 MM - 2 PCS
FIXED TEMPERED GLASS (2 PROJECTION SIDE)	10000 * 1300 MM 5-9-5 MM - 2 PCS

Remarks

- It is the client's responsibility to ensure electrical work, specifically bringing 220V electricity to the motor of the shade construction.
- The entire project is expected to be completed within 90-120 days after the receipt of advance payment.
- Air conditioning and internal fit-outs will be provided as additional services, depending on client requirements.
- Any unforeseen site conditions discovered during the project that require additional work will be discussed and quoted separately.
- All necessary permits and approvals must be obtained by the client before the commencement of work.
- The walls or floor where the back beam and pylons will be fixed must be concrete. If they are not, there may be additional costs for fixations or concrete work.
- While the system includes water drainage, the proposal does not cover water evacuation to the outside.