
Comparison between Sunpal and Danpalon systems

18mm panels

Sunpal 18mm



Danpalon 16mm




<u>The differences are as follows:</u>

1. Sunpal internal structure has vertical, horizontal and diagonals ribs, Danpalon is multi-cell.
2. The seam of Sunpal has only one tooth while Danpalon has two.
3. The Sunpal seam is slightly shifted toward the middle of the panel while Danpalon's is flush with the panel end.
4. The Sunpal panel thickness is 18mm while Danpalon is 16mm.
5. Overall width of Sunpal is 1000mm while Danpalon is 600mm or 1040mm.
6. Total height of Sunpal is 33.5mm while Danpalon is 31mm.


* The next step in panel thickness for Sunpal is 20mm panels while Danpalon goes up to 30mm panels.

Clip

Danpalon Clip



Sunpal Clip




<u>The differences are as follows:</u>


1. Sunpal Clip web is 1.6mm thick, Danpalon's 0.8mm.
2. Sunpal clip has better resistance for torque moments.
3. Sunpal clip has 40mm continuous supports for the panel of each side, Danpalon's has only 17mm.
4. Overall height of Sunpal clip is smaller per each panel thickness.
5. Sunpal clip provides support to the panel at the opposite side of the screws.

System Installation – Visible Seam

Danpalon System



Sunpal System




<u>The differences are as follows:</u>


1. Sunpal PC Joiner height (23mm) is smaller than Danpalon's (29mm).
2. Sunpal PC Joiner width (40mm) is larger than Danpalon's (26mm).
3. Sunpal clip provides support to the panel at the opposite side of the screws.
4. Sunpal PC Joiner is clicked into one large "hook", Danpalon's with two small teeth.
5. Sunpal clip is connected to the structure with Hex head self drilling screw while Danpalon's is connected to the structure with Self drilling pan head Philips screw.

System Installation – Hidden Seam

Danpalon System



Sunpal System



<u>The differences are as follows:</u>

1. Sunpal panel is clicked into Alu Joiner C with one large “hook”.
2. Danpalon panel is clicked with two small teeth.

Conclusions

- Due to Sunpal superior internal structure (X structure function like truss) the load bearing capacity of the Sunpal system is higher than Danpalon. This is extremely important for uplift resistance in rafters or hidden seam installation since the load is transferred to the aluminum profile via the width direction.
- Sunpal panels have thicker upper and lower webs which make the Sunpal system more impact resistant than Danpalon.
- Sunpal panels have 2UV layers as Standard – especially for hidden seam installation.
- Sunpal click mechanism is stronger than Danpalon's mechanism.
- Sunpal PC joiner is lower in height therefore provides more esthetic appearance.
- Sunpal clip provides better panel support (symmetric) and stronger (1.6mm comparing to 0.8mm).
- T-stopper does not exist in Danpalon – panels will shift due to gravity.
- Sunpal Hex head screw provides better and faster installation