

Stainless Steel Products Range

- Cold Rolled Sheet
- Hot Rolled Plate CPP (Continuously Produced Plate)
- Treadplate
- Hot Rolled Quarto Plate
- 1.4003
- Slit Coil Processing
- Square Tube
- Rectangular Tube
- Flat Bar
- Round Bar
- Angle Bar
- Hexagon Bar
- Square Bar
- Ornamental/Handrail/Construction Tubes
- Metric Tubes
- Welded Pipe
- Hygienic Tube
- Fittings
- Welded Mesh



Stainless Steel - Grades & Specifications

EN Standards for Cold Rolled

Stainless Steel Grades, Compositions & Typical Mechanical Properties

EN	BS	AISI	EN. No	Composition Guide	
			Obsolete	C	Cr
1.4000	403S17	410S		0.08	12
1.4002	405S17	405		0.08	12
1.4003				0.03	11
1.4016	430S17	430	60	0.08	17
1.4113	434S17	434		0.08	17
1.4509		441		0.015	18
1.4510		430Ti		0.05	17
1.4511		430Nb		0.05	17
1.4512	409S19	409		0.03	11
1.4521		444		0.025	17
1.4006	410S21	410	56A	.08-.15	12
1.4005	416S21	416	56AM	.08-.15	12
1.4021	420S29	420	56B	.16-.25	12
1.4028	240S45	420	56D	.26-.35	12
1.4029	416S37	416	56CM	.25-.32	12
1.4057	431S29	431	57	.12-.22	15
1.4104	416S29	416	56BM	.10-.17	16
1.4112		440B		.85-.95	17
1.4125		440C		.95-1.2	17
1.4594	460S52			0.7	14
1.4749		446		.15-.20	26
1.4301	304S31	304	58E	0.07	18
1.4303	305S19	305		0.06	18
1.4305	303S31	303	58M	0.10	18
1.4306		304L		0.030	18
1.4307	304S11	304L		0.030	18
1.4310	301S21	301		0.05/0.1	17
1.4311	304S61	304LN		0.030	18
1.4372		201		0.15	17
1.4401	316S31	316	58J	0.07	17
1.4404	316S11	316L		0.030	17
1.4406	316S61	316LN		0.030	17
1.4432	316S13	316L		0.030	17
1.4435	316S13	316L		0.030	17
1.4436	316S33	316	58J	0.05	17
1.4438	317S12	317L		0.030	18
1.4439				0.030	17
1.4541	321S31	321	58B	0.08	18
1.4550	347S31	347	58F	0.08	18
1.4571	320S31	316Ti		0.08	17
1.4539	904S13			0.020	19
1.4547				0.020	20
1.4833	309S16	309		0.15	22
1.4845	310S24	310		0.10	25
1.4878	321S51	321H		0.10	18



Composition Guide			Typical Mechanical Properties (Rolled Product)		
Ni	Molybdenum	Others	Proof Strength 0.2% Nmm^2	Tensile	
			220-250	400-600	19
		0.2Al	210-250	400-600	17
0.5			250-320	450-650	18-20
			240-280	430-630	18-20
	1		260-280	450-630	18
		Nb,Ti			
		0.6Ti	230-240	420-600	23
		0.6Nb	230-240	420-600	23
		0.5Ti	210-220	380-560	25
	2	0.6Ti			
			400-450	550-850	12-20
		.35xS	450	650-850	12
			450-550	650-950	10-15
			600	740-1000	10-15
		.35xS			
2					
	0.4	.35xS	500	650-850	10
	1.0	0.1V		900 max	12
	0.6			900 max	12
5	1.5	1.5Cu	700-1000	930-1270	10
		0.2N			
8			210-260	520-750	45
11			200-250	500-650	45
8		0.35xS	190-230	500-700	35
10			200-250	500-670	45
8			200-250	500-670	45
6			250-280	600-950	40
9		0.22xN	270-320	550-750	40
4.5		6.5Mn	330-380	750-950	40
11	2		220-270	250-680	40
11	2		220-270	520-680	40
11	2	0.22xN	280-330	580-780	40
11	2.5		220-270	520-700	40
13	2.5		220-270	520-700	40
11	2.5		220-270	500-730	40
13	3		220-270	520-720	35
13	4	0.22xN	270-320	580-780	35
9		0.5Ti	200-250	500-720	40
9		0.5Nb	200-250	500-720	40
11	2	0.5Ti	220-270	520-690	40
24	4	2xCu	220-270	520-730	35
18	6	1xCu	300-350	650-850	35
12					
20					
9		0.6Ti			



Stainless Steel - Sheet & Plate Surface Finishes

Finishes according to BS EN 10088-2/10028-7

Finish		Type of Process Route	Surface Finish	Notes
Hot Rolled	1C	Hot rolled, heat treated, not descaled	Covered with the rolling scale	Suitable for parts which will be descaled or machined in subsequent production or for certain heat-resisting applications.
	1E	Hot rolled, heat treated mechanically descaled	Free of scale	The type of mechanical descaling, eg. Coarse grinding or shot blasting, depends on the steel grade and the product, and is left to the manufacturer's discretion, unless otherwise agreed.
	1D	Hot rolled, heat treated	Free of scale	Usually standard for most steel types to ensure good corrosion resistance; also common finish for further processing. It is permissible for grinding marks to be present. Not as smooth as 2D and 2B.
Cold Rolled	2E	Cold rolled, heat treated, mechanically descaled	Rough and dull	Usually applied to steels with a scale which is very resistant to pickling solutions. May be followed by pickling.
	2D	Cold rolled, heat treated pickled	Smooth	Finish for good ductility, but not as smooth as 2B or 2R.
	2B	Cold rolled, heat treated pickled, skin passed	Smoother than 2D	Most common finish for most steel types to ensure good corrosion resistance, smoothness and flatness. Also common finish for further processing. Skin passing may be by tension levelling.
	2R	Cold rolled, bright annealed See footnote (3)	Smooth, bright reflective	Smoother and brighter than 2B. Also common finish for further processing.
	2Q	Cold rolled, hardened and tempered, scale free	Free of scale	Either hardened and tempered in a protective atmosphere or descaled after heat treatment.
Special Finishes	1G or 2G	Ground See footnote (4)	See footnote (5)	Grade of grit or surface roughness can be specified. Unidirectional texture, not very reflective.
	1J or 2J	Brushed or dull polished See footnote (4)	Smoother than ground See footnote (5)	Grade of brush or polishing belt or surface roughness can be specified. Unidirectional texture, not very reflective.
	1K or 2K	Satin polish See footnote (4)	See footnote (5)	Additional specific requirements to a 'J' type finish in order to achieve adequate corrosion, resistance for marine and external architectural applications. Transverse R <0. microns clean cut surface finish.
	1P or 2P	Bright polished (4)	See footnote (5)	Mechanical polishing. Process or surface roughness can be specified. Non-directional finish reflective with high degree of image clarity.

(1) Not all process routes and surface finishes are available for all steels
(2) First digit 1 = hot rolled 2 = cold rolled
(3) May be skin passed
(4) One surface only, unless specifically agreed at the time of enquiry and order
(5) Within each finish description, the surface characteristics can vary, and more specific requirements may need to be agreed between manufacturer and purchaser (eg. Grade of grit or surface roughness)



Stainless Steel - Tolerances

Stainless Steel – EN Standards for Cold Rolled

The old BS1449 standard has been replaced by three EN standards:
See below for material specification

Standard	Scope
EN10088-2	Replaces BS1449-Part 2: 1983
EN10059	Cover Heat Resisting Grades
EN10259	Tolerances for Cold Rolled material

For those familiar with the old BS standard it is useful to highlight where the new EN standards differ:

- 27 grades in BS have been replaced by 68 grades in EN and thus many EN grades do not have an old BS equivalent
- Mechanical properties have been changed
- Tensile strengths are now higher and a maximum is stipulated
- Chemical compositions vary slightly with Nickel content being slightly lower
- 304S15, 304S16 & 304S31 have all been replaced by 1.4301
- EN 10088-2 states that Class A thickness tolerances shall normally be produced
- Surface finish standards have been extended and some changed

Thickness Tolerances - EN10259

Thickness (mm)	Tolerance (mm) (+ / -) for given width (mm)		
	1000	1250	1500
Under 0.30	0.030		
0.30 to 0.49	0.040	0.040	
0.50 to 0.59	0.045	0.050	
0.6 to 0.79	0.050	0.050	
0.8 to 0.99	0.055	0.060	0.060
1.0 to 1.19	0.060	0.070	0.070
1.2 to 1.49	0.070	0.080	0.080
1.5 to 1.99	0.080	0.090	0.100
2.0 to 2.49	0.090	0.100	0.110
2.5 to 2,.99	0.110	0.120	0.120
3.0 to 3.99	0.130	0.140	0.140

Width Tolerances

Thickness (mm)	Tolerance (mm) for given width (mm)	
	1000	1250 & 1500
Under 1.5	+ 1.5	+ 2.0
1.5 to 2.49	+ 2.0	+ 2.5
2.5 to 3.49	+ 3.0	+ 3.0
3.5 and over	+ 4.0	+ 4.0

Flatness Tolerance

Nominal Length (L) (mm)	Normal Tolerance (mm)
Up to 3000	10
Over 3000	12

Length Tolerance

Nominal Length (L) (mm)	Normal Tolerance (mm)
Up to 2000	+5/-0
Over 2000	+0.0025 x L/-0



Stainless Steel - Tolerances

Stainless Steel – EN Standards for Plate

The old BS1449 standard has been replaced by six EN Standards:

Standard	Scope
EN10088-2	Replaces BS1449-Part 2: 1983
EN10028-7	Replaces B S1501-Part 3 1990
EN10095	Covers heat resisting grades
EN10259	Tolerances for Cold Rolled material
EN10029	Tolerances for Quarto Hot Rolled Plate
EN10051	Tolerances for Coil Produced (CPP) Hot Rolled Plate

For those familiar with the old BS standard it is useful to highlight where the new EN standards differ:

- Mechanical properties have been changed
- Tensile strengths are now higher and a maximum is stipulated
- Chemical compositions vary slightly with Nickel content being slightly lower
- 304S15, 304S16 & 304S31 have all been replaced by 1.4301
- EN 10088-2 states that class A thickness tolerances shall normally be produced
- EN 10028-7 states that the normal thickness tolerance is class B
- Surface finish standards have been extended and some have changed

Material Certification

Where multi-certification is required, a combination of EN10088-2, EN10028-7, EN10029 or EN10051 will appear together with the appropriate ASTM Standards.

- For Cold Rolled Sheet please refer to the datasheet on cold rolled
- Note that there are two sets of tolerance tables
  – one set for Quarto Plate to EN 10029 and one set for CPP Plate to EN 10051
- For CPP there are 3 categories of tolerances according to the grade where:
  B = Ferritic & Martensitic Grades, C = Austenitic Grades without Molybdenum,
  D = Austenitic Grades with Molybdenum

Flatness – Quarto Plate

Thickness (mm)	Tolerance (mm) over given length (mm)	
	1000	2000
3 to 4.9	9	14
5 to 7.9	8	12
8 to 14.9	7	11
15 to 24.9	7	10
25 to 39	6	9
40 to 250	5	8



Stainless Steel - Tolerances

Flatness – Quarto Plate

Width (mm)	Tolerance* for given category		
	B	C	D
Up to 1200	18	23	**
1200 to 1500	23	30	**
Over 1500	28	38	**

*These flatness tolerances only apply for thicknesses up to 25mm
**To be agreed at time of enquiry & order

Length – Quarto Plate

Length (mm)	Tolerance (mm)	
Under 4000	-0	+10
4000 to 5999	-0	+30
6000 to 7999	-0	+40

Length – CPP

Length (mm)	Tolerance (mm)	
Under 2000	-0	+20
2000 to 7999	-0	0.05 x length

Width – Quarto Plate

Width (mm)	Tolerance (mm)	
600 to 1999	-0	+20
2000 to 3000	-0	+25
3000 and over	-0	+30

Width – CPP

Width (mm)	Tolerance (mm)	
600 to 1999	-0	+20
2000 to 3000	-0	+25
3000 and over	-0	+30

Thickness – Quarto Plate (Class B)

Thickness (mm)	Tolerance (mm)		Max variation (mm) within a plate for given width (mm)	
	Minus	Plus	1000/1250/1500	2000
3 to 4.9	0.3	0.9	0.8	0.9
5 to 7.9	0.3	1.2	0.9	0.9
8 to 14.9	0.3	1.4	0.9	1.0
15 to24.9	0.3	1.6	1.0	1.1
25 to 39.9	0.3	1.9	1.1	1.2
40 to 79.9	0.3	2.5	1.2	1.3
80 to 149	0.3	2.9	1.3	1.4
150 to 250	0.3	3.3	1.4	1.5

Thickness – CCP

Thickness (mm)	Tolerance (mm) (+/-) for given width (mm)			
	Up to 1200	1201 to 1500	1501 to 1800	Over 1800
Up to 2.0	0.17	0.19	0.21	
2.01 to 2.5	0.18	0.21	0.23	0.25
2.51 to 3.0	0.20	0.22	0.24	0.26
3.01 to 4.0	0.22	0.24	0.26	0.27
4.01 to 5.0	0.24	0.26	0.28	0.29
5.01 to 6.0	0.26	0.28	0.29	0.31
6.01 to 8.0	0.29	0.30	0.31	0.35
8.01 to 10.0	0.32	0.33	0.34	0.40
10.01 to 12.5	0.35	0.36	0.37	0.43
12.51 to 15.0	0.37	0.38	0.40	0.46
15.01 to 25.0	0.40	0.42	0.45	0.50



Stainless Steel Products - Cold Rolled Sheet

Size (mm)	Approx Weight per Sheet (kg)	3042B (1.4301)	304BA (1.4301)	316L2B (1.4404)	3212B (1.4541)	4302B (1.4016)	430BA (1.4016)
2000 x 1000 x 0.4	6.4				●		
2000 x 1000 x 0.5	8.0	●	●	●	●		●
2500 x 1250 x 0.5	12.5	●	●	●	●		●
2000 x 1000 x 0.6	9.6	●	●	●	●		●
2500 x 1250 x 0.6	15.0	●	●	●	●		●
2000 x 1000 x 0.7	11.2	●	●	●	●	●	●
2500 x 1250 x 0.7	17.5	●	●	●	●	●	●
2000 x 1000 x 0.8	12.8	●	●	●	●	●	●
2500 x 1250 x 0.8	20.0	●	●	●	●	●	●
2000 x 1000 x 0.9	14.4	●	●	●	●	●	●
2500 x 1250 x 0.9	22.5	●	●	●	●	●	●
3000 x 1250 x 0.9	27.0	●		●		●	
3000 x 1500 x 0.9	32.4	●		●			
2000 x 1000 x 1.0	16.0	●	●	●	●	●	●
2500 x 1250 x 1.0	25.0	●	●	●	●	●	●
3000 x 1500 x 1.0	36.0	●	●	●	●		
2000 x 1000 x 1.2	19.2	●	●	●	●	●	●
2500 x 1000 x 1.2	24.0	●					
3000 x 1000 x 1.2	28.8	●				●	
3000 x 1250 x 1.2	36.0	●		●		●	
3000 x 1500 x 1.2	43.2	●	●	●	●		
3658 x 1250 x 1.2	43.9	●		●			
3048 x 762 x 1.5	27.9	●					
3048 x 838 x 1.5	30.7	●					
2000 x 1000 x 1.5	24.0	●	●	●	●	●	●
2500 x 1000 x 1.5	30.0	●					
3000 x 1000 x 1.5	36.0	●					
4000 x 1000 x 1.5	48.0	●					
2500 x 1250 x 1.5	37.5	●	●	●	●	●	●
3000 x 1250 x 1.5	45.0	●		●			
3658 x 1250 x 1.5	54.9			●			
3000 x 1500 x 1.5	54.0	●	●	●	●		
4000 x 2000 x 1.5	96.0	●		●	●		
2000 x 1000 x 2	32.0	●	●	●	●	●	●
2500 x 1000 x 2	40.0	●					
3000 x 1000 x 2	48.0	●					
2500 x 1250 x 2	50.0	●	●	●	●	●	●
3000 x 1250 x 2	60.0	●					
3000 x 1500 x 2	72.0	●	●	●	●		
4000 x 2000 x 2	128.0	●		●	●		
6000 x 2000 x 2	192.0	●		●	●		
2000 x 1000 x 2.5	40.0	●		●	●		
2500 x 1250 x 2.5	62.5	●		●	●		
3000 x 1500 x 2.5	90.0	●		●	●		
4000 x 2000 x 2.5	160.0	●		●	●		
6000 x 2000 x 2.5	240.0	●		●	●		
2000 x 1000 x 3	48.0	●		●	●		
2500 x 1250 x 3	75.0	●		●	●		
3000 x 1500 x 3	108.0	●		●	●		



Stainless Steel Products - Cold Rolled Sheet

Size (mm)	Approx Weight per Sheet (kg)	3042B (1.4301)	304BA (1.4301)	316L2B (1.4404)	3212B (1.4541)	4302B (1.4016)	430BA (1.4016)
4000 x 2000 x 3	192.0	●		●	●		
6000 x 2000 x 3	288.0	●		●	●		
2000 x 1000 x 4	64.0	●		●	●		
2500 x 1250 x 4	100.0	●		●	●		
3000 x 1500 x 4	144.0	●		●	●		
4000 x 2000 x 4	256.0	●		●	●		
6000 x 2000 x 4	384.0	●		●	●		
2000 x 1000 x 5	80.0	●		●	●		
2500 x 1250 x 5	125.0	●		●	●		
3000 x 1500 x 5	180.0	●		●	●		
4000 x 2000 x 5	320.0	●		●	●		
6000 x 2000 x 5	480.0	●		●	●		
2000 x 1000 x 6	96.0	●		●	●		
2500 x 1250 x 6	150.0	●		●	●		
3000 x 1500 x 6	216.0	●		●	●		
4000 x 2000 x 6	384.0	●		●	●		
6000 x 2000 x 6	576.0	●		●	●		

(i) Available in a variety of polished surface finishes including dull, brushed, satin, mirror, bright and circle. Polished finishes on one or both sides.

(ii) Protective PVC coating available (including coating for laser applications)

(iii) Decoiling/cut to length service available on standard width coils on quantities of 1000+ kg

(iv) Other grades available upon request

Stainless Steel Products - Hot Rolled Plate (CPP)

Continuously Produced Plate (CPP) Hot Rolled

Size (mm)	Approx Weight per Sheet (kg)	304/304L (1.4301/1.4307)	304/304L (1.4301/1.4307)	321 (1.4541)
2000x1000x3.0	48	●	●	●
2000x1000x4.0	64	●	●	●
2000x1000x5.0	80	●	●	●
2000x1000x6.0	96	●	●	●
2000x1000x8.0	128	●	●	●
2000x1000x10.0	160	●	●	●
2000x1000x12.0	192	●	●	●
2500x1250x2.5	62.5	●	●	●
2500x1250x3.0	75	●	●	●
2500x1250x4.0	100	●	●	●
2500x1250x5.0	125	●	●	●
2500x1250x6.0	150	●	●	●
2500x1250x8.0	200	●	●	●
2500x1250x10.0	250	●	●	●
2500x1250x12.0	300	●	●	●
3000x1250x2.5	75	●	●	●



Stainless Steel Products - Hot Rolled Plate (CPP)

Size (mm)	Approx Weight per Sheet (kg)	304/304L (1.4301/1.4307)	304/304L (1.4301/1.4307)	321 (1.4541)
3000x1250x3.0	90	●	●	●
3000x1250x4.0	120	●	●	●
3000x1250x5.0	150	●	●	●
3000x1250x6.0	180	●	●	●
3000x1250x8.0	240	●	●	●
3000x1250x10.0	300	●	●	●
3000x1250x12.0	360	●	●	●
3000x1500x3.0	108	●	●	●
3000x1500x4.0	144	●	●	●
3000x1500x5.0	180	●	●	●
3000x1500x6.0	216	●	●	●
3000x1500x8.0	288	●	●	●
3000x1500x10.0	360	●	●	●
3000x1500x12.0	432	●	●	●
4000x1500x3.0	144	●	●	●
4000x1500x4.0	192	●	●	●
4000x1500x5.0	240	●	●	●
4000x1500x6.0	288	●	●	●
4000x1500x8.0	384	●	●	●
4000x1500x10.0	480	●	●	●
4000x1500x12.0	576	●	●	●
6000x1500x3.0	216	●	●	●
6000x1500x4.0	288	●	●	●
6000x1500x5.0	360	●	●	●
6000x1500x6.0	432	●	●	●
6000x1500x8.0	576	●	●	●
6000x1500x10.0	720	●	●	●
6000x1500x12.0	864	●	●	●
4000x2000x4.0	256	●	●	●
4000x2000x5.0	320	●	●	●
4000x2000x6.0	384	●	●	●
4000x2000x8.0	512	●	●	●
4000x2000x10.0	640	●	●	●
4000x2000x12.0	768	●	●	●
6000x2000x4.0	384	●	●	●
6000x2000x5.0	480	●	●	●
6000x2000x6.0	576	●	●	●
6000x2000x8.0	768	●	●	●
6000x2000x10.0	960	●	●	●
6000x2000x12.0	1152	●	●	●

Available in grades	304/304L	(1.4301/1.4307)
	316/316L	(1.4401/1.4404)
	321	(1.4541)

Hot rolled softened & descaled or polished finishes available.
Other grades are available upon request.
Decoiling to length service also available.



Stainless Steel Products - Durbar

Size (mm)	304
3000 x 1000 x 3.0	●
3000 x 1250 x 3.0	●
3000 x 1250 x 4.5	●
3000 x 1250 x 6.0	●

Stainless Steel Products - Hot Rolled Quarto Plate

Size (mm)	Approx Weight per Sheet (kg)	304/304L (1.4301/1.4307)	316/316L (1.4401/1.4404)	321 (1.4541)
2500x1250x15	389	●	●	●
2500x1250x16	415	●	●	●
2500x1250x20	519	●	●	●
2500x1250x25	648	●	●	●
2500x1250x30	778	●	●	●
3000x1500x15	560	●	●	●
3000x1500x16	598	●	●	●
3000x1500x20	747	●	●	●
3000x1500x22	822	●	●	●
3000x1500x25	934	●	●	●
3000x1500x30	1121	●	●	●
3000x1500x32	1195	●	●	●
3000x1500x35	1307	●	●	●
3000x1500x40	1494	●	●	●
3000x1500x45	1681	●	●	●
3000x1500x50	1868	●	●	●
6000x1500x15	1121	●	●	●
6000x1500x16	1195	●	●	●
6000x1500x20	1494	●	●	●
6000x1500x22	1643	●	●	●
6000x1500x25	1868	●	●	●
6000x1500x30	2241	●	●	●
6000x1500x32	2390	●	●	●
6000x1500x35	2615	●	●	●
6000x1500x40	2988	●	●	●
6000x1500x45	3362	●	●	●
6000x1500x50	3735	●	●	●



Stainless Steel Products - Hot Rolled Quarto Plate

Size (mm)	Approx Weight per Sheet (kg)	304/304L (1.4301/1.4307)	316/316L (1.4401/1.4404)	321 (1.4541)
4000x2000x15	996	●	●	●
4000x2000x16	1062	●	●	●
4000x2000x20	1328	●	●	●
4000x2000x22	1461	●	●	●
4000x2000x25	1660	●	●	●
4000x2000x30	1992	●	●	●
4000x2000x32	2125	●	●	●
4000x2000x35	2324	●	●	●
4000x2000x40	2656	●	●	●
4000x2000x45	2988	●	●	●
4000x2000x50	3320	●	●	●
6000x2000x15	1494	●	●	●
6000x2000x16	1594	●	●	●
6000x2000x20	1992	●	●	●
6000x2000x22	2191	●	●	●
6000x2000x25	2490	●	●	●
6000x2000x30	2988	●	●	●
6000x2000x32	3187	●	●	●
6000x2000x35	3486	●	●	●
6000x2000x40	3984	●	●	●
6000x2000x45	4482	●	●	●
6000x2000x50	4980	●	●	●

Available in grades
304/304L (1.4301/1.4307)
316/316L (1.4401/1.4404)
321 (1.4541)

Other grades available on request
Forward mill deliveries available from 4mm – 12.5mm thick and from 12m long to 3.2m wide (depending on thickness)

Also available in 1.4003



Stainless Steel Products - Square Tubes

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/1.4404)	430 (1.4016)	441 (1.4509)
12x12x1	0.36	●	●		
12x12x1.2	0.42	●	●		
12x12x1.5	0.52	●	●		
15x15x1	0.45	●	●		
15x15x1.2	0.54	●	●		
15x15x1.5	0.66	●	●		
16x16x1	0.49	●	●		
16x16x1.2	0.58	●	●		
16x16x1.5	0.71	●	●		
16x16x2	0.92	●	●		
20x20x1	0.61	●	●		
20x20x1.2	0.73	●	●		
20x20x1.5	0.90	●	●		
20x20x2	1.18	●	●		
22x22x1.5	1.00	●	●		
25x25x1	0.77	●	●		
25x25x1.2	0.92	●	●	●	●
25x25x1.5	1.14	●	●		
25x25x2	1.49	●	●		
25x25x2.5	1.84	●	●		
25x25x3	2.17	●	●		
30x30x1	0.93	●	●		
30x30x1.2	1.11	●	●	●	●
30x30x1.5	1.38	●	●		
30x30x2	1.81	●	●		
30x30x2.5	2.24	●	●		
30x30x3	2.65	●	●		
32x32x1.2	1.19	●	●		
32x32x1.5	1.47	●	●		
34x34x1.2	1.19	●	●		
34x34x1.5	1.47	●	●		
35x35x1	1.09	●	●		
35x35x1.2	1.30	●	●		
35x35x1.5	1.62	●	●		



Stainless Steel Products - Square Tubes

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/1.4404)	430 (1.4016)	441 (1.4509)
35x35x2	2.13	●	●		
35x35x2.5	2.64	●	●		
35x35x3	3.12	●	●		
38x38x1.2	1.42	●	●		
38x38x1.5	1.76	●	●		
38x38x2	2.32	●	●		
40x40x1	1.25	●	●		
40x40x1.2	1.50	●	●		●
40x40x1.5	1.86	●	●		●
40x40x2	2.45	●	●		
40x40x2.5	3.03	●	●		
40x40x3	3.60	●	●		
40x40x4	4.70	●	●		
45x45x1	1.41	●	●		
45x45x1.2	1.69	●	●		
45x45x1.5	2.10	●	●		
45x45x2	2.77	●	●		
45x45x2.5	3.43	●	●		
45x45x3	4.08	●	●		
45x45x4	5.34	●	●		
50x50x1	1.57	●	●		
50x50x1.2	1.88	●	●		
50x50x1.5	2.34	●	●		
50x50x2	3.09	●	●		
50x50x2.5	3.83	●	●		
50x50x3	4.56	●	●		
50x50x4	7.35	●	●		
50x50x5	8.83	●	●		
60x60x1.5	2.81	●	●		
60x60x2	3.73	●	●		
60x60x2.5	4.63	●	●		
60x60x3	5.98	●	●		
60x60x4	7.26	●	●		
60x60x5	8.94	●	●		



Stainless Steel Products - Square Tubes

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/1.4404)
70x70x1.5	2.81	●	●
70x70x2	3.73	●	●
70x70x2.5	4.63	●	●
70x70x3	5.98	●	●
70x70x4	7.26	●	●
70x70x5	8.94	●	●
80x80x1.5	3.77	●	●
80x80x2	5.00	●	●
80x80x2.5	6.22	●	●
80x80x3	6.47	●	●
80x80x4	9.81	●	●
80x80x5	12.13	●	●
80x80x6	14.41	●	●
100x100x1.5	4.73	●	●
100x100x2	6.28	●	●
100x100x2.5	7.82	●	●
100x100x3	7.43	●	●
100x100x4	12.36	●	●
100x100x5	15.32	●	●
100x100x6	18.24	●	●
100x100x8	21.60	●	●
100x100x10	25.80	●	●
120x120x2	7.56	●	●
120x120x2.5	9.34	●	●
120x120x3	11.26	●	●
120x120x4	14.91	●	●
120x120x5	18.51	●	●
120x120x6	22.06	●	●
120x120x8	26.58	●	●
120x120x10	32.37	●	●
150x150x3	14.06	●	●
150x150x4	18.62	●	●
150x150x5	22.40	●	●
150x150x6	27.36	●	●



Stainless Steel Products - Square Tubes

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/1.4404)
150x150x8	34.30	●	●
150x150x10	41.65	●	●
150x150x12.5	50.57	●	●
200x200x4	24.60	●	●
200x200x5	30.80	●	●
200x200x6	36.90	●	●
200x200x8	47.25	●	●
200x200x10	57.60	●	●
200x200x12.5	69.83	●	●
220x220x6	39.60	●	●
220x220x8	51.90	●	●
220x220x10	63.65	●	●
220x220x12.5	77.73	●	●
250x250x5	38.40	●	●
250x250x6	45.70	●	●
250x250x8	59.45	●	●
250x250x10	73.50	●	●
250x250x12.5	89.60	●	●
300x300x5	46.20	●	●
300x300x6	55.30	●	●
300x300x8	72.80	●	●
300x300x10	89.90	●	●
300x300x12.5	109.35	●	●

Available Grades
304 (1.4301)
316/316L (1.4401/1.4404)
430 (1.4016)
441, 201 and J4 available upon request

Available in dull polished or descaled finishes

See also our range of 1.4003 tubes



Stainless Steel Products - Rectangular Tubes

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/ 1.4404)
20x10x1	0.45	●	●
20x10x1.2	0.54	●	●
20x10x1.5	0.66	●	●
20x15x1	0.53	●	●
20x15x1.2	0.63	●	●
20x15x1.5	0.78	●	●
20x15x2	1.02	●	●
25x10x1	0.53	●	●
25x10x1.2	0.63	●	●
25x10x1.5	0.78	●	●
25x10x2	1.02	●	●
30x10x1	0.53	●	●
30x10x1.2	0.63	●	●
30x10x1.5	0.78	●	●
30x15x1	0.69	●	●
30x15x1.2	0.83	●	●
30x15x1.5	1.02	●	●
30x15x2	1.34	●	●
30x20x1	0.77	●	●
30x20x1.2	0.92	●	●
30x20x1.5	1.14	●	●
30x20x2	1.49	●	●
35x20x1	0.85	●	●
35x20x1.2	1.02	●	●
35x20x1.5	1.26	●	●
35x20x2	1.65	●	●
40x10x1.5	1.26	●	●
40x10x2	1.65	●	●
40x15x1	0.85	●	●
40x15x1.2	1.02	●	●
40x15x1.5	1.26	●	●
40x15x2	1.65	●	●
40x20x1	0.93	●	●

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/ 1.4404)
40x20x1.2	1.11	●	●
40x20x1.5	1.38	●	●
40x20x2	1.81	●	●
40x20x3	2.65	●	●
40x30x1	1.09	●	●
40x30x1.2	1.30	●	●
40x30x1.5	1.62	●	●
40x30x2	2.13	●	●
40x30x2.5	2.64	●	●
40x30x3	3.12	●	●
50x10x1.5	1.38	●	●
50x10x2	1.84	●	●
50x20x1	1.09	●	●
50x20x1.2	1.30	●	●
50x20x1.5	1.62	●	●
50x20x2	2.13	●	●
50x25x1.2	1.40	●	●
50x25x1.5	1.74	●	●
50x25x2	2.29	●	●
50x25x3	3.46	●	●
50x30x1	1.25	●	●
50x30x1.2	1.50	●	●
50x30x1.5	1.86	●	●
50x30x2	2.45	●	●
50x30x3	3.60	●	●
50x30x4	4.81	●	●
50x40x1.2	1.69	●	●
50x40x1.5	2.10	●	●
50x40x2	2.77	●	●
50x40x2.5	3.43	●	●
50x40x3	4.08	●	●
60x10x1.5	1.62	●	●
60x10x2	2.15	●	●



Stainless Steel Products - Rectangular Tubes

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/ 1.4404)
60x10x1.2	1.50	●	●
60x10x1.5	1.86	●	●
60x10x2	2.45	●	●
60x30x1.2	1.69	●	●
60x30x1.5	2.10	●	●
60x30x2	2.77	●	●
60x30x2.5	3.43	●	●
60x30x3	4.08	●	●
60x30x4	4.95	●	●
60x40x1.2	1.88	●	●
60x40x1.5	2.34	●	●
60x40x2	3.09	●	●
60x40x2.5	3.83	●	●
60x40x3	4.56	●	●
60x40x4	5.98	●	●
70x20x2	2.77	●	●
70x20x3	4.08	●	●
70x30x2	3.09	●	●
70x30x3	4.56	●	●
70x30x4	5.98	●	●
70x40x2	3.41	●	●
70x40x3	5.04	●	●
70x30x2	3.71	●	●
70x30x3	5.49	●	●
80x10x1.5	2.12	●	●
80x10x2	2.80	●	●
80x40x1.2	2.26	●	●
80x40x1.5	2.81	●	●
80x40x2	3.73	●	●
80x40x2.5	4.63	●	●
80x40x3	5.52	●	●
80x40x4	7.26	●	●
80x40x5	8.94	●	●

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/ 1.4404)
80x50x1.5	2.96	●	●
80x50x2	4.06	●	●
80x50x3	5.93	●	●
80x50x4	7.81	●	●
80x50x5	9.47	●	●
80x60x1.5	3.29	●	●
80x60x2	4.37	●	●
80x60x2.5	5.43	●	●
80x60x3	6.47	●	●
80x60x4	8.53	●	●
80x60x5	10.63	●	●
100x40x1.5	3.29	●	●
100x40x2	4.37	●	●
100x40x2.5	5.43	●	●
100x40x3	6.47	●	●
100x40x4	8.53	●	●
100x40x5	10.54	●	●
100x50x1.5	3.53	●	●
100x50x2	4.68	●	●
100x50x2.5	5.82	●	●
100x50x3	6.95	●	●
100x50x4	9.17	●	●
100x50x5	11.34	●	●
100x50x6	13.49	●	●
100x60x1.5	3.77	●	●
100x60x2	5.00	●	●
100x60x3	7.43	●	●
100x60x4	9.81	●	●
100x60x5	12.13	●	●
100x60x6	14.60	●	●
100x80x2	5.64	●	●
100x80x3	8.39	●	●
100x80x4	11.08	●	●



Stainless Steel Products - Rectangular Tubes

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/ 1.4404)
100x80x5	13.75	●	●
100x80x6	16.22	●	●
120x40x2	5.00	●	●
120x40x3	7.43	●	●
120x40x4	9.81	●	●
120x40x5	12.4	●	●
120x60x2	5.64	●	●
120x60x3	8.39	●	●
120x60x4	11.08	●	●
120x60x5	13.75	●	●
120x60x6	16.22	●	●
120x80x2	6.28	●	●
120x80x3	9.34	●	●
120x80x4	12.36	●	●
120x80x5	15.32	●	●
120x80x6	18.24	●	●
140x60x2	6.28	●	●
140x60x3	9.34	●	●
140x60x4	12.36	●	●
150x50x2	6.28	●	●
150x50x3	9.34	●	●
150x50x4	12.36	●	●
150x50x5	15.32	●	●
150x50x6	18.24	●	●
150x100x2	7.87	●	●
150x100x3	11.74	●	●
150x100x4	15.55	●	●
150x100x5	18.80	●	●
150x100x6	22.56	●	●
150x100x8	27.90	●	●
150x100x10	33.65	●	●
160x80x2	7.56	●	●
160x80x3	11.26	●	●

Size (mm)	Approx Weight (kg/m)	304 (1.4301)	316/316L (1.4401/ 1.4404)
160x80x4	14.91	●	●
160x80x5	18.66	●	●
160x80x6	21.20	●	●
180x60x2	7.56	●	●
180x60x3	14.91	●	●
200x100x3	14.06	●	●
200x100x4	18.62	●	●
200x100x5	22.40	●	●
200x100x6	27.36	●	●
200x100x8	34.30	●	●
200x100x10	41.65	●	●
250x150x5	31.13	●	●
250x150x6	36.90	●	●
250x150x8	47.25	●	●
250x150x10	57.60	●	●
250x150x12.5	69.85	●	●
300x100x5	36.90	●	●
300x100x6	47.25	●	●
300x100x8	57.60	●	●
300x100x10	69.85	●	●
300x200x6	45.70	●	●
300x200x8	59.45	●	●
300x200x10	73.50	●	●
300x200x12.5	89.60	●	●
400x200x6	55.30	●	●
400x200x8	72.80	●	●
400x200x10	89.80	●	●
400x200x12.5	109.35	●	●

Available Grades 304 (1.4301)
316/316L (1.4401/1.4404)
Available in dull polished or descaled finishes

See also our range of 1.4003 tubes



Stainless Steel Products - Flat Bar

Size (mm)	Approx Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)	321 (1.4541)
10x3	0.24	●	●	●
12x3	0.28	●	●	●
12x5	0.48	●	●	●
12x6	0.57	●	●	●
12x10	0.96	●	●	●
15x3	0.36	●	●	●
15x5	0.60	●	●	●
15x6	0.72	●	●	●
15x10	1.20	●	●	●
20x3	0.48	●	●	●
20x4	0.64	●	●	●
20x5	0.80	●	●	●
20x6	0.96	●	●	●
20x8	1.28	●	●	●
20x10	1.60	●	●	●
20x12	1.92	●	●	●
25x3	0.60	●	●	●
25x4	0.80	●	●	●
25x5	1.00	●	●	●
25x6	1.20	●	●	●
25x8	1.60	●	●	●
25x10	2.00	●	●	●
25x12	2.40	●	●	●
25x15	3.00	●	●	●
25x20	4.00	●	●	●
30x3	0.72	●	●	●
30x4	0.96	●	●	●
30x5	1.20	●	●	●
30x6	1.44	●	●	●
30x8	1.92	●	●	●
30x10	2.40	●	●	●
30x12	2.88	●	●	●
30x15	3.60	●	●	●
30x20	4.80	●	●	●
30x25	6.00	●	●	●
40x3	0.96	●	●	●
40x4	1.28	●	●	●
40x5	1.60	●	●	●
40x6	1.92	●	●	●

Size (mm)	Approx Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)	321 (1.4541)
40x8	2.65	●	●	●
40x10	3.20	●	●	●
40x12	3.84	●	●	●
40x15	4.80	●	●	●
40x20	6.40	●	●	●
40x25	8.00	●	●	●
40x30	9.60	●	●	●
45x3	1.08	●	●	●
45x4	1.44	●	●	●
45x5	1.80	●	●	●
45x6	2.16	●	●	●
45x8	2.88	●	●	●
45x10	3.60	●	●	●
45x12	4.32	●	●	●
45x15	5.40	●	●	●
45x20	7.20	●	●	●
45x25	9.00	●	●	●
45x30	10.8	●	●	●
45x40	14.4	●	●	●
50x3	1.20	●	●	●
50x4	1.60	●	●	●
50x5	2.00	●	●	●
50x6	2.40	●	●	●
50x8	3.20	●	●	●
50x10	4.00	●	●	●
50x12	4.80	●	●	●
50x15	6.00	●	●	●
50x20	8.00	●	●	●
50x25	10.00	●	●	●
50x30	12.00	●	●	●
50x40	16.00	●	●	●
60x3	1.44	●	●	●
60x4	1.92	●	●	●
60x5	2.40	●	●	●
60x6	2.88	●	●	●
60x8	3.84	●	●	●
60x10	4.80	●	●	●
60x12	5.76	●	●	●
60x15	7.20	●	●	●



Stainless Steel Products - Flat Bar

Size (mm)	Approx Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)	321 (1.4541)
60x20	9.60	●	●	●
60x25	12.00	●	●	●
60x30	14.40	●	●	●
60x40	19.20	●	●	●
60x50	24.00	●	●	●
65x3	1.56	●	●	●
65x4	2.08	●	●	●
65x5	2.60	●	●	●
65x6	3.12	●	●	●
65x8	4.19	●	●	●
65x10	5.20	●	●	●
65x12	6.24	●	●	●
65x15	7.80	●	●	●
65x20	10.40	●	●	●
65x25	13.00	●	●	●
65x30	15.60	●	●	●
65x40	20.80	●	●	●
65x50	26.00	●	●	●
75x3	1.80	●	●	●
75x4	2.40	●	●	●
75x5	3.00	●	●	●
75x6	3.60	●	●	●
75x8	4.80	●	●	●
75x10	6.00	●	●	●
75x12	7.20	●	●	●
75x15	9.00	●	●	●
75x20	12.00	●	●	●
75x25	15.00	●	●	●
75x30	18.00	●	●	●
75x40	24.00	●	●	●
75x50	30.00	●	●	●
80x3	1.92	●	●	●
80x4	2.56	●	●	●
80x5	3.20	●	●	●
80x6	3.84	●	●	●
80x8	5.12	●	●	●
80x10	6.40	●	●	●
80x12	7.68	●	●	●
80x15	9.60	●	●	●

Size (mm)	Approx Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)	321 (1.4541)
80x20	12.80	●	●	●
80x25	16.00	●	●	●
80x30	19.20	●	●	●
80x40	25.60	●	●	●
80x50	32.00	●	●	●
100x3	2.40	●	●	●
100x4	3.20	●	●	●
100x5	4.00	●	●	●
100x6	4.80	●	●	●
100x8	6.40	●	●	●
100x10	8.00	●	●	●
100x12	9.60	●	●	●
100x15	12.00	●	●	●
100x20	16.00	●	●	●
100x25	20.00	●	●	●
100x30	24.00	●	●	●
100x40	32.00	●	●	●
100x50	40.00	●	●	●
150x3	3.60	●	●	●
150x4	4.80	●	●	●
150x5	6.00	●	●	●
150x6	7.20	●	●	●
150x8	9.60	●	●	●
150x10	12.00	●	●	●
150x12	14.40	●	●	●
200x3	4.80	●	●	●
200x4	6.40	●	●	●
200x5	8.00	●	●	●
200x6	9.60	●	●	●
200x8	12.80	●	●	●
200x10	16.00	●	●	●
200x12	19.20	●	●	●

Available Grades 304/304L (1.4301/1.4307)
316/316L (1.4401/1.4404)
321 (1.4541)

1.4003 on request



Stainless Steel Products - Round Bar

Diameter	Approx Weight (kg/m)	304/304L (1.4301/1.4307)	316/316L (1.4401/1.4404)	303 (1.4305)	321 (1.4541)	416 (1.4005)	431 (1.4057)	410 (1.4006)	420 (1.4021 or 1.4028)	17-4 Ph
3mm	0.055	●	●	●	●	●	●	●	●	●
⅛"	0.062	●	●	●	●	●	●	●	●	●
4mm	0.099	●	●	●	●	●	●	●	●	●
3/16"	0.14	●	●	●	●	●	●	●	●	●
5mm	0.154	●	●	●	●	●	●	●	●	●
6mm	0.222	●	●	●	●	●	●	●	●	●
¼"	0.248	●	●	●	●	●	●	●	●	●
7mm	0.302	●	●	●	●	●	●	●	●	●
15/16"	0.388	●	●	●	●	●	●	●	●	●
8mm	0.395	●	●	●	●	●	●	●	●	●
⅜"	0.559	●	●	●	●	●	●	●	●	●
10mm	0.617	●	●	●	●	●	●	●	●	●
7/16"	0.761	●	●	●	●	●	●	●	●	●
12mm	0.888	●	●	●	●	●	●	●	●	●
½"	0.994	●	●	●	●	●	●	●	●	●
9/16"	1.26	●	●	●	●	●	●	●	●	●
14mm	1.21	●	●	●	●	●	●	●	●	●
15mm	1.39	●	●	●	●	●	●	●	●	●
⅝"	1.55	●	●	●	●	●	●	●	●	●
16mm	1.58	●	●	●	●	●	●	●	●	●
1 1/16"	1.88	●	●	●	●	●	●	●	●	●
18mm	2	●	●	●	●	●	●	●	●	●
¾"	2.24	●	●	●	●	●	●	●	●	●
20mm	2.47	●	●	●	●	●	●	●	●	●
22mm	2.98	●	●	●	●	●	●	●	●	●
⅞"	3.04	●	●	●	●	●	●	●	●	●
24mm	3.55	●	●	●	●	●	●	●	●	●
25mm	3.85	●	●	●	●	●	●	●	●	●
1"	3.98	●	●	●	●	●	●	●	●	●
1⅛"	5.03	●	●	●	●	●	●	●	●	●
30mm	5.55	●	●	●	●	●	●	●	●	●
1¼"	6.21	●	●	●	●	●	●	●	●	●
1⅜"	7.47	●	●	●	●	●	●	●	●	●
35mm	7.55	●	●	●	●	●	●	●	●	●



Stainless Steel Products - Round Bar

Diameter	Approx Weight (kg/m)	304/304L (1.4301/1.4307)	316/316L (1.4401/1.4404)	303 (1.4305)	321 (1.4541)	416 (1.4005)	431 (1.4057)	410 (1.4006)	420 (1.4021 or 1.4028)	17-4 Ph
1½"	8.94	●	●	●	●	●	●	●	●	●
40mm	9.86	●	●	●	●	●	●	●	●	●
1⅝"	10.50	●	●	●	●	●	●	●	●	●
1⅓"	12.18	●	●	●	●	●	●	●	●	●
45mm	12.48	●	●	●	●	●	●	●	●	●
1⅞"	13.98	●	●	●	●	●	●	●	●	●
50mm	15.41	●	●	●	●	●	●	●	●	●
2"	15.90	●	●	●	●	●	●	●	●	●
2⅛"	17.95	●	●	●	●	●	●	●	●	●
2¼"	20.13	●	●	●	●	●	●	●	●	●
60mm	22.20	●	●	●	●	●	●	●	●	●
2⅜"	22.44	●	●	●	●	●	●	●	●	●
2½"	24.85	●	●	●	●	●	●	●	●	●
2⅝"	27.39	●	●	●	●	●	●	●	●	●
2¾"	30.07	●	●	●	●	●	●	●	●	●
3"	35.76	●	●	●	●	●	●	●	●	●
3¼"	42.00	●	●	●	●	●	●	●	●	●
3½"	48.69	●	●	●	●	●	●	●	●	●
3¾"	55.91	●	●	●	●	●	●	●	●	●
4"	63.62	●	●	●	●	●	●	●	●	●
4¼"	71.80	●	●	●	●	●	●	●	●	●
4½"	80.50	●	●	●	●	●	●	●	●	●
4¾"	89.70	●	●	●	●	●	●	●	●	●
5"	99.40	●	●	●	●	●	●	●	●	●
5¼"	110	●	●	●	●	●	●	●	●	●
5½"	120	●	●	●	●	●	●	●	●	●
5¾"	131	●	●	●	●	●	●	●	●	●
6"	143	●	●	●	●	●	●	●	●	●
6¼"	155	●	●	●	●	●	●	●	●	●
6½"	168	●	●	●	●	●	●	●	●	●
7"	195	●	●	●	●	●	●	●	●	●
185mm	217	●	●		●	●	●	●	●	●
7¼"	215	●	●		●	●	●	●	●	●
7½"	224	●	●		●	●	●	●	●	●



Stainless Steel Products - Round Bar

Diameter	Approx Weight (kg/m)	304/304L (1.4301/1.4307)	316/316L (1.4401/1.4404)	303 (1.4305)	321 (1.4541)	416 (1.4005)	431 (1.4057)	410 (1.4006)	420 (1.4021 or 1.4028)	17-4 Ph
8"	255	●	●		●	●	●	●	●	●
8½"	287	●	●		●	●	●	●	●	●
220mm	298	●	●		●	●	●	●	●	●
9"	322	●	●		●	●	●	●	●	●
9½"	359	●	●		●	●	●	●	●	●
10"	397	●	●		●	●	●	●	●	●
10½"	438	●	●		●	●	●	●	●	●
11"	481	●	●		●	●	●	●	●	●
12"	572	●	●		●	●	●	●	●	●
340mm	713	●	●		●	●	●	●	●	●
14"	779	●	●		●	●	●	●	●	●
16"	1018	●	●		●	●	●	●	●	●

Available Grades	304/304L	(1.4301/1.4307)
	316/316L	(1.4401/1.4404)
	303	(1.4305)
	321	(1.4541)
	416	(1.4005)
	431	(1.4057)
	410	(1.4006)
	420	(1.4021 OR 1.4028)
	17-4 Ph	



Stainless Steel Products - Angle

Size (mm)	Approx Weight (kg/m)	304/304L (1.4301/1.4307)	316/316L (1.4401/1.4404)	321 (1.4541)
20 x 20 x 3	0.89	●	●	●
25 x 25 x 3	1.13	●	●	●
30 x 30 x 3	1.36	●	●	●
40 x 40 x 3	1.85	●	●	●
50 x 50 x 3	2.36	●	●	●
20 x 20 x 5	1.38	●	●	●
25 x 25 x 5	1.77	●	●	●
30 x 30 x 5	2.17	●	●	●
40 x 40 x 5	2.97	●	●	●
50 x 50 x 5	3.79	●	●	●
60 x 60 x 5	4.58	●	●	●
65 x 65 x 5	5.03	●	●	●
70 x 70 x 5	5.42	●	●	●
75 x 75 x 5	5.82	●	●	●
25 x 25 x 6	2.06	●	●	●
30 x 30 x 6	2.53	●	●	●
40 x 40 x 6	3.49	●	●	●
50 x 50 x 6	4.46	●	●	●
60 x 60 x 6	5.42	●	●	●
65 x 65 x 6	5.95	●	●	●
70 x 70 x 6	6.42	●	●	●
75 x 75 x 6	6.89	●	●	●
80 x 80 x 6	7.37	●	●	●
100 x 100 x 6	9.28	●	●	●
50 x 50 x 8	5.76	●	●	●
60 x 60 x 8	7.03	●	●	●
65 x 65 x 8	7.71	●	●	●
70 x 70 x 8	8.34	●	●	●
75 x 75 x 8	8.97	●	●	●
80 x 80 x 8	9.61	●	●	●

Size (mm)	Approx Weight (kg/m)	304/304L (1.4301/1.4307)	316/316L (1.4401/1.4404)	321 (1.4541)
100 x 100 x 8	12.20	●	●	●
50 x 50 x 10	7.06	●	●	●
60 x 60 x 10	8.69	●	●	●
65 x 65 x 10	9.48	●	●	●
70 x 70 x 10	10.30	●	●	●
75 x 75 x 10	11.10	●	●	●
80 x 80 x 10	11.80	●	●	●
100 x 100 x 10	15.00	●	●	●
75 x 75 x 12	13.10	●	●	●
80 x 80 x 12	14.00	●	●	●
100 x 100 x 12	17.8	●	●	●

Available Grades	304/304L	(1.4301/1.4307)
	316/316L	(1.4401/1.4404)
	321	(1.4541)



Stainless Steel Products - Hexagon

Size	Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)	303 (1.4305)
5mm	0.17	●	●	●
5.5mm	0.206	●	●	●
7mm	0.333	●	●	●
.3125"	0.43	●	●	●
8mm	0.435	●	●	●
.324"	0.46	●	●	●
.375"	0.62	●	●	●
10mm	0.68	●	●	●
11mm	0.823	●	●	●
.437"	0.84	●	●	●
12mm	0.979	●	●	●
.500"	1.10	●	●	●
13mm	1.15	●	●	●
.525"	1.22	●	●	●
14mm	1.33	●	●	●
.562"	1.39	●	●	●
15mm	1.53	●	●	●
.600"	1.59	●	●	●
.625"	1.73	●	●	●
16mm	1.74	●	●	●
17mm	1.96	●	●	●
18mm	2.20	●	●	●
.710"	2.22	●	●	●
19mm	2.45	●	●	●
.750"	2.48	●	●	●
20mm	2.72	●	●	●
.820"	2.97	●	●	●
22mm	3.29	●	●	●
.875"	3.38	●	●	●
.920"	3.74	●	●	●
.9375"	3.88	●	●	●
24mm	3.92	●	●	●
25mm	4.25	●	●	●
1.010"	4.50	●	●	●

Size	Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)	303 (1.4305)
27mm	4.96	●	●	●
1.100"	5.35	●	●	●
1.125"	5.59	●	●	●
30mm	6.12	●	●	●
1.200"	6.36	●	●	●
1.250"	6.90	●	●	●
32mm	6.96	●	●	●
1.300"	7.46	●	●	●
35mm	8.33	●	●	●
1.375"	8.35	●	●	●
36mm	8.81	●	●	●
1.480"	9.67	●	●	●
38mm	9.82	●	●	●
1.500"	9.93	●	●	●
40mm	10.9	●	●	●
41mm	11.4	●	●	●
1.670"	12.3	●	●	●
1.750"	13.5	●	●	●
46mm	14.4	●	●	●
1.860"	15.3	●	●	●
48mm	15.7	●	●	●
50mm	17.0	●	●	●
2.200"	21.4	●	●	●
2.220"	21.8	●	●	●
2.375"	24.9	●	●	●
2.500"	27.6	●	●	●
2.812"	291	●	●	●

Available Grades 304/304L (1.4301/1.4307)
316/316L (1.4401/1.4404)
(1.4305)



Stainless Steel Products - Square Bar

Size	Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)
5mm	0.196	●	●
5.5mm	0.237	●	●
6mm	0.283	●	●
¼"	0.316	●	●
7mm	0.385	●	●
5/16"	0.496	●	●
8mm	0.502	●	●
9mm	0.636	●	●
⅜"	0.712	●	●
10mm	0.785	●	●
11mm	0.95	●	●
12mm	1.13	●	●
½"	1.27	●	●
13mm	1.33	●	●
14mm	1.54	●	●
15mm	1.77	●	●
⅝"	1.98	●	●
16mm	2.01	●	●
17mm	2.27	●	●
18mm	2.54	●	●
19mm	2.83	●	●
¾"	2.85	●	●
20mm	3.14	●	●
21mm	3.46	●	●
22mm	3.80	●	●
⅞"	3.88	●	●
23mm	4.15	●	●
24mm	4.52	●	●
25mm	4.91	●	●
1"	5.06	●	●
26m	5.31	●	●
27mm	5.72	●	●
28mm	6.15	●	●
30mm	7.06	●	●

Size	Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)
1¼"	7.91	●	●
32mm	8.04	●	●
35mm	9.62	●	●
36mm	10.2	●	●
38mm	11.3	●	●
1½"	11.4	●	●
40mm	12.6	●	●
42mm	13.8	●	●
1¾"	15.5	●	●
45mm	15.9	●	●
46mm	16.6	●	●
48mm	18.1	●	●
50mm	19.6	●	●
2"	20.3	●	●

Available Grades 304/304L (1.4301/1.4307)
316/316L (1.4401/1.4404)



Stainless Steel Products - Ornamental/Handrail Tubes

Ornamental

Dimensions (Outside Dia x Wall)	Approx Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)
½"x1.5mm	0.42	●	●
⅝"x1.2mm	0.44	●	●
⅝"x1.5mm	0.54	●	●
¾"x1.2mm	0.53	●	●
¾"x1.5mm	0.66	●	●
⅞"x1.2mm	0.63	●	●
⅞"x1.5mm	0.78	●	●
⅞"x2mm	1.01	●	●
1"x1.2mm	0.73	●	●
1"x1.5mm	0.90	●	●
1"x2mm	1.17	●	●
1⅛"x1.2mm	1.02	●	●
1¼"x1.2mm	0.92	●	●
1¼"x1.5mm	1.13	●	●
1⅜"x1.2mm	1.02	●	●
1½"x1.2mm	1.11	●	●
1½"x1.5mm	1.38	●	●
1½"x2mm	1.81	●	●
1¾"x1.5mm	1.62	●	●
50mmx1.5mm	1.84	●	●
2"x1.2mm	1.49	●	●
2"x1.5mm	1.85	●	●
2"x2mm	2.40	●	●
2½"x1.5mm	2.34	●	●
3"x1.5mm	2.81	●	●
4"x3mm	7.41	●	●

Handrail

Dimensions (Outside Dia x Wall)	Approx Weight (kg/m)	304/304L (1.4301/ 1.4307)	316/316L (1.4401/ 1.4404)
42.4mmx2mm	2.02	●	●
42.4mmx2.5mm	2.49	●	●
48.3mmx2.5mm	2.86	●	●
48.3mmx3mm	3.64	●	●
50.0mmx2mm	2.40	●	●
50.0mmx2mm	3.53	●	●
2"x3mm	3.57	●	●
60.3mmx2.5mm	3.61	●	●
3"x3mm	5.47	●	●
60.3mmx2mm	4.32	●	●

Grades 441, 201 and J4 available upon request

Standards ASTM A554 + EN10296-2



New Stainless Steel Tube Products

ASD Elegance

Unique modular stainless steel balustrade and handrail system for architectural design.
Easy-to-fix modular construction, requires no welding or polishing and is maintenance free.
Versatile and long lasting solution making it ideal for a wide range of applications including stairways, balconies, terraces, furniture, handrails and disabled access points.
Stylish and contemporary design with tubes, fittings, wall brackets and end caps in corrosion resistant polished stainless steel.
For a full product range please see our ASD Elegance guide available from your local sales team.

Hygienic Tube

Our hygienic tube range is manufactured to ASTM 270 fully annealed and can be supplied in dull polished from stock. Grades stocked are AISI 304L/1.4307 and 316L/1.4404.
Our full range of hygienic products is fully certified to exacting international standards, with careful attention given to ensuring material quality is to the highest standards.
We strive for fast delivery of our products. Delivery is within 24 hours from our stock in the UK.
Our customers use our hygienic tubes in a variety of applications, which include:
Dairy Processing, Food Processing Industries, Tanker manufacturing, Water treatment and Brewery and chemical processing.
This product can be used in any application requiring fully annealed tube and for use in hygienic applications. We also carry a range of fittings to compliment our tube range.

Welded Pipe

We have expanded our current stock range to include stainless steel welded pipe.
Our welded pipe is manufactured to ASTM A312 fully annealed and stocked in AISI 304L/1.4307 and 316L/1.4404. It is supplied in a descaled condition from stock. We can also offer pipe fittings to suit and delivery times are within 24 hours from our stock in the UK.
Our pipes are used in a variety of applications including:
Petrochemical, Off-shore & On-shore industries, Chemical processing plants, Mechanical engineering, Power generation and Plant processing.



Stainless Steel Products - Pipe & Welded Pipe

Pipe Size	OD	Pipe Schedules												
INS	(mm)	5	10	20	30	STD 40 S	40	60	EH 80 S	80	100	120	140	160	DEL EH
⅛	10.29	0.89	1.24			1.73	1.73		2.41	2.41					
		0.21	0.28			0.64	0.64		0.48	0.48					
¼	13.7	1.24	1.65			2.24	2.24		3.02	3.02					
		0.39	0.50			0.73	0.73		0.08	0.08					
⅜	17.1	1.24	1.65			2.31	2.31		3.20	3.20					
		0.49	0.64			0.86	0.86		1.12	1.12					
½	21.3	1.65	2.11			2.77	2.77		3.73	3.73				4.75	7.46
		0.81	1.02			1.29	1.29		1.65	1.65				1.97	2.59
¾	26.7	1.65	2.11			2.87	2.87		3.91	3.91				5.53	7.82
		1.03	1.30			1.71	1.71		2.23	2.23				2.93	3.69
1	33.4	1.65	2.77			3.38	3.38		4.55	4.55				6.35	9.09
		1.31	2.13			2.54	2.65		3.29	3.29				4.31	5.54
1 ¼	42.4	1.65	2.77			3.56	3.56		4.85	4.85				6.35	9.70
		1.67	2.73			3.44	3.44		4.54	4.54				5.70	7.89
1 ½	48.3	1.65	2.77			3.68	3.68		5.08	5.08				7.13	10.16
		1.93	3.16			4.12	4.12		5.49	5.49				7.36	9.70
2	60.3	1.65	2.77			3.91	3.91		5.54	5.54				8.71	11.07
		2.42	3.99			5.53	5.53		7.60	7.60				11.26	13.70
2 ½	73.0	2.11	3.05			5.16	5.16		7.01	7.01				9.53	14.02
		3.75	5.34			8.77	8.77		11.60	11.60				15.16	20.73
3	88.9	2.11	3.05			5.49	5.49		7.62	7.62				11.10	15.24
		4.59	6.56			11.47	11.47		15.52	15.52				21.68	28.13
3 ½	101.6	2.11	3.05			5.74	5.74		8.08	8.08					16.15
		5.26	7.53			13.79	13.79		18.93	18.93					34.59
4	114.3	2.11	3.05			6.02	6.02		8.56	8.56		11.10		13.48	17.12
		5.93	8.50			16.34	16.34		22.70	22.70		28.77		34.08	41.70
5	141.3	2.77	3.40			6.55	6.55		9.53	9.53		12.70		15.87	19.05
		9.45	11.74			22.13	22.13		31.46	31.46		40.90		49.50	58.36
6	168.3	2.77	3.40			7.11	7.11		10.97	10.97		14.27		18.23	21.95
		11.48	14.04			28.72	28.72		43.25	43.25		55.09		68.58	80.48
8	219.1	2.77	3.76	6.35	7.04	8.18	8.18		12.70	12.70	15.06	18.23	20.62	23.01	22.23
		15.00	20.27	33.85	37.29	43.22	43.22		65.59	65.59	77.02	91.79	102.59	113.08	109.64
10	273.1	3.40	4.19	6.35	7.79	9.27	9.27		12.70	15.06	18.23	21.41	25.40	28.57	
		22.96	28.21	42.45	51.84	61.29	61.29		82.88	97.39	116.47	135.05	157.61	175.02	
12	323.9	4.19	4.57	6.35	8.38	9.53	10.31		12.70	17.45	21.41	25.40	28.57	33.32	
		33.01	36.54	50.54	66.27	75.03	81.03		99.04	134.00	162.30	190.01	211.51	242.69	
14	355.6		6.35	7.92	9.53	9.53	11.12		12.70	19.05	23.80	27.76	31.75	35.71	
			55.58	69.16	82.62	82.62	95.94		109.14	160.63	197.88	228.16	257.68	286.30	
16	406.4		6.35	7.92	9.53	9.53	12.70		12.70	21.40	26.79	30.93	36.52	40.46	
			63.66	79.27	94.75	94.75	125.31		125.31	206.66	249.51	291.14	338.38	371.08	
18	457.2		6.35	7.92	11.10	9.53	14.27		12.70	23.80	29.36	34.92	39.67	45.24	
			71.75	89.37	124.24	106.87	158.67		141.48	258.59	314.91	369.57	415.14	467.07	
20	508.0		6.35	9.53	12.70	9.53	15.06		12.70	26.19	32.51	38.10	44.45	49.99	
			79.83	119.00	157.61	119.00	186.07		157.61	316.27	387.73	448.75	516.43	573.81	
24	609.6		6.35	9.53	14.27	9.53	17.45		12.70	30.94	38.89	46.02	52.37	59.51	
			96.41	143.25	213.17	143.25	259.20		190.01	443.75	555.24	650.11	731.41	820.44	

Figures in red are in weight per metre in kg
Figures in blue are wall thickness in mm



Stainless Steel Products - Hygienic Tube

ASTM A270 dull polished fully annealed	316	304
1" od x 1.5	●	●
11/2" od x 1.5	●	●
2" od x 1.5	●	●
2.5" od x 1.5	●	●
3" od x 1.5	●	●
4" od x 2.0	●	●

In addition we also keep a range of non-annealed dairy tubeson ASTM A270/DIN118050 in the following

ASTM A270/DIN 11850 non-annealed	316	304
1" od x 1.5	●	●
11/2" od x 1.5	●	●
2" od x 1.5	●	●
2.5" od x 1.5	●	●
3" od x 1.5	●	●
4" od x 2.0	●	●

See also our range of fittings to suit



Stainless Steel Products - 1.4003

What is 1.4003?

1.4003 is a stainless steel that is a low cost alternative to nickel alloyed stainless steels and is a superior alternative to carbon, mild steels, challenging its position as a utility material. It is a winning formula displaying both the advantages of stainless steel and engineering properties of carbon steels. Its design opens it up to a wide range of applications.

A number of advantages can be gained from 1.4003. These include low initial cost combined with lower lifecycle cost where zero maintenance and extended service life means that 1.4003 earns cost saving throughout its working life.

Benefits for the user over commercial mild steel products

- Higher yield strength
- Superior corrosion resistance
- Superior abrasion resistance
- Superior heat resistance
- Gauge reduction – Weight savings
- Excellent weldability
- Very good formability
- Enhanced slideability
- Longer life cycle performance

Rp0,2 0.2% proof stress N/mm^2	Rm Tensile Strength N/mm^2	A 5 Elongation at Fraction %	Hardness HB or HV
≥320	450-600	≥20	160

Mechanical properties at room temperature

1.4003 - The effective formula for modern steel use

C ≥	Si ≥	Mn 0.5-	P ≥	S ≥	Cr 10.5-	Ni 0.3-	N ≥
0.03	0.50	1.5	0.04	0.02	12.5	1.0	0.03

Chemical composition % by mass



Applications for 1.4003

Brick and Tile Drying Equipment

Brick trays
Kiln cars
Chimneys
Conveyor systems

Cabinets & Enclosures

Telephone & communication systems
Road traffic signalling & monitoring
e.g speed cameras
Rail signalling
Industrial control systems
Ticketing machines
Electricity capacitors/meters/switchgear

Material Handling

Coal – chutes/cars etc.
Cement
Clay
Potash
Road dressing salt/lime/sand
Agriculture
Timber
Fertilisers
Phosphate & sulphur handling

Vehicle Construction

Bus and Coach
Road sweepers
Utility vehicles

Cabinets & Enclosures

Dryers
Diffusion Units
Fans
Chutes
Ancillary equipment

Water

Sewage treatments
Scrubbers
Chutes

Petro-Chem Distillation Plant

Fractioning columns

Ventilation Ducting & Trunking

Cable trays
Oil refineries



Stainless Steel Products - 1.4003

Cold Rolled Sheet - Available on request ● Available from stock

Thickness (mm)	Approx. Weight (kg)	2000x1000	Approx. Weight (kg)	1250x2500	Approx. Weight (kg)	3000x1500	Approx. Weight (kg)	6000x1500
1.0	16	-	25	●	36	-	72	-
1.2	20	●	30	●	44	-	88	-
1.5	24	●	38	●	54	●	108	-
2.0	32	●	50	●	72	●	144	-
2.5	40	-	63	-	90	●	180	-

Hot Rolled Plate - Available on request ● Available from stock

Thickness (mm)	Approx. Weight (kg)	2000x1000	Approx. Weight (kg)	1250x2500	Approx. Weight (kg)	3000x1500	Approx. Weight (kg)	6000x1500
2.0	32	●	50	●	72	-	44	-
2.5	40	-	63	●	90	-	180	-
3.0	48	●	75	●	108	●	216	●
4.0	64	●	100	●	144	●	288	●
5.0	80	●	125	●	180	●	360	●
6.0	96	●	150	●	216	●	432	●
8.0	128	-	200	●	288	●	576	●
10.0	160	-	250	●	360	●	720	●
12.0	192	-	300	●	432	●	864	●
16.0	262	-	410	-	591	●	1181	●
20.0	328	-	513	-	738	●	1476	●
25.0	410	-	641	-	923	-	1845	●
30.0	492	-	769	-	1107	-	2214	●

Square Tubular Sections - Weight (kg/m)

Dimensions (mm)	Wall Thickness (mm) 1.50*	2.00*	3.00*	4.00*
20 x 20	0.814	1.03	-	-
30 x 30	1.28	1.65	-	-
35 x 35	1.51	1.96	2.79	-
40 x 40	1.74	2.27	3.26	4.14
50 x 50	2.21	2.89	4.19	5.38
60 x 60	2.67	3.51	5.11	6.62
70 x 70	3.14	4.13	6.04	-
80 x 80	3.60	4.75	6.97	9.09

Rectangular Tubular Sections - Weight (kg/m)

Dimensions (mm)	Wall Thickness (mm) 1.50*	2.00*	3.00*	4.00*
30 x 20	1.05	1.34	-	-
40 x 20	1.28	1.65	-	-
40 x 30	1.51	1.96	-	-
50 x 30	1.74	2.27	3.26	4.14
50 x 40	1.98	2.58	3.72	-
60 x 30	1.98	2.58	3.72	-
60 x 40	2.21	2.89	4.19	5.38
70 x 30	2.21	2.89	4.19	-
70 x 50	2.67	3.51	5.11	-
80 x 40	2.67	3.51	5.11	6.62
80 x 60	3.14	4.13	6.04	7.85
90 x 50	3.14	4.13	6.04	7.85
100 x 40	3.14	4.13	6.04	7.85
100 x 50	-	-	6.51	8.47
100 x 60	3.60	4.75	6.97	9.09
110 x 70	-	5.37	7.90	10.30
120 x 40	3.60	4.75	6.97	9.09
120 x 50	3.83	5.06	7.44	9.71
120 x 60	4.07	5.37	7.90	10.30
120 x 80	4.53	5.99	8.83	11.60
140 x 80	-	-	9.76	12.80
150 x 50	4.53	5.99	8.83	11.60



Stainless Steel Products - Fittings

ASD metal services provide tubular solutions to the process industry. In addition to stocks of tubes and pipes, we also offer a comprehensive range of fittings designed to complement our core products.

Range of Fittings:

- Butt Weld (welded & seamless)
- BSP and NPT Threaded (150lb + 3000lb rated)
- Hygienic
- Socket Weld

ASD metal services stock a diversified range of tubular solutions for industry including:

- 1.4003 Tubes
- Ornamental Decorative Tube
- Hygienic Tubes & Fittings
- Welded Pipes & Fittings
- ASD *Elegance*-An Easy-fit system for handrails
- Flat sided oval tubes
- Elliptical Tubes
- Slotted circular, oval & square tubes
- Specialised profiles are also available
- Seamless tubes & pipes
- Structural Sections
- Special Alloys
- Metric ISO tubes & fittings

These tubes, pipes and fittings are available within 24 hours from stock. Products held in stock are in grades 304L & 316L - others are available on request. All these products are tested in accordance with relevant standards where applicable.

We provide these product solutions to many sectors such as:

- Water
- Dairy
- Brewery
- Chemical
- Paper and Pulp
- Automotive
- Catering
- Architectural
- Construction
- Energy
- Nuclear
- Oil and Gas
- Offshore
- Machinery and Equipment

Please call us now should you operate in any of these sectors and we will find a tubular solution for you.



Stainless Steel Products - Threaded Fittings

Threaded to BSP standard EN 10226
Size Range: 1/8" - 4" nominal bore
Grades available: 316

3000lb rated is also available in NPT & BSP threads

Union threaded M/F



Unions, butt weld



Union threaded, F/F



Hexagon nipples



Hexagon red, nipples



Hose nipples



Bushings




Reducing couplings



Round end caps



Hexagon end caps



Square plugs





Stainless Steel Products - Threaded Fittings

Threaded to BSP standard EN 10226
Size Range: 1/8" - 4" nominal bore
Grades available: 316

3000lb rated is also available in
NPT & BSP threads

Hexagon plugs



Hexagon head screw plugs



Weld nipples



Barrel nipples




Nipple



Full sockets



Half sockets



90º Bends, M/M



Hexagon nuts



90º Elbows, F/F



90º Street elbows, M/F



90º Red, elbows, F/F





Stainless Steel Products - Threaded Fittings

Threaded to BSP standard EN 10226
Size Range: 1/8" - 4" nominal bore
Grades available: 316

3000lb rated is also available in NPT & BSP threads

45º Elbows F/F



Tees



Reducing Tees



Crosses



In addition to our range of tubes, pipes & fittings we also offer complete contract management from professional tendering to long term agreements for projects.

Already experienced in this area, we can offer the complete supply package.

We can also assist with material selection, testing and consultancy.



Stainless Steel Products - Butt Weld Fittings & Flanges

Fittings manufactured to ASTM A403
Dimensions available: ANSI B16.9, 16.11 & 16.28
Class: WPS, WPW, WPWX
Available in welded and seamless

Size Range: 1/8" - 20" nominal bore
Grades available: 304L & 316L
Flanges are manufactured to ASTM A182.
Dimensions to AISI B16.5.
also BS 4504 and PN designated

Elbows



Tees & reducers



Eccentric reducer



Concentric reducer



End Caps



Pressed collars



Blind flanges



Threaded flanges



Weld neck flanges



Slip on flanges





Stainless Steel Products - Valves

Threaded to BSP standard EN 10226
Size Range: 1/4" - 4" nominal bore
Grades available: 316L only

Available in threaded and butt weld ends

1-Pc. Ball valve 1000PSI



2-Pc. Ball valve 1000PSI



3-Pc. Ball valve 1000PSI



3-Way Ball valve 1000PSI




Stainless Steel Products - Hygienic Fittings

Manufactured to BS 4825
Size Range: 1" - 4" outer diameter

Finishes available: Dull Polished & Descaled
Grades available: 304L & 316L

Unions and Clamps



Butt weld fittings





Stainless Steel Products - Welded Mesh

Panel Size (Inches)	Weight Per Panel (kg)
96" x 48" (½" x ½" x 16 swg)	6.50
96" x 48" (3" x ½" x 10 swg)	16.00
96" x 48" (3" x ½" x 12 swg)	11.00
96" x 48" (1" x 1" x 10 swg)	13.00
96" x 48" (1" x 1" x 12 swg)	9.50
96" x 48" (1½" x 1½" x 10 swg)	9.00
96" x 48" (2" x 2" x 10 swg)	7.00
96" x 48" (2" x 2" x 12 swg)	5.00

Size	Approx Weight (kg/m)	304/304L (1.4301/ 1.4307)
2"x"x12swg	5	●
½"x½"x16swg	6.5	●
2"x2"x10swg	7	●
1 ½"x1 ½"x10swg	9	●
1"x1"x12swg	9.5	●
3"x½"x12swg	11	●
1"x1"x10swg	13	●
3"x½"x10swg	16	●

N.B. All panels are 96" x 48"

Grade 304 Also available in rolls or made to measure panels