PROCESSED AT :
Thyrocare
D-37/1,TTC MIDC,Turbhe,
Navi Mumbai-400 703

Thyrocare
The Trust. The Truth.

Corporate office : **Thyrocare Technologies Limited,** D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com www.thyrocare.com

REPORT

NAME : SACHIN SHINDE (34/M)
REF. BY : SELF
TEST ASKED : COVID-19
PATIENTID :SS168714723

HOME COLLECTION:

FLAT NO –A 303, SPINE CITY, KHARABWADI, CHAKAN

TESTNAME	RESULT
COVID-19 RT PCR	NOT DETECTED

Interpretation

NOT DETECTED	COVID-19 RNA was not detected in the patient specimen or less than detection limit
DETECTED	COVID-19 RNA was detected in the patient specimen
INCONCLUSIVE	Target is inconclusive, Advised to send fresh specimen for recheck

ICMR RegistrationNo THYRO001

The performance of this test has been validated & evaluated by National Institute of Virology/ICMR.

Indications
COVID-19 is an infectious disease caused by the virus strain "severe acute respiratory syndrome coronavirus 2" (SARS-CoV-2),
Common signs of infection include respiratory symptoms,fever,cough,shortness of breath and breathing difficulties.
In more severe cases,infection can causes pneumonia ,severe acture respiratory syndrome and kidney failure.

Methodology
COVID19 detection by polymerase chain reaction (PCR) is based on the amplification of specific regions of the SARS-CoV-2 .
In real Time PCR the amplified product is detected via fluorescent dyes.

Clinical Significance
Detection of COVID-19 RNA in patients with COVID-19 infection.

Limitation of the assay
1. Presence of PCR inhibitors may interfere with PCRamplification.
2. Undetectedresultdoesnotruleoutthepossibilityofinfection.Presenceofinhibitors,mutations&insufficient organism RNA can influence theresult.

Disclaimer
1.This test is intended for use in conjunction with clinical presentation and other laboratory markers.
2.Improper specimen collection, handling, storage and transportation may results in false negative results.
3.The report represents only the specimen received in laboratory.

~~ End of report ~~

Thyrocare Technologies Limited Navi Mumbai

SampleCollectedon(SCT) : 21June 202113:15
Sample Received on(SRT) : 22June 202109:15
Report Released on (RRT) : 22June 202114:45
SampleType : SWABS
Labcode :1604000587/CO803
Barcode : U9684485

Dr. Chaitali Nikam, Ph.D

Dr. Caesar Sengupta MD(Micro)

CUSTOMER DETAILS

As declared in our data base

Name: SACHINSHINDE **Age:** 34Y **Sex:** M **Mobile No:**9766300366

Barcodes/Sample Type	: U9684485(SWABS)
Lab code	1604000587
Ref By	: SELF
Sample Type/Tests	: SWABS:COVID-19
Sample Collected At	: FLAT NO –A303,SPINE CITY,KHARBWADICHAKAN PUNE
Sample Collectedon(SCT)	: 21June 202113:15
Report Releasedon(RRT)	: 22June 202114:45

CONDITIONS OF REPORTING

v The reported results are for information and interpretation of the referring doctor only.
v Itispresumedthatthetestsperformedonthespecimenbelongtothepatient;namedoridentified.
v Resultsoftestsmayvaryfromlaboratorytolaboratoryandalsoinsomeparametersfromtimetotimeforthe same patient.
v Should the results indicate an unexpected abnormality, the same should bereconfirmed.
v Onlysuchmedicalprofessionalswhounderstandreportingunits,referencerangesandlimitationsoftechnologies should interpretresults.
v This report is not valid for medico-legalpurpose.
v NeitherThyrocare,noritsemployees/representativesassumeanyliability,responsibilityforanylossordamage thatmaybeincurredbyanypersonasaresultofpresumingthemeaningorcontentsofthereport.
vThyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc
v For clinical support please contact @8450950851,8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

v MajorityofthespecimenprocessedinthelaboratoryarecollectedbyPathologistsandHospitalswecallthem as"Clients".
v **Name**-Thenameisasdeclaredbytheclientandrecoredbythepersonnelwhocollectedthespecimen. v **Ref.Dr**-Thenameofthedoctorwhohasrecommendedtestingasdeclaredbytheclient.
v **Labcode**-Thisistheaccessionnumberinourlaboratoryandithelpsusinarchivingandretrievingthedata. v **Barcode**-Thisisthespecimenidentitynumberanditstatesthattheresultsareforthespecimenbearing the barcode (irrespective of the name).
v **SCP**-SpecimenCollectionPoint-Thisisthelocationwherethebloodorspecimenwascollectedasdeclaredby theclient.
v **SCT**-SpecimenCollectionTime-Thetimewhenspecimenwascollectedasdeclaredbytheclient. v **SRT**-SpecimenReceivingTime-Thistimewhenthespecimenreachedourlaboratory.
v **RRT**-ReportReleasingTime-Thetimewhenourpathologisthasreleasedthevaluesfor Reporting. v **ReferenceRange**-Meanstherangeofvaluesinwhich95%ofthenormalpopulationwouldfall.

SUGGESTIONS

v Valuesoutofreferencerangerequiresreconfirmationbeforestartinganymedicaltreatment. v Retesting is needed if you suspect any qualityshortcomings.
v Testing or retesting should be done in accreditedlaboratories.
v For suggestions, complaints or feedback, write to us at **info@thyrocare.com** orcall us on **022-3090 0000 / 6712 3400**
v SMS:<Labcode No.> to**9870666333**

