ASSA ABLOY

AUFTRAGSBESTÄTIGUNG/ ORDER CONFIRMATION

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	**Auftrags-Nr./Order No** 30826468 **Datum/Date** 2021-04-07 **Referenz/Reference** Mr. Gulagunji

Kunden-Nr./Customer No.	**Innendienst/Internal department**	**Versandart/Way of delivery**
1059669	Kirsten Claespeter 02941/766-747	pick up Czech
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**
	NVA 515	FCA / Stenovice, CZ / Forwarder (W)

Lieferadresse/Delivery address **Nr. Lieferadresse/Delivery address No.**	**Zahlungsbedingungen/Terms of payment**
NIHVA Technologies PVT LT1059669 187 G block MIDC Chinchwad 411044 Pune, Thermax chowk India	Due Net 60

Pos. item	Produkt Product	Beschreibung Description	Versanddatum Ship date	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price
10	**D4421RG036**	**Rubber profile / SN 9522600**	**2021-04-13**	**1.000**	**ST**	**353.02**	**353.02**
	Door type	High-speed roller door Rapid Roll 300 MP					
	Safety contact edge	Electrical safety edge at the bottom profile					
	Daylight width	2.925 mm					
	Control system position	Right					
	Diode/Resistor	Resistor 8,2 kOhm					
	Bottom profile	Aluminium					
	Motor Position	Right					
	Side frame version	Aluminium					
	Connection for safety edge	With coily cable					
20	**D4421RG036**	**Rubber profile / SN 9522606**	**2021-04-13**	**4.000**	**ST**	**304.74**	**1,218.97**
	Door type	High-speed roller door Rapid Roll 300 MP					
	Safety contact edge	Electrical safety edge at the bottom profile					
	Daylight width	2.525 mm					
	Control system position	Right					
	Diode/Resistor	Resistor 8,2 kOhm					
	Bottom profile	Aluminium					
	Motor Position	Right					
	Side frame version	Aluminium					
	Connection for safety edge	With coily cable					
30	**D4421RG036**	**Rubber profile / SN 1200000096**	**2021-04-13**	**1.000**	**ST**	**241.38**	**241.38**
	Door type	High-speed roller door Rapid Roll 300 MP					

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: CZ 682 534 558
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Reg court Paderborn: HR B 61 06

Management:
Christopher Norbye
Marina Lindholm

Pos. item	Produkt Product	Beschreibung Description	Versanddatum Ship date	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Safety contact edge	Electrical safety edge at the bottom profile
Daylight width	2.000 mm
Control system position	Right
Diode/Resistor	Resistor 8,2 kOhm
Bottom profile	Aluminium
Motor Position	Right
Side frame version	Aluminium
Connection for safety edge	With coily cable

40 **D4421RG036** **Rubber profile / SN 9522615** **2021-04-13** **1.000** **ST** **286.64** **286.64**

Door type	High-speed roller door Rapid Roll 300 MP
Safety contact edge	Electrical safety edge at the bottom profile
Daylight width	2.375 mm
Control system position	Left
Diode/Resistor	Resistor 8,2 kOhm
Bottom profile	Aluminium
Motor Position	Left
Side frame version	Aluminium
Connection for safety edge	With coily cable

50 **D4421RG036** **Rubber profile / SN 9522613** **2021-04-13** **1.000** **ST** **328.88** **328.88**

Door type	High-speed roller door Rapid Roll 300 MP
Safety contact edge	Electrical safety edge at the bottom profile
Daylight width	2.725 mm
Control system position	Left
Diode/Resistor	Resistor 8,2 kOhm
Bottom profile	Aluminium
Motor Position	Left
Side frame version	Aluminium
Connection for safety edge	With coily cable

60 **D4421RG036** **Rubber profile / SN 1200000097** **2021-04-13** **1.000** **ST** **259.48** **259.48**

Door type	High-speed roller door Rapid Roll 300 MP
Safety contact edge	Electrical safety edge at the bottom profile
Daylight width	2.150 mm
Control system position	Right
Diode/Resistor	Resistor 8,2 kOhm
Bottom profile	Aluminium
Motor Position	Right
Side frame version	Aluminium
Connection for safety edge	With coily cable

Warenwert/Value of goods **2,688.37**

Summe/Total **EUR** **2,688.37**

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: CZ 682 534 558
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Reg court Paderborn: HR B 61 06

Management:
Christopher Norbye
Marina Lindholm

Wir danken für Ihren Auftrag Thank you for the order
Mit freundlichen Grüßen Best regards
Albany Door Systems GmbH

(Automatisch erstellt, daher ohne Unterschrift gültig
Written automatically, valid without signature)

Dem Auftrag liegen unsere allgemeinen, zur Zeit gültigen Verkaufsbedingungen zugrunde, die auch für alle weiteren Verträge Gültigkeit haben.
The order is based on our current general terms of sales, which will as well be applicable for all further contracts.

Die gesetzlichen durch die DSGVO geforderten Informationen zum Umgang mit Ihren personenbezogenen Daten erhalten Sie unter dem folgenden Link: https://goo.gl/qGzSw5

Sollten Sie keinen Zugang zum Internet haben, senden wir Ihnen gerne die Informationen postalisch zu. Bitte sprechen Sie uns ggf. unter Telefon: 02941/766-622 darauf an.

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: CZ 682 534 558
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Reg court Paderborn: HR B 61 06

Management:
Christopher Norbye
Marina Lindholm