NIHVA

We Make Possible



NIHVA Technologies Pvt.ltd
Pune

CompanyProfile

NIHVA Technologies Pvt. Ltd.

Introduction:

• Name of the Company	NIHVA Technologies Pvt. Ltd.
• Location	187, G-Block, Thermax Chowk, MIDC Chinchwad, Pune - 411019
• Contact	+91 8551091333
• Email Id.	sales@nihva.com
• Website	https://www.nihva.com

About Us:-

"NIHVA" specializes in providing integrated solutions in Door automation, customized material handling solutions, factory and warehouse automation, Roof and Window automation, Mobile warehouses Apart from this , for any project our scope commences from under-standing the requirement, functionality, designing & solution to installation and commissioning. Further we prefer to be with you by providing a service backup for a 'commitment beyond contract'.

We understand the importance of manpower in providing such services to our esteemed customers and therefore we have best Technician, Engineers to ensure trouble free services. Our values and culture drive team empowerment and trusted customer relationships. Our business partners / associates are global market leaders & specialize in application knowledge. The combination of this knowledge & our expertise allows us to appreciate unique business challenge and to support you with the most efficient solution. Our head office is located at Pune in Maharashtra (India). "NIHVA" has always been strongly supported by world leaders in automation. Our commitment is to execute projects with highest quality, on time & within the budget, while adhering to safety, health and environmental standards and to get established as an icon in providing best engineering services.

NIHVA's commitment to quality and innovation has earned them a reputation as one of the leading automation solutions providers in India. They are a trusted partner for businesses of all sizes who are looking to improve their operations. (In the Boxes)

"NIHVA" has always been strongly supported by world leaders in automation brands.

- **Vision**

We will be the most valued business partner of our customers

- **Mission**

We provide intelligent and innovative engineering solutions and services that meet the need of all our customers

- **Core Values**


Driven by Positive Approach, Attitude & Accountability. Accelerate always Respect, Relations & Results. Continuous Improvement in - Change, Communication, Gratitude, Performance & Leadership Satisfaction and Happiness at the end of every day.

- **Core Purpose**

Inspire the individuals and organizations by offering Innovative Solutions, Products and Services that enrich people's lives, save their Efforts, Time, and Money and contribute to social prosperity by creating a new future.

NIHVA Business activities divided in 2 divisions.

- Door Automation
- Automation solution





Quality Policy

State-of-the-art, Innovative, High Quality Products
World-class, Superior, Customized and Always-Ready Customer Service and Support
Overachieve and Exceed Customer Expectations





Product line:-



Projects

Executed Project














Executed Project







Executed Project







Executed Project









Certification

ISO Certificate

TÜVINDIA

Certificate

Management system as per
ISO 9001:2015

TÜVINDIA
TUV INDIA PVT. LTD.
ISO 9001:2015
www.tuv-nord.com/in QM 002

The Certification Body TUV INDIA PVT. LTD. hereby confirms as a result of the audit, assessment and certification decision according to ISO/IEC 17021-1:2015, that the organization

NIHVA TECHNOLOGIES PVT. LTD.
Head Office: Dream House, 187, G- Block, First floor, Thermax Chowk, MIDC, Chinchwad, Pune - 411019
Works – Gat No.199, Jyotiba Nagar, Talawade, Pune – 411062, Maharashtra, India

, Pune - 411019

operates a management system in accordance with the requirements of ISO 9001 : 2015 and will be assessed for conformity within the 3 year term of validity of the certificate.

Scope

A). Design, Manufacture, Supply, Installation, Commissioning and Service of Cus-tomized Material Handling Equipment's for Industrial Applications.
B). Development, Assembly, Supply, Installation, Commissioning and Service of Door Automation and Automation Solutions.

TUV INDIA PVT. LTD.
801, Raheja Plaza 1, L.B.S Marg,
Ghatkopar (W) Mumbai – 400 086,
India
www.tuv-nord.com/in

NABCB QM 002

TÜV®

TÜVNORDGROUP

TÜVINDIA

Certificate Registration No. **QM 03 02138**
Audit Report No. **Q 8451/2017**

Valid from **13.02.2024**
Valid until **28.01.2027**
Initial certification **29.01.2018**

Visit our database to verify the validity of this certificate.

Mumbai, **13.02.2024**
Certification Body at TUV INDIA PVT. LTD.

TUV INDIA PVT. LTD.
801, Raheja Plaza 1, L.B.S Marg,
Ghatkopar (W) Mumbai – 400 086,
India
www.tuv-nord.com/in

NABCB QM 002

TÜV®

TÜVNORDGROUP

Appreciation Certificates



GRUPO ANTOLIN INDIA

To whom so ever IT May concern

Date: 08 October 17

To,
NIHVA Technologies Pvt Ltd.
Pune- 411019

"Thank you for the timely delivery and exemplary installation and commissioning of Albany make High Speed Doors at our facility. I appreciate the co-ordination and understating of site requirements by your team. It was pleasure working with you.
The NIHVA support team is the best. They respond in on time and their technicians service our equipment quickly and efficiently. Throughout the entire organization, it is the people that make the difference. They are a company that is concerned about our success. Best of luck and hope to have such consistency in work again for all services & forthcoming assignments and with us."

Thanks & Regards

Mr. Gopi Eswaran
Grupo Antolin India Pvt Ltd.



DATE: 28th Feb 2017

TO WHOMSOEVER IT MAY CONCERN

This is to certify that **M/s Nihva Technologies Pvt Ltd** has successfully completed the project.

Project Name: Civil and Infrastructure work related to Alstom Bharat Forge Power Limited proposed facility to manufacture turbines, Generators and associated equipment at Sanand.

Project Description: Installation of Electrically Operated Extra Large size vertical lifting fabric Door, Supply of Flap Barrier (Single Lane Wide), Supply of Boom Barrie Accessories, Boom Barrie System, Installation of Boom barriers and Swing, and Installation of Mega Door.


Date of Completion: 1st January 2018

For Shapoorji Pallonji & Co Pvt Ltd

Vaibhav Mehta
AGM-Contract Administration

Shapoorji Pallonji And Company Private Limited.

Shapoorji Pallonji ENGINEERING & CONSTRUCTION



AAR-INDAMER
Aircraft Maintenance Infrastructure Company

Mr. Vijay Turak
Director
NIHVA Technologies

12th March, 2021

Sub: Letter of Appreciation

Dear Mr. Vijay,

I would like to convey our thanks and appreciation for the great support in our Project at Mihan, Nagpur.

NIHVA Technologies (India) have Supplied, Installed and Commissioned ASSAABLOY Hanger doors very successfully to our prestigious MRO projects at our MIHAN site Nagpur

1. width 80-meter x height 14.2 meter with 3 Mullions
2. width 40-meter x height 13.5 / 10 meter with 2 Mullions,

From the date of proposal to the date of commissioning, your team has been very professional, innovative and safety conscious. NIHVA Technologies installed & commissioned the Hangar doors involving extremely critical parts requiring high precision within the specified timelines even during the pandemic.


We appreciate NIHVA team, their excellent co-ordination and knowledge. We are proud to have such talent available in India in the form of an Indian firm!!

We wish to continue our association with M/s NIHVA in the future.

Thanking You.

(YOGENDRA KUMAR)
Vice President

AAR Indamer Technics Private Limited



ISP

January 25,2017

NIHVA Technologies Pvt. Ltd.
Pune- 411019

Subject: Letter of Appreciation

Dear Sir,

On behalf of Integrated Services & Projects, we would like to take this opportunity to thank the team of NIHVA Technologies for your services for our recent project for Nvidia Graphics Private Limited at Yerwada,Pune.

It was indeed a privilege to work with you on the installation & commissioning of the Megadoor [Size - (L) 38.2 m X (H) 8.2 m] ensuring outmost safety standards throughout the project execution.

We look forward to working with you again soon & we wish you all the best in your upcoming projects.

Yours sincerely,

For Integrated Services & Projects,

Alex Varkey

INTEGRATED SERVICES & PROJECTS
144, POWAI PLAZA, HIRANANDANI GARDENS , POWAI, MUMBAI - 400076



GMR Aero Technic Limited
(Formerly Known as MAS GMR Aero Technic Limited)

GMR Aero Technic

Regd. Office: Plot No.1,
GMR Aerospace Park
GMR Hyderabad Aviation SEZ Limited
Rajiv Gandhi International Airport
Shamshabad, Hyderabad 500108,
Telangana, India.
T: +91 40 6725 1313
F: +91 40 6725 1010
CIN:L55227TG2010PLC070489
www.gmraerotech.in

Date: 02-02-2018

TO WHOMSOEVER IT MAY CONCERN

M/s. NIHVA Technologies Pvt. Ltd. And M/s. ASSAABLOY have successfully implemented the following works.

Design, Fabrication, Supply & Installation of Vertical lift three-part composite fabric Hanger door of ASSAABLOY make (Megadoor), size –40m (W) x 14m / 8m (H)) for Aircraft Paint Hanger at Maintenance, Repair & Overhaul Facility of GMR Aero Technic Limited, GMR Hyderabad Aviation SEZ, Rajiv Gandhi International Airport, Shamshabad , Hyderabad 500108

The door material was delivered on time and Installation, Testing and Commissioning of Megadoor was done as per the requirements and time slots allotted. We appreciate the kind of efforts put in, co-ordination carried out and the understating of requirements by NIHAVA's and ASSAABLOY's team.

This certificate is issued on specific request from M/s. NIHAVA and M/s. ASSAABLOY.

For GMR Aero Technic Limited

Employer's Representative

Prasanna Kumar Potdar

Head – MEP & Airport Systems

Appreciation Certificates



TENNECO

TENNECO AUTOMOTIVE INDIA PVT. LTD
Factory Address:
Plot No. G-6, Phase III,Chakan Industrial Area,
MIDC Chakan, Village : Kuruli, Tal. Khed.
Pune- 410 501.
Tel.: 91-2135-612501 / 506.

To,
NIHVA Technologies Pvt. Ltd.
Pune- 411019

Date: 05 April 2017

Kind Attention: Mr Vijay Tarak

We take this opportunity to appreciate the efforts done by Nihva Team in implementing the Albany Auto door project for a Robotic cell at Tenneco Automotive India Pvt Limited, Pune. The cell upgradation was crucial for Tenneco to meet increased customer demand. Nihva team has planned the activities with Tenneco team in advance and completed the installation & commissioning work as planned. The co-ordination and understating of site requirements by your team played major role in quick & efficient installation. This has helped us to quickly re-start the Robotic welding in Auto mode

We sincerely acknowledge the "Team work & Partnership approach" shown by Mr Vijay & Nihva team in delivering "Right First Time" implementation of Albany doors at Tenneco. It was pleasure working with you.

Please convey our regards to the Albany Door Systems & Nihva Team involved in this project. We wish best luck and hope to have such consistency in work for the future projects as well.

Thanks & Regards

Digambar Parkhi
Director, Manufacturing Engineering & Technology
Tenneco Automotive India Pvt Ltd

Registered Office Address : No. 122 - Sipcot Industrial Complex, Hosur - 635126, Tamilnadu.
Tel. : +91 - 4344 - 305800 / 305500 **Website :-** www.tenneco.com
Corporate Identity Number:- U34300TZ1998 PTC 015231



NEUMAN & ESSER
Engineering (India) Pvt. Ltd.

NEA GROUP

NEA-India/2016-17
12th April, 2017

To,

NIHVA Technologies Pvt. Ltd.
Pune- 411019

Subject: Service appreciation letter

We would like to express to you our warmest admiration for your service to us as one of our suppliers.

We appreciate your efficiency in providing us the best products and services (Motorized rolling shutters, Motorized sliding gate, Fire doors). You have delivered our order within the time frame and you have given us supplies of good quality and safety.

We hope you will continue with your exceptional service in the coming years as well. We hope that our working relations with you will continue for more years to come. We look forward for long association with you.

Thanking you


Yours faithfully,
For Neuman & Esser Engineering (India) Pvt. Ltd.,

Abhijit Zende
Asst. Manager – HR & Admin.

PUNE

NEUMAN & ESSER Engineering (India) Pvt. Ltd.
Regd. Off: T-121/122 , M.I.D.C. , Bhosari
Pune – 411 026 India.
Phone- 91 (0)20 3062 3250
Fax – 91 (0)20 3062 3251

A NEUMAN & ESSER GROUP COMPANY



GE India Industrial Pvt. Ltd.
Plot A – 78 / 1, Chakan MIDC – Phase II,
Village - Vasuli, Taluka - Khed,
Pune - 410 501. India.
Tel : + 91 2135 620000
Fax : + 91 2135 620010.
CIN : U31500DL1992PTC194724
Website : www.ge.com

To Whom so ever IT May concern

To,
NIHVA Technologies Pvt Ltd.
Pune- 411019

Date: 01 Mar. 17

"Thank you for the timely delivery and exemplary installation and commissioning of Rolling Shutters & High Speed Doors at our facility. I appreciate the co-ordination, and understating of site requirements by your team. It was pleasure working with you.

The NIHVA support team is the best. They respond in no time and their technicians service our equipment quickly and efficiently. Throughout the entire organization, it's the people that make the difference. They are a company that is concerned about our success.

Best of luck and hope to have such consistency in work again for all services & forthcoming assignments and with us."

Thanks & Regards

GE India Industrial Pvt. Ltd. Pune

For GE India Industrial Pvt. Ltd

S. Yasoda

Yasoda.S
Facilities Engineer

Product catalogue, Technical Data & Specification

NIHVA


We Make Possible

High Performance

ENTRANCE SYSTEMS



DOOR AUTOMATION



Opening Doors to

BUSINESS AND LIFE

Content

High Speed Doors

- Inside Plant Doors
- Outside Plant Doors
- Machine Protection Doors
- Pharma & Clean Room Industries Doors
- Food Industries Doors
- Heavy Industrial Doors
- Cold Room Doors

Sectional Doors

- Glazed Overhead Doors
- Puf Insulated Doors

Hanger Doors / Extra Large Opening Doors

- Aviation Hangar Doors
- Shipyard Doors
- Mine Doors
- Crane Doors

Sliding Folding Doors

- Sliding Folding Doors
- Telescopic Sliding Doors

Fire Rated Doors

- Fire Rated Swing Door
- Fire Rated Rolling Shutters
- Fire Rated Curtains
- Fire Rated Sliding Doors

Glass Doors & Operators

- Sliding Glass Doors
- Revolving Glass Doors
- Swing Glass Doors
- Hermetically Sealed Sliding Doors

Automatic Entrance Gates

- Sliding Gates
- Telescopic Gates
- Cantilever Gates
- Swing Gates

Access Control Devices

- Boom Barriers
- Turnstiles
- Bollards

Rolling Shutters

- Single Skin Rolling Shutters
- Double Skin Rolling Shutters

Loading / Unloading Bay Solutions

- Dock Levelers
- Dock Houses
- Dock Shelters

Material Handling Equipment

- Scissor Lift

NIHVA Service BACK-UP (24/7)

High Speed Doors

NIHVA



Certain entrance requirements are extreme with high operational demands. High Speed Doors are automatic and programmed doors, used for quicker ingress and egress. These are larger doors with high operating cycles and incorporated with advanced safety features which enable quick and efficient flow of materials inside and outside of the building thus ensuring a substantial saving on energy costs as compared to the conventional doors.

Our High Speed Doors meet the stringent quality standards with the highest operational speed and more cycles per hour. These are widely used in various warehouses, logistics applications and industries and have proven to be good investment for their establishments.





High Speed Doors

NIHVA

Inside Plant Doors





Inside Plant doors provide secure, reliable and safe high-speed solutions for inside facilities Interior roll up doors are the ideal solution for separating critical areas and increasing efficiency within a facility. Innovative rolling interior doors can be specially suited for environments ranging from cold storage and clean rooms to general manufacturing or special machine protection applications. Inside Plant doors feature rapid opening speeds and advanced safety systems along with tight sealing and pressure resistance to help isolate or control environment.

Outside Plants Doors

We offer a wide variety of high-performance exterior doors to keep your operation running smoothly. Designed to deliver security, strength and smooth performance, a well-built exterior door managesthe flow of equipment, materials and people moving throughout your facility.

Ideal for areas with forklift and heavy equipment traffic, these doors handle large openings with speed and reliability. Metal exterior security doors create a secure, energy efficient entrance for your facility.





Rapid Roll exterior doors
Frequent traffic, secure access, minimal energy loss.



High-speed exterior doors
High wind load resistance & fast opening speed.



Rigid exterior doors
Fast, safe, robust and functional with a modern design.



Day and night door solutions
High efficiency during the day, security at night.

Machine Protection Doors

Roll-up machine doors improve operator safety with protection from exposure to automation hazards such as robot strike, arc flash, weld spatter, noise and more. NIHVA provides Machine Protection Doors from Assa Abloy which helps you save time, floor space and construction costs while enhancing safety and increasing production yields. With faster opening and closing speeds, our industrial Machine Protection Doors are specifically designed to provide a safe and efficient work space.









Food Industries Doors

Food and beverage industry has to maintain a high hygiene environment and doors form an important component of the access solution for refrigerated truck fleets, to ensure temperature controlled food chain security. This needs to be provided without impacting the delivery efficiency and have to also achieve significant fuel savings in the process.

NIHVA has RR200M mobile high-speed doors which can be an ultimate automatic door solution for the purpose.





Pharma & Cleanroom Doors





Control environment applications like cleanroom, pharmaceuticals, chemicals, electronics, micro-mechanic industries require advanced high-speed doors with airtight sealing to minimizepressure drop and protect environment against air drafts, humidity, dust and dirt.

NIHVA provides cleanroom doors from Assa Abloy which are perfected for such applications while meeting the highest quality standards.

High Speed Doors

Heavy Industrial Doors





Engineered for tough and corrosive conditions of the industry, NIHVA make Heavy Industrial Doors are designed for large size openings and intense work environment. NIHVA offers a unique design with durability and operating reliability. Not only do they fit perfectly with the industrial setting, but also offer maximum security and can be customized as per requirement.

Cold Room Doors

To maintain the quality of certain products it is essential to store them in cold rooms. NIHVA can meet this requirement of cold storage areas with insulated high- speed cold storage and freezer doors from Assa Abloy which are a unique combination of higher speed and reliable thermal barrier essential in protecting the product quality in critical temperature zones. These innovative freezer door solutions enhance temperature control, reduce energy costs and helps increase productivity.





Sectional Doors

Puf Insulated Doors





Optimum working conditions and reduction of energy consumption are the needs of today. You can achieve substantial energy savings with Assa Abloy OH1082P from NIHVA which gives you an excellent thermal separation with its innovative features such as tight top, side seals and water-resistant bottom seal. These features ensure reduction of drafts and condensation at work place. These overhead sectional doors give you a good control over indoor environment to create optimum working conditions with reduced energy consumption

Glazed Overhead Doors

Glazed overhead sectional door is an industrial door with a difference; visually appealing and highly practical, the glazed sections improve natural light inlet and visibility.

The natural choice where product demonstration is a priority, the glazing arrangement benefits from the added stability of a 44mm thick aluminium tubular frame.

Improves natural light inlet and aesthetics without compromising stability with attractive, glazed overhead sectional industrial doors



Hangar / Extra Large Opening Doors

NIHVA

NIHVA provides an excellent solution through their association with Megadoor for massive openings and considering their exposure to high wind loads, extreme temperatures and harsh environments. With almost no limitation to size or configuration, they are the natural choice for aviation, mining and shipyard industries.



Aviation Hangar Doors

Aviation hangar doors are often preferred for large and very wide openings needed for aircraft. Can be a single door leaf or multiple systems, and can be almost unlimited in size. With no need for ground tracks, the risk for malfunction due to snow or sand is eliminated.



Shipyard Doors

Shipyard doors form a durable barrier against coastal weather with high winds and corrosive conditions. With safe, sustainable and efficient operation, they meet the demands of large-scale logistics.



Hangar / Extra Large Opening Doors

NIHVA





Mining Doors

Mining doors face tough conditions with many opening cycles per day in harsh and dirty environment. To provide secure access to the gigantic haul trucks that serve the mining industry, they must function flawlessly. NIHVA has robust solution for such requirements.

Crane Doors

Crane doors can seal tightly around the crane while allowing free movement of goods. Options include design around an existing crane, T-shape to suit a crane on rails and multiple leaves to ensure rapid, reliable operations with high energy efficiency.



Sliding - Folding Doors

NIHVA



Horizontally Sliding - Folding Industrial Doors are ideal where space is limited around the opening, minimizing the ceiling space required inside a building. The door needs to be highly reliable and robust considering the application.

Folding Doors

Folding door are required for extra energy efficiency in industrial environments. The new highly functional automated folding door is designed for minimal maintenance. As the doors slide open the lifting hinges raise the door off the floor keeping wear and tear to a minimum. The doors remain always visible as they open and close so collision risk is reduced to a large extent.



Telescopic Sliding Doors

Telescopic Sliding Doors are recommended where maximum entry area is required for movement of production vehicles. Doors are manufactured by unique & state of the art, fabrication techniques with sturdy frame which allows minimum deflection. Number of door leafs are decided on the basis of clear opening required and available space.



Fire Rated Doors

Fire Rated Swing Doors



NIHVA's premium fire rated doors are meticulously engineered with precision and adherence to stringent standards. Crafted from high-quality steel, these doors form an exceptional barrier against the impact of fire providing a dependable defence against heat and smoke. NIHVA is offering metal doors tested for 120minutes integrity & stability in NABL approved laboratory as per IS 3614 or BS 476 Part 20 & 22. NIHVA doors ensure customization to your specific safety needs. NIHVA doors go beyond the ordinary, equipped with advanced puffy seals that dynamically expand under heat, effectively sealing gaps and preventing the infiltration of smoke and flames. Ideal for diverse settings such as commercial buildings, high-rise residential towers and industrial facilities, NIHVA's fire rated doors seamlessly blend safety with aesthetics.


Fire Rated Rolling Shutters



Fire Rated Rolling Shutters provide a safety barrier between the source of fire and the operational area. NIHVA Fire Rated Rolling Shutter is tested as per UL and BS standards, while offering a fire resistance of 2hrs and 4hrs.

NIHVA Fire Rated Rolling Shutters are extremely versatile and have a wide range of applications in factories, warehouses, industries, etc.

Fire Rated Curtains



Fire rated curtains are sheets of fire-resistant material that can be drawn over entrances and other access points to delay or prevent damage by fire. NIHVA provides technologically advanced fire-resistant fabric barriers, which offer an alternative to traditional solutions. Comprising of single roller assembly curtains for a span upto 5m as standard, NIHVA provides a unique overlapping design with continuous, conjoined bottom bar for unlimited widths, along with a design solution for any size requirement.

Fire Rated Sliding Doors

NIHVA Fire Rated Sliding Doors are fabricated from 18 SWG thick GI/MS sheet, with overall panel thickness of 40 or 42 mm with fire rating of 68°C. Comprising of sliding rail to guide the panel, fusible link, wire rope, bottom rollers to guide the panel at the bottom and counter weights, this door is kept open normally and during fire, the fusible link melts, allowing the counter weight hung to the wire rope pull the panel to close automatically, thereby preventing the fire from spreading further.



Glass Doors

NIHVA

Sliding Glass Doors

Automatic Sliding Door Systems provide exceptional performance, offering a wide range of innovative options to meet the needs of all environments. From hospital entrances to retail stores, smooth, quiet and reliable operation is delivered with modular configuration options.





Revolving Glass Doors

Revolving Doors are ideal when climate control & pedestrian traffic management is a priority. Available in a wide variety of glazing styles, with various aluminium frame profiles. Two, three or four wing models offer an unparalleled level of flexibility to designers.

Swing Glass Doors

Swing doors take up minimal space while maximizing opening width. Automating swing doors in a relatively simple, yet highly sustainable way to enhance the performance, accessibility and capacity of an entrance or exit point.





Hermetically Sealed Doors

The Hermetically Sealed dooris specially designed for use in clean room environments in hospitals, laboratories and other facilities where demands on hygiene and infection control are high.

Automatic Entrance Gates

NIHVA

Sliding Gates

- Smooth Safe & efficient operation.
- Different width gates from 1000mm-12000mm can be provided.
- Capacities upto 18000kgs can be provided.
- Bottom rail made up of polished bright bar supported with heavy duty beam.





Telescopic Gates

When a conventional single side or double side sliding gate arrangement is not possible due to very less or no run-way / track to move, telescopic sliding gate system is the perfect solution for extra wide opening areas.

They are manufactured in two, three or more gate panels and therefore reduce the required back run/parking space, with multiple leaves moving simultaneously.

Cantilever Gates

- Different styles and designs according to individual requirements.
- Imported high quality cantilever top & bottom coasters.
- Reliable sensor to stop the gate if there is any obstruction while the gate is in motion.





Swing Gates

- Option of manual or motorized Operations
- Different width gates from 1000mm- 12000mm can be provided.
- Bottom roller with high precision bearing.

Access Control Devices

NIHVA

Boom Barriers



Boom barriers are ideal solutions for toll plazas, traffic control, parking places and within industrial premises for vehicle control. These can be provided for the openings ranging from 1 meter to 16 meters. The maximum boom length available is 8 meters. For openings wider than 8 meters two boom barriers can be provided by incorporating master and slave units. The boom bars are available in round tubular or telescopic forms.

All barriers are suitable for outdoor application with IP54 electrical protection. Accessories such as photocell, loop sensor, flashing light, remote sensor, rack, mobile application support, articulation provision makes it ideal for any type of application. Robust steel structure, scratch proof coating, compact size, trouble free and smooth operation with an excellent service backup makes it a very reliable product for your needs.

Turnstiles



Turnstiles are designed to control pedestrians movement in restricted areas with low to medium level of security or for crowd control with some surveillance. The rotation is 3 x 120 degree (tri arm design) for bi-directional application.

Types of Turnstiles

1. Electro mechanical (Solenoid operation) or manual
2. Motorized drop arm tripod and auto reset

Bollards



Rising automatic hydraulic bollards provide secure solutions for vehicle access controls & traffic regulation where high level of security is required such as embassies, consulates, military installations, hotels etc. Available in 500mm height & 200mm diameter. Rising & lowering time is 4 seconds Suitable for intensive applications.

Rolling Shutters

NIHVA

Single Skin Rolling Shutters



NIHVA make manual rolling shutters are manufactured with high grade galvanized iron(GI), mild steel (MS), Stainless Steel (SS), and Aluminum (AL) using the latest technology to ensure high durability and low maintenance costs. The curtain panels are made of 1.0mm thick CRCA Steel, with corrugated, flat or ribbed profile, securely held in place.

NIHVA make manual rolling shutters are assisted by counterbalancing springs depending on the curtain weight. These rolling shutters are manufactured according to the Indian Standard norms, with customizable specifications and competitive prices.

Double Skin Rolling Shutters



The insulated shutter from NIHVA is perfectly suitable for the openings where aesthetic along with high security matters. As the name Insulated Rolling Shutter, each slat is insulated with polyurethane foam, which helps to control the temperature and noise.

These shutters have high resistance to corrosion as the slats are constructed of pre-coated galvanised sheet with profile thickness of 19mm.

- Motorized Rolling Shutters
  (Single and double skin)
- Manual Rolling Shutters
  (Single and double skin)
  a) Geared Operation
  b) Push Pull Operation
- High Speed Aluminium Rolling Shutter











Loading / Unloading Bay Solutions

NIHVA



Dock Levellers

Swing Dock Levellers



Hydraulic Swing-lip Dock Levellers are designed to enable a safe and efficient loading and unloading while reducing downtime to a minimum. The result is exceptionally high safety for the transfer of goods, preventing any injuries or damage to equipment.

Telescopic Dock Levellers



Telescopic Dock Levellers have a telescopic lip, which provides a larger contact area between vehicle bed and dock leveller. They can be precisely positioned on the vehicle bed for optimal load utilization and improved safety.

Dock Shelters


Curtain Dock Shelters

Curtain Dock Shelters provide weather protection during the loading and unloading process. Available in many sizes, they greatly improve working environment while protecting the goods. The curtain material has a very high wear-and-tear resistance and built-in- springs allow the shelter to follow vehicle movement without being damaged.



Inflatable Dock Shelters

Inflatable Dock Shelters provide perfect sealing by inflating themselves around the docked vehicle, which makes them ideal for applications within the food industry. They are suitable for a wide range of vehicle sizes and provide continuous weather protection throughout the loading and unloading operation.





Dock Houses

Dock-houses are economical insulated docking solution that contributes to energy savings and an improved work environment. They contain all the relevant components for a complete docking bay; leveller, shelter and door. Together with the Autodock bottom platform and an insulated or non-insulated cladding house, a complete, stand-alone dock loading system is formed.

The Dock-house makes it possible to move the actual loading and unloading area outside the building, thereby saving the corresponding floor area inside. No major building modifications are required.

Due to the thermal separation between building and docking unit, the load-house can be used in temperature controlled applications.

Achieve a complete, space-saving docking bay solution with a NIHVA Dock-house.

Scissor Lift

Capacity 300 to 12000kg

A working platform to reach at a certain height for maintenance or any other work along with heavy material. This is controlled by pendant & operating panel.







NIHVA Service Back-Up

We know your doors, docking solutions and material handling equipment are important to your business. They provide efficient access to your facilities and improve the flow of goods and people, and they help to prevent energy losses. These products have moving parts that require regular maintenance for optimal performance. A preventive maintenance program is the key to extending the life of your equipment and avoiding problems before they occur.


NIHVA provides you regular inspection and maintenance with optimal performance to ensure uninterrupted and safe operations of your equipments. Our technicians inspect and certifies your equipments for safety and reliability during a number of planned preventive on site visits, scheduled according to your needs.

One supplies - one number

We'll repair your industrial door, docking station, entrance gate or automatic pedestrian door, whatever their brand. Our skilled service engineers are stationed within your reach, across the country.

NIHVA Committed to Service

- One supplier and a 24-hour call-out service.
- Service and repairs on all industrial doors and automatic pedestrian doors, whatever their brand.
- Maintenance & Modernization
- Energy - saving solutions and upgrades. Preventive maintenance 1-4 visits a year.
- Full documentation, statistics and follow-up, whatever the type or brand of door.
- Automatically
- Preventive maintenance with a focus on cutting the life cycle cost.
- Local presence - we're on site fast.
- Guarantee on all work performed.



NIHVA TECHNOLOGIESPVT. LTD.

Head Office: 187, G-Block, 1st Floor, Thermax Chowk, MIDC, Above Kotak and Saraswat Bank, Chinchwad, Pune - 411019

International Business

ALBANY ASSA ABLOY | MEGADOOR ASSA ABLOY | Crawford ASSA ABLOY | ACO

Networks

WEST
Pune Mumbai Nashik Nagpur Indore Ahmedabad Surat Vadodara

NORTH
Delhi Chandigarh

SOUTH
Chennai Hyderabad Bengaluru

EAST
Kolkata Bhubaneshwar

+91 2066 3040 33
+91 85 51091 333

sales@nihva.com

www.nihva.com
www.shivaah.com

HANGAR & Extra Large opening doors


Complete Entrance Solutions for Aviation


NIHVA

ASSA ABLOY Entrance Systems

The global leader in door opening solutions







The smart way will help you to grow

Hangar doors are an integral part of every aviation operation's on-time performance capability. To fulfill their role, they must work quickly and with maximum reliability throughout many years of operation.







But these are just the operational considerations. In addition, they must fullfill expectations in a range of other important areas:

- Design and function – optimize hangar design to ensure maximum usable hangar and ramp space while also fullfilling aesthetic and financial requirements.
- Energy and ergonomy – minimize heat loss (or gain) while providing a viable working environment for demanding tasks.
- Safety and security – ensure safe conditions without excessive maintenance demands, and reduce risk of bird infestations.
- Regulations – help you to meet requirements that will enable your facility to gain FAA and/or EASA approval.

Few suppliers can meet all these demands, and even fewer can do so when the door opening is very large. Fortunately, Megadoor can answer your access need, regardless of door opening size, as well as fully satisfy all your requirements – from accessibility and economy, to security and comfort. And ASSA ABLOY Entrance Systems' skilled, experienced engineers are ready to support you throughout the process, from site analysis and engineering specification to installation, comissioning and service support.

If it works right, it's not there When they function as they should, hangar doors create no barrier or delay to your workflow. Yet they must simultaneously protect against weather, support indoor temperatures and secure against intrusion. The Megadoor® vertical lifting fabric door does this on a truly large scale. With practically no size limitations whatsoever, it permits quick and easy passage whether you are operating wide body A380s and 747s, corporate business jets, military transporters or the very latest fighter aircraft.

It's built to take the strain

The Megadoor vertical lifting fabric door was originally designed for industrial environments requiring very large door openings, and which exposed doors to high wind loads, temperature extremes and harsh environments.

This makes it particularly suitable for aircraft hangars. The safety level is high, with a built-in safety monitoring system and door arrestors. It is extremely wind-resistant, due to its unique design and structure.

The Megadoor vertical lifting fabric door offers:


- Fast, reliable performance, even in the harshest operating environments.
- Excellent air tightness & wind resistance.
- Long lifetime. Low operating cost.
- Minimal maintenance needs. Easy to repair.
- Multiple control alternatives. High safety level.
- No floor tracks.

New builds as well retrofits

A Megadoor solution is not only the best choice for new hangar door installations. It is also the best way to bring older hangars into the modern age, ensuring that their door closures fulfill the stringent requirements of FAA and EASA regulations.

In many cases, by adding an extension to the front of the hangar, it is possible to accomodate larger aircraft, thus generating additional income and faster return on investment.

ASSA ABLOY, Besam, Crawford, Megadoor and Albany, as words and logotypes, are examples of trademarks owned by ASSA ABLOY Entrance Systems or companies within the ASSA ABLOY Group.


Great design
flexibility
Excellent insulation
No dead space
FedEx

The smart way answers all your needs







Though priorities may differ between civil and military aviation – and between operational, manufacturing and MRO facilities – more than 90% of the selection criteria placed on hangar door vendors and their products are the same.

Architecture and engineering support
With practically no footprint, and design flexibility that permits both shaped hangars and an aesthetically pleasing appearance, the Megadoor vertical lifting fabric door is easy to incorporate in your design process, whether for a new installation or a retrofit. ASSA ABLOY Entrance Systems' skilled engineers are ready to support you right from the start of the consultation process, and can provide a wealth of supporting data to expedite your work. The door's compact design and low weight on the building structure/foundation make it easy to incorporate in the design process, and simple and quick to install. Its innovative design contributes not just to its long-term reliability, but also to its flexibility and even re-usability in temporary installations that require subsequent dismantling.

Reliable, safe operation
The simplicity of the Megadoor design and operation contributes both to superb functionality and long-term reliability.

With no springs or counterweights, and very few moving parts, it requires practically no maintenance. The door's horizontal intermediate beams clamp inner and outer faces of PVC-coated polyester fabric. The door rides in weather-sealed vertical guides that are attached to the building structure. The door's bottom sections are drawn upwards, and intermediate sections stack successively. Wind load transfers to the vertical guides, and the spacing of the intermediate beams enables almost any wind load to be accommodated. The patented safety arrestor locks the door securely, both when closed and in the event of a belt or motor malfunction.

Comfort and security in any conditions The first Megadoor built in 1973 needed to accommodate temperature differences of over 100°C in northern Sweden's winter weather, where outdoor temperatures often drop to –30°C.

The innovative solution – and a key reason for our global success – was a dual-layer fabric construction supported by unique seals around the door that minimize residual air infltration. Today, in addition to promoting a comfortable working temperature, the Megadoor fabric is also available in a translucent quality that substantially increases the amount of daylight within the hangar, without the negative effects of direct sunlight. This allows technicians to work under natural lighting conditions, as well as contributing to energy cost savings during the day.

Cost-effective hangar door solutions Thanks to its unique design, the Megadoor vertical lifting fabric door is fast and easy to operate.

These are excellent reasons to talk to Megadoor, but not the only ones. The flexibility to design your hangar around the air-craft it will serve, with maximum space utilization, is equally important. And, in the long run, the fact that a Megadoor solution requires very little maintenance offers important cumulative cost-savings. Nonetheless, our service staff around the world are always ready to provide professional preventive maintenance that guarantees a long and productive life for your hangar doors.


Double-skin heavy-duty curtain
Safety arrester
Bottom section with floor seal
Swing-up mullion system
Horizontal sections for rigidity
U.S. AIR FORCE

The smart way has what it takes







Megadoor is a world-leading ASSA ABLOY brand focusing on solutions for exceptional access needs within specific industry segments such as Aviation, Shipyard, Mining and Waste and Recyling.

Though Megadoor solutions answer extraordinary opening needs in industries ranging from aerospace to shipping, smelters and steel mills, thousands of our installations serve aviation customers – both civil and military. We are experts in this field. Our mission is to consistently deliver the right product at the right time, expertly engineered, competitively priced, and professionally installed and supported. We always provide the right Opening Solution.

Military aviation and emergency services Megadoor hangar door solutions have been delivered for the military and emergency service organisations worldwide since 1983. Recently, we have installed hundreds of doors for the U.S. Air National Guard, Air Force and Coast Guard, thanks to our ability to develop and deliver superior solutions on-budget and within extremely tight time frames.

Megadoor opening solutions are especially prized by these customers because of their: ■ Dependability – will work in any condition, fulfilling the mission.

- Low maintenance needs – do not take valuable budget from other maintenance.
- Space saving – optimal use of available space, ability to accommodate shaped hangar solutions, and no need for the side storage pockets required by conventional doors.
- Fast opening speed – crucial for quick-reaction operations.

Civil and corporate aviation Hangar doors are an integral part of airline and corporate aviation operations. They must support on-time performance in the face of tight budget restraints, so cost-effective functional reliability should be without question.


Megadoor hangar door solutions have been supplied to global civil and corporate aviation customers since 1983. Megadoor opening solutions are especially prized in these sectors because they: ■ Take less space in the building and are costeffective in operation.

- Are highly reliable – you can be sure the door will work, and not disrupt operation.
- Create a good working environment – the translucent curtain lets in more light.
- Virtually eliminate draughts when closed, can be opened partially for access, shade and ventilation, and are easy to open and close.

Aircraft manufacturing and MRO Hangar doors in aircraft manufacturing and MRO are an integral part of the production process, and simply most work without fail – they are often opened and closed dozens of times per day.

Megadoor hangar door solutions have been supplied to world-manufacturing and MRO market since 1978. Megadoor opening solutions are preferred by these demanding customers because they: ■ Are highly reliable – you can rely on the door to work and not disrupt operation.

- Take less space in the building, do not ‘steal’ space from production, and are cost-effective in operation.
- Provide a tight seal when closed, promoting a comfortable work environment while saving energy.
- Create a good working environment – the translucent curtain lets in more light.


Great design flexibility
Unlimited size
Swing-up mullion system
No dead space

ASSA ABLOY Entrance Systems is a leading supplier of entrance automation solutions for efficient flow of goods and people. With our globally recognized product brands Besam, Crawford, Megadoor and Albany, we offer products and services dedicated to satisfying end-user needs for safe, secure, convenient and sustainable operations.
ASSA ABLOY Entrance Systems is a division within ASSA ABLOY.

assaabloyentrance.com

NIHVA



BR.AVS/ORG.EN.2.0/1410

ASSA ABLOY Entrance Systems

Tel: +46 (0)10 47 47 000
info.aaes@assaabloy.com
assaabloyentrance.com

Follow us:

Please enter *ASSA ABLOY Entrance*

Technical Data

Incorporation Certificate

प्रारुप 1
पंजीकरण प्रमाण–पत्र

कॉर्पोरेट पहचान संख्या : U72900PN2012PTC143948 2012 - 2013

मैं एतदद्वारा सत्यापित करता हूँ कि मैसर्स

NIHVA TECHNOLOGIES PRIVATE LIMITED

का पंजीकरण, कम्पनी अधिनियम 1956 (1956 का 1) के अंतर्गत आज किया जाता है और यह कम्पनी प्राइवेट लिमिटेड है।

यह निगमन–पत्र आज दिनांक पांच जुलाई दो हजार बारह को पूणे में जारी किया जाता है।

Form 1
Certificate of Incorporation

Corporate Identity Number : U72900PN2012PTC143948 2012 - 2013
I hereby certify that NIHVA TECHNOLOGIES PRIVATE LIMITED is this day incorporated under the Companies Act, 1956 (No. 1 of 1956) and that the company is private limited.

Given at Pune this Fifth day of July Two Thousand Twelve.

Registrar of Companies, Maharashtra, Pune
कम्पनी रजिस्ट्रार, महाराष्ट्र, पूणे

*Note: The corresponding form has been approved by SHAMRAO DATTATRAY PATIL, Assistant Registrar of Companies and this certificate has been digitally signed by the Registrar through a system generated digital signature under rule 5(2) of the Companies (Electronic Filing and Authentication of Documents) Rules, 2006.
The digitally signed certificate can be verified at the Ministry website (www.mca.gov.in).

कम्पनी रजिस्ट्रार के कार्यालय अभिलेख में उपलब्ध पत्राचार का पता :
Mailing Address as per record available in Registrar of Companies office:
NIHVA TECHNOLOGIES PRIVATE LIMITED
8/1, COROMANT HSG SOCIETY, SECTOR 27, PRADHIKARAN NIGDI
PUNE - 411044,
Maharashtra, INDIA

GST Certificate

Government of India

Form GST REG-06

[See Rule 10(1)]

Registration Certificate

Registration Number : 27AAECN0437H1ZM

1.	**Legal Name**	NIHVA TECHNOLOGIES PRIVATE LIMITED			
2.	**Trade Name, if any**	NIHVA TECHNOLOGIES PRIVATE LIMITED			
3.	**Constitution of Business**	Private Limited Company			
4.	**Address of Principal Place of Business**	FIRST FLOOR ABOVE RENAULT SHOWROOM, PLOT NO-187, G-BLOCK, THERMAX CHOWK MIDC, CHINCHWAD, Pune, Maharashtra, 411019			
5.	**Date of Liability**	01/07/2017			
6.	**Period of Validity**	From	01/07/2017	To	NA
7.	**Type of Registration**	Regular			
8.	**Particulars of Approving Authority**				
Signature		Signature Not Verified Digitally signed by GS GOODS AND SERVICES TAX NETWORK 1 Date: 2018.07.28 19:39:05 IST			
Name					
Designation					
Jurisdictional Office					
9. Date of issue of Certificate		28/07/2018			
Note: The registration certificate is required to be prominently displayed at all places of business in the State.					

This is a system generated digitally signed Registration Certificate issued based on the deemed approval of application on 01/07/2017 .

Annexure B

GSTIN	27AAECN0437H1ZM
Legal Name	NIHVA TECHNOLOGIES PRIVATE LIMITED
Trade Name, if any	NIHVA TECHNOLOGIES PRIVATE LIMITED

Details of Managing / Whole-time Directors and Key Managerial Persons

1	Name	VIJAY MAHADEO TARAK
	Designation/Status	DIRECTOR
	Resident of State	Maharashtra